

FORM
5

Rev
12/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403856244

Date Received:

DRILLING COMPLETION REPORT

Per Rule 308A, this form and all required attachments shall be submitted after completing the drilling operations to drill, sidetrack, or deepen a wellbore and after changing the casing and/or cement configuration of a wellbore. If any attempt has been made to test, complete, or produce the well, the operator shall also submit a Form 5A (Completed Interval Report) per Rule 308B. If the well has been plugged, the operator shall also submit a Form 6 (Well Abandonment Report) per Rule 311.

Completion Type Final completion Preliminary completion

ECMC Operator Number: 69175 Contact Name: Randy Thweatt
Name of Operator: PDC ENERGY INC Phone: (303) 228-4000
Address: 1099 18TH STREET SUITE 1500 Fax:
City: DENVER State: CO Zip: 80202 Email: Denverregulatory@chevron.onmicrosoft.com

API Number 05-123-51780-00 County: WELD
Well Name: George Well Number: 19NA
Location: QtrQtr: SWNE Section: 21 Township: 4N Range: 64W Meridian: 6
Footage at surface: Distance: 1973 feet Direction: FNL Distance: 2215 feet Direction: FEL
GPS Data: GPS Quality Value: 1.4 Type of GPS Quality Value: PDOP Date of Measurement: 02/12/2024
** If directional footage at Top of Prod. Zone Dist: 1215 feet Direction: FSL Dist: 200 feet Direction: FEL
** If directional footage at Bottom Hole Dist: 1211 feet Direction: FSL Dist: 206 feet Direction: FWL
Field Name: WATTENBERG Field Number: 90750
Federal, Indian or State Lease Number:

Spud Date: (when the 1st bit hit the dirt) 02/25/2024 Date TD: 04/27/2024 Date Casing Set or D&A: 04/28/2024
Rig Release Date: 05/27/2024 Per Rule 308A.b.

Well Classification:
 Dry Oil Gas/Coalbed Disposal Stratigraphic Enhanced Recovery Storage Observation

Total Depth MD 17456 TVD** 6749 Plug Back Total Depth MD 17439 TVD** 6749
Elevations GR 4718 KB 4743 Digital Copies of ALL Logs must be Attached

List All Logs Run:
CBL, MWD/LWD, (IND in 123-29145, RES in 123-51778)

FLUID VOLUMES USED IN DRILLING OPERATIONS
(Enter "0" if a type of a fluid was not used. Do not leave blank.)
Total Fluids (bbls): 1919 Fresh Water (bbls): 1774
Recycled or Reused Fluids That Offset the Use of Fresh Water (bbls): 145

CASING, LINER AND CEMENT

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
CONDUCTOR	26	16	J-55	84	0	105	64	105	0	VISU
SURF	13+1/2	9+5/8	J-55	36	0	1989	788	1989	0	VISU
1ST LINER	8+1/2	5+1/2	P-110	20	0	17446	3086	17446	1320	CBL

Bradenhead Pressure Action Threshold 597 psig

This threshold is calculated per Rule 308A.b.(2)G. If this well is located in a bradenhead test area (see Rule 207.b) per an Order of the Commission, it may be subject to a different threshold.

Does the casing centralization comply with Rule 317.g? Yes

If "NO", provide details below.

STAGE/TOP OUT/REMEDIAL CEMENT

Cement work date: _____

Method used	String	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom

Details of work:

FORMATION LOG INTERVALS AND TEST ZONES

FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analysis must be submitted to ECMC)
	Top	Bottom	DST	Cored	
PARKMAN	4,002				
SUSSEX	4,465				
SHANNON	5,393				
SHARON SPRINGS	7,410				
NIOBRARA	7,492				

Operator Comments:

TPZ is based on approved APD footage, actual TPZ will be submitted on Form 5A.

As drilled GPS was surveyed after conductor was set.

Alternative logging Program: No open hole logs were ran per rule 408.r IND log ran on Hanscome C21-18 (123-29145) and RES log ran on George 21N (123-51778).

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Kim Bauer

Title: Regulatory Analyst II

Date: _____

Email: kimberlybauer@chevron.com

ATTACHMENT LIST

Att Doc Num	Document Name	attached ?	
<u>Attachment Checklist</u>			
403856297	CMT Summary *	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Core Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
403856280	Directional Survey **	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	DST Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Logs	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Other	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<u>Other Attachments</u>			
403856288	LAS-CEMENT BOND	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403856295	PDF-CEMENT BOND	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403863208	LAS-MWD/LWD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403866720	DIRECTIONAL DATA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403867126	PDF-MWD/LWD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)