

---

**From:** Steve Wheeler, P.E. <[steven.wheeler@state.co.us](mailto:steven.wheeler@state.co.us)>  
**Sent:** Tuesday, October 24, 2023 9:39 AM  
**To:** Stephany Olsen  
**Cc:** Branden Ferguson; DL Flowlines  
**Subject:** Re: Field Change: Need to ABiP instead of Remove: Federal 12-10 (ID 473113)

Stephany,

I don't have an issue with proceeding as planned then. Thanks.

-Steve

On Tue, Oct 24, 2023 at 9:15 AM Stephany Olsen <[solsen@civiresources.com](mailto:solsen@civiresources.com)> wrote:

Steve,

Yes, When the 22-10 is PA'd, the plan would be to remove both flowlines.

**Stephany Olsen**

c: (303) 717-6132

o. (303) 309-1596

---

**From:** Steve Wheeler, P.E. <[steven.wheeler@state.co.us](mailto:steven.wheeler@state.co.us)>  
**Sent:** Tuesday, October 24, 2023 8:41 AM  
**To:** Stephany Olsen <[solsen@civiresources.com](mailto:solsen@civiresources.com)>  
**Cc:** Branden Ferguson <[bferguson@civiresources.com](mailto:bferguson@civiresources.com)>; DL Flowlines <[flowlines@civiresources.com](mailto:flowlines@civiresources.com)>  
**Subject:** Re: Field Change: Need to ABiP instead of Remove: Federal 12-10 (ID 473113)

Stephany,

Would the eventual plan for the 22-10 still be for removal? At that time could the 12-10 then be removed?

-Steve

On Mon, Oct 23, 2023 at 5:10 PM Stephany Olsen <[solsen@civiresources.com](mailto:solsen@civiresources.com)> wrote:

Steve,

I left a message this afternoon regarding a field change to a pre-abandonment notice for a Crestone flowline.

We filed a pre-AB 8/16/23 on doc # 403493410 to remove the Federal 12-10 flowline (ID 473113). At the time, the plan was to remove this line along with another co-located line after both associated wellheads were PA'd.

There was a PA schedule change and the Federal 22-10 will no longer be PA'd the same time as the Federal 12-10. As a result, the Federal 12-10 needs to be ABiP instead of removed.

The field would like to abandon the Federal 12-10 line on Thursday, if possible.

How would you like us to proceed? Happy to touch base and go over any additional questions or concerns.

Thanks,

**Stephany Olsen**

c: (303) 717-6132


o. (303) 309-1596

--

Regards,

**Steve Wheeler, P.E.**

**Integrity Engineer**



P 303.894.2100 x5192

1120 Lincoln Street, Suite 801, Denver, CO 80203


[steven.wheeler@state.co.us](mailto:steven.wheeler@state.co.us) | [www.colorado.gov/cogcc](http://www.colorado.gov/cogcc)

--

**Regards,**

**Steve Wheeler, P.E.**

**Integrity Engineer**



P 303.894.2100 x5192

1120 Lincoln Street, Suite 801, Denver, CO 80203

[steven.wheeler@state.co.us](mailto:steven.wheeler@state.co.us) | [www.colorado.gov/cogcc](http://www.colorado.gov/cogcc)