

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403889597

Date Received:

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number:	8960	Contact Name	Jeff Annable
Name of Operator:	BONANZA CREEK ENERGY OPERATING COMPANY LLC	Phone:	(303) 3128529
Address:	555 17TH STREET SUITE 3700	Fax:	()
City:	DENVER	State:	CO
Zip:	80202	Email:	DLRockiesPermitting@civiresources.com

FORM 4 SUBMITTED FOR:

Facility Type: WELL

API Number : 05- 123 51215 00 ID Number: 477798

Name: Pronghorn K-5 FED Number: 32N-20-03

Location QtrQtr: Lot 2 Section: 5 Township: 5N Range: 61W Meridian: 6

County: WELD Field Name: WATTENBERG

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
438694	Pronghorn K-5 Pad

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

☒ Change of Location for Well * ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude 40.436815 Longitude -104.231333

GPS Quality Value: 2.1 Type of GPS Quality Value: PDOP Measurement Date: 12/19/2023

Well Ground Elevation: 4660 feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: HORIZONTAL (Vertical, Directional, Horizontal)

Change of Surface Footage From:

Change of Surface Footage To:

Current Surface Location From	QtrQtr	Lot 2	Sec	5	Twp	5N	Range	61W	Meridian	6
New Surface Location To	QtrQtr	Lot2	Sec	5	Twp	5N	Range	61W	Meridian	6

Change of **Top of Productive Zone** Footage **From:**

Change of **Top of Productive Zone** Footage **To:**

Current **Top of Productive Zone** Location

Sec

Twp

Range

**

New **Top of Productive Zone** Location

Sec

Twp

Range

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

**

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

**

Current **Bottomhole** Location

Sec

Twp

Range

** attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building: Feet
Building Unit: Feet
Public Road: Feet
Above Ground Utility: Feet
Railroad: Feet
Property Line: Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit?

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: Feet

Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

LOCATION CHANGE COMMENTS

CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
NIOBRARA	NBRR	407-2718	1280	T6N R61W SEC 29 & 32			X	

OTHER

☐ **RULE 502 VARIANCE**

Order Number: _____

Description: _____

☐ **REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment☐ **CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGD**

From: Name PRONGHORN K-5 FED Number 32N-20-03 Effective Date: _____

To: Name _____ Number _____

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number _____ has not been drilled.☐ PIT: Abandon Earthen Pit Permit (Form 15) – ECMC Pit Facility ID Number _____ has not been constructed (Permitted and constructed pit requires closure per Rule 911)☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number _____ has not been constructed (Constructed facility requires closure per Rule 907)

OIL & GAS LOCATION ID Number: _____

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**☐ **REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))**☐ **DIGITAL WELL LOG UPLOAD**☐ **DOCUMENTS SUBMITTED** Purpose of Submission: _____☐ **COMPLIANCE with CONDITION OF APPROVAL (COA) on** Form NO: _____ Document Number: _____

RECLAMATION

INTERIM RECLAMATION

☐ Interim Reclamation will commence approximately _____

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection. Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.**Field inspection will be conducted to document Rule 1003.e. compliance**

FINAL RECLAMATION

☐ Final Reclamation will commence approximately _____

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐

Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

Field inspection will be conducted to document Rule 1004.c. compliance

Comments:

ENGINEERING AND ENVIRONMENTAL WORK

☐ **REPORT OF TEMPORARY ABANDONMENT**

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

☐ **REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS**

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned _____

Has Production Equipment been removed from site? _____

Mechanical Integrity Test (MIT) required. Date of last MIT _____

TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ **NOTICE OF INTENT/REQUEST FOR APPROVAL** Approximate Start Date 08/19/2024

☐ **SUBSEQUENT REPORT** Date of Activity _____

- | | | |
|---|--|--|
| <input type="checkbox"/> Bradenhead Plan | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement |
| <input checked="" type="checkbox"/> Change Drilling Plan | <input type="checkbox"/> Repair Well | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change | | |
| <input type="checkbox"/> Underground Injection Control | | |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.) | | |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) | | |
| <input type="checkbox"/> Other | | |

☐ Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID _____ Pit Name _____

(No Sample Provided)

☐ Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

GAS CAPTURE

VENTING AND FLARING:

Operation type: _____ Operational phase requiring venting/flaring: _____

Reason for venting/flaring: _____

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: _____ mcf ☐ estimated ☐ measured

Total duration of emission event: _____ hours ☐ consecutive ☐ cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: _____

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached. ☐

CASING PROGRAM

<u>Casing Type</u>	<u>Size of Hole</u>	<u>Size of Casing</u>	<u>Grade</u>	<u>Wt/Ft</u>	<u>Csg/Liner Top</u>	<u>Setting Depth</u>	<u>Sacks Cmt</u>	<u>Cmt Btm</u>	<u>Cmt Top</u>
CONDUCTOR	26	16	B	37	0	95	100	95	0
SURF	13+1/2	9+5/8	J-55	36	0	1725	721	1725	0
1ST	8+1/2	5+1/2	P-110	20	0	16161	2366	16161	1725

POTENTIAL FLOW AND CONFINING FORMATIONS

<u>Zone Type</u>	<u>Formation /Hazard</u>	<u>Top M.D.</u>	<u>Top T.V.D.</u>	<u>Bottom M.D.</u>	<u>Bottom T.V.D.</u>	<u>TDS (mg/L)</u>	<u>Data Source</u>	<u>Comment</u>
Groundwater	Laramie-Fox Hills	24	24	208	208	1001-10000	Other	COGCC UPWQ Report
Confining Layer	Pierre Formation	208	208	443	443			
Groundwater	Upper Pierre Aquifer	443	443	1474	1463	1001-10000	Other	COGCC UPWQ Report
Confining Layer	Pierre Formation	1474	1463	3383	3313			
Hydrocarbon	Larimer ("Parkman") Sand	3383	3313	3580	3503			Not Productive in this area
Confining Layer	Pierre Formation	3580	3503	4158	4063			
Hydrocarbon	Terry ("Sussex") Sand	4158	4063	4262	4163			Not Productive in this area
Confining Layer	Pierre Formation	4262	4163	4541	4433			
Hydrocarbon	Hygiene ("Shannon") Sand	4541	4433	4593	4483			Not Productive in this area
Confining Layer	Pierre Formation	4593	4483	6206	5973			
Subsurface Hazard	Sharon Springs Member	6206	5973	6574	6083			Sloughing Shales
Hydrocarbon	Niobrara	6574	6083	16161	6083			

H2S REPORTING

☐ Intentional release of H2S gas due to Upset Condition or malfunction.

☐ Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million)

Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID _____ OGDP Name _____

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____	Vapor Recovery Towers _____		

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDG UPDATES

PROPOSED CHANGES TO AN APPROVED OGDG

☐ This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- ☐ Add Oil and Gas Location(s)
- ☐ Add Drilling and Spacing Unit(s)
- ☐ Amend Oil and Gas Location(s)
- ☐ Amend Drilling and Spacing Unit(s)
- ☐ Remove Oil and Gas Location(s)
- ☐ Remove Drilling and Spacing Unit(s)
- ☐ Oil and Gas Location attachment or plan updates
- ☐ Amend the lands subject to the OGDG
- ☐ Other

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

Best Management Practices

No	BMP/COA Type	Description
1	Drilling/Completion Operations	One of the first wells drilled on the pad during the second rig occupation will be logged with open-hole resistivity log with gamma-ray log from the kick-off point into the surface casing for one of the stratigraphically deepest wells on the pad. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs will state "Alternative Logging Program - No open-hole logs were run" and will clearly identify the type of log and the well (by API#) in which open-hole logs were run.`
2	Drilling/Completion Operations	Anti-collision: Operator will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within 150 feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators prior to drilling.`

Total: 2 comment(s)

Operator Comments:

Sundry Notice to document as-built surface footages and change LP and BHP for the Pronghorn K-5 FED #32N-20-03. Updates to Casing & Cement Plan are results of changing the LP and BHP.

Surface Casing has already been set to 1725' as detailed in the previous Form 5 (DocID# 403646309). All measurements are take as a tie-in to the existing surface casing.

Surface well location did not change therefore the cultural features were not impacted and not updated.

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells was measured to the Furrow #1 (API Number 05-123-05209). This distance was measured in 3-dimensional space.

The distance to the completed portion of the nearest well in the same unit on the "Spacing & Formation" tab is measured to the proposed PRONGHORN K-5 FED 32N-20-02 . This distance was measured in 3-dimensional space.

Attached as OTHER, is the anti-collision analysis which factors in three dimensional measurements as well as gyro surveys performed on the offset wellbores. All measurements provided in 3-dimensional space were derived from this analysis.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Stephen Miller

Title: Lead, W & L Permitting

Email: smiller@civiresources.com

Date: _____

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____

Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST	
COA Type	Description
0 COA	

General Comments		
User Group	Comment	Comment Date
		Stamp Upon Approval
Total: 0 comment(s)		

ATTACHMENT LIST	
Att Doc Num	Name
403893066	DIRECTIONAL WELL PLAT
403893068	OTHER
403893069	OTHER
403893070	DIRECTIONAL DATA
Total Attach: 4 Files	