

US Treatment Report



Customer: CIVITAS RESOURCES

Job #: JOB00181433

Rep:

Job Date: 5-4-2024

Supervisor: JAMES RAGLE

Riq: Patterson 345

Time Requested: 1:30PM

Job Type: US Primary

Well: Florida 03-65 27-26 02AH

Time Arrived: 1:30PM

Casing-Surface

UWI: Florida 03-65 27-26 02AH

Time Released: 8:30PM

Surface: Florida 03-65 27-26 02AH

1381 sk MAG S 13.3 + 0.10% MCDF-P

Yield: 1.44 ft³/sk = 354.18bbls Mix Water: 7.01 gal/sk = 9680.81gal

BHCT (F)	100	BHST (F)	150	Casing Size (in)	9.625
Casing Grade	J-55	Casing Weight (lb/ft)	36	Casing Size (in)	9.625
Casing Grade	J-55	Casing Weight (lb/ft)	36	Float Depth (ft)	3310
Funnel Vis (sec/qt)	TBD	Max Pressure (psi)	1500	Mud Type	WBM
TMD (ft)	3359	TVD (ft)	3295		

Treatment Info: Sacks Used: 1381 Sacks Not Used: 0

Preflush: 5bbls Fresh Water & 10bbls MAG Mark & 10bbls Fresh Water

	Circulation Time: 1
Slurry Temp: 75	Bulk Sample: Yes
Water Temp: 65	Water Sample: Yes
Bulk Temp: 60	Slurry Sample: Yes
Air Temp: 62	Air Pressure 29.2
	5
Slurry Returns: 28 Plug Bumped: Yes	Pump Out Lines: No Float Held: Yes
Cement Class: Type III	Humidity: 65 Precipitation: 0

Displace: 255.8bbls Fresh Water

Further Blend Details:

Prehydrated:

Additional Details (General Notes): CASING ; SET DEPTH 3349

Time	Pressure psi	Annular Pressure psi	Volume Per Stage bbls	Total Stage Volume bbls	Rate bbls/min	Treatment Detail
13:30	0.00					Arrive on Location - GET NUMBERS FROM COMPANY MAN/ TEST ATER/ PH=8/ CHLORIDES=150/ HARDNESS=300
17:45	0.00					Safety Meeting - GO OVER JOB AND SAFETY WITH ALL PERSONNEL ON LOCATION
17:57	150.00			5	3	Fill Lines - FRESH WATER TO FILL LINES
18:01	2,500.00					Start Pressure Test
18:03	300.00			20	4.5	Pump Preflush - 10 BBLs MAG MARK/ 10 BBLs FRESH WATER
18:11	550.00			354.1	6	Pump Slurry - MIX AND PUMP 1381.0 SKS 13.3PPG/ 354.1 BBLs VERIFIED USING SCALES/ GOOD RETURNS THROUGH JOB
19:14	0.00					Stop Pumping
19:15	0.00					Drop Plug - DROP TOP PLUG WITNESSED BY COMPANY MAN
19:17	950.00			230	6.5	Displace - FRESH WATER/ TOTAL DISPL=255.8 BBLs
19:58	1,000.00			25.8	4	Decrease Rate - SLOW RATE TO BUMP PLUG/
20:03	1,450.00					Bump Plug - BUMPED PLUG / 28 BBLs CEMENT TO SURFACE

20:04	0.00					Check Floats - FLOATS HELD 2 BBL BACK TO PUMP
20:10	0.00					Wash Up Truck - WASH UP PUMP INTO CELLAR
20:30	0.00					Leave Location



Customer: CIVITAS

Date: 5-4-2024

Ticket: 181433

Location: FLORIDA 03-65 27-26 02AH

Well Name: FLORIDA 03-65 27-26 02AH

Job Type: SURFACE

Magnum Unit #: 1507

