


01797487



SUNDRY NOTICE

Submit original plus one copy. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full on Technical Information Page (Page 2 of this form.) Identify well or other facility by API Number or by OGCC Facility ID. Operator shall send an informational copy of all sundry notices for wells located in High Density Areas to the Local Government Designee (Rule 603b.)



1. OGCC Operator Number: 90700	4. Contact Name: BRIAN BENTLEY	Complete the Attachment Checklist OP OGCC
2. Name of Operator: TWIN ARROW, INC.	Phone: 303-892-8830	
3. Address: 10390 W. BRADFORD RD, STE 218	Fax: 720-922-3129	
City: LITTLETON State: CO Zip: 80127		
5. API Number 05- 103-09410	OGCC Facility ID Number	Survey Plat
6. Well/Facility Name: UNIVERSITY OF TEXAS	7. Well/Facility Number 51	Directional Survey
8. Location (Qtr/Qtr, Sec, Twp, Rng, Meridian): NWNW 5 1N 102W 6th PM		Surface Eqpm Diagram
9. County: RIO BLANCO	10. Field Name: RANGELY	Technical Info Page
11. Federal, Indian or State Lease Number: FEE		Other GPS DATA

General Notice

☐ CHANGE OF LOCATION: Attach New Survey Plat (a change of surface qtr/qtr is substantive and requires a new permit)

Change of Surface Footage from Exterior Section Lines:

Change of Surface Footage to Exterior Section Lines:

Change of Bottomhole Footage from Exterior Section Lines:

Change of Bottomhole Footage to Exterior Section Lines:

Bottomhole location Qtr/Qtr, Sec, Twp, Rng, Mer

Latitude 40.0910360 Distance to nearest property line

Longitude 108.872726 Distance to nearest bldg, public rd, utility or RR

Ground Elevation Distance to nearest lease line Is location in a High Density Area (rule 603b)? Yes/No

Distance to nearest well same formation Surface owner consultation date:

GPS DATA:

Date of Measurement 6/12/2007 PDOP Reading 2.42 Instrument Operator's Name BRIAN BENTLEY

☐ CHANGE SPACING UNIT

Formation Formation Code Spacing order number Unit Acreage Unit configuration

☐ Remove from surface bond

Signed surface use agreement attached

☐ CHANGE OF OPERATOR (prior to drilling):

Effective Date:

Plugging Bond: ☐ Blanket ☐ Individual

☐ CHANGE WELL NAME

From:

To:

Effective Date:

☒ ABANDONED LOCATION:

Was location ever built? ☒ Yes ☐ No

Is site ready for inspection? ☒ Yes ☐ No

Date Ready for Inspection: INSPECTED 9/18/2008

☐ NOTICE OF CONTINUED SHUT IN STATUS

Date well shut in or temporarily abandoned:

Has Production Equipment been removed from site? ☐ Yes ☐ No

MIT required if shut in longer than two years. Date of last MIT

☐ SPUD DATE:

☐ REQUEST FOR CONFIDENTIAL STATUS (6 mos from date casing set)

☐ SUBSEQUENT REPORT OF STAGE, SQUEEZE OR REMEDIAL CEMENT WORK

\*submit cbl and cement job summaries

Method used Cementing tool setting/perf depth Cement volume Cement top Cement bottom Date

☐ RECLAMATION: Attach technical page describing final reclamation procedures per Rule 1004.

Final reclamation will commence on approximately ☒ Final reclamation is completed and site is ready for inspection.

Technical Engineering/Environmental Notice

☐ Notice of Intent

Approximate Start Date:

☒ Report of Work Done

Date Work Completed: 10-14-08

Details of work must be described in full on Technical Information Page (Page 2 must be submitted.)

☐ Intent to Recomplete (submit form 2)

☐ Request to Vent or Flare

☐ E&P Waste Disposal

☐ Change Drilling Plans

☐ Repair Well

☐ Beneficial Reuse of E&P Waste

☐ Gross Interval Changed?

☐ Rule 502 variance requested

☐ Status Update/Change of Remediation Plans

☐ Casing/Cementing Program Change

☒ Other: GPS MARKER for Spills and Releases

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: Brian S. Bentley Date: 10/14/2008 Email: brianbent@aol.com

Print Name: BRIAN S. BENTLEY Title: PRESIDENT


COGCC Approved: David S. Nashin Title: DBG Date: 3-13-9

CONDITIONS OF APPROVAL, IF ANY:





Page 2

**TECHNICAL INFORMATION PAGE**

1. OGCC Operator Number: 90700 API Number: 05-103-09410  
2. Name of Operator: TWIN ARROW INC OGCC Facility ID #             
3. Well/Facility Name: UNIVERSITY OF TEXAS Well/Facility Number: 51  
4. Location (QtrQtr, Sec, Twp, Rng, Meridian): NWNW 5 1N 102W 6th PM

This form is to be completed whenever a Sundry Notice is submitted requiring detailed report of work to be performed or completed. This form shall be transmitted within 30 days of work completed as a "subsequent" report and must accompany Form 4, page 1.

5.

**DESCRIBE PROPOSED OR COMPLETED OPERATIONS****PLUGGING WELL (WELL STATUS DA)**

Well has been plugged with labeled well marker set in place.

**RECLAMATION**

Surface designation in COGIS: Fee.

No evidence of production facilities.

Cuttings and trash removed. No recontour necessary. Location re-seeded.

**GPS OF WELL LOCATION (NAD 83 Datum)**

40.0910360 deg N latitude

108.8727260 deg W longitude

Position Dilution of Precision (PDOP) 2.42

Tue Jun 12 15:51:23 2007

Measured by Twin Arrow, Inc., Operator

Pharos iGPS-BT (mfr specs below; location/date/time PDOP and instrument accuracy data attached.)

**IV. iGPS-BT GPS Receiver Specifications**


<b>Performance</b>	
Chipset	SiRF StarIIe/LP
Antenna	Integrated patch antenna
Frequency	L1, 1575.42 MHz
Sensitivity	-140 dBm (typical)
Channels	12 Channel all-in-view tracking
Acquisition time (Avg.)	Cold Start: 60 sec
	Warm Start: 40 sec
	Hot Start: 5 sec
Reacquisition	0.1 sec
Position update	1 Hz
Accuracy	Position: 10 meters 2D-RMS, SA off
	Velocity: 0.1 meter/second, SA off
	Time: 1 microsecond synchronized to GPS time
	Datum: WGS-84



RECEIVED  
OCT 16 2008  
COGCC

Station name	W of Rangely CO
Latitude	40° 06'
Longitude	108° 52'
Height	1 [m]
Time span	6/12/2007/3:00:00 PM - 6/12/2007/6:00:00 PM
Time zone	Mountain Standard Time (DST)
Offset UTC	-6.0 [h]
Elevation cutoff	15°
Obstruction Editor	0%
GPS Satellites	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32
Glonass Satellites	- none -
Galileo Satellites	- none -
Compass Satellites	- none -

Time	GDOP	TDOP	PDOP	HDOP	VDOP	GPS	GLN	GAL	COM	Total
15:00	1.90	0.80	1.72	0.88	1.48	9	0	0	0	9
15:10	1.92	0.83	1.74	0.89	1.49	9	0	0	0	9
15:20	2.49	1.25	2.15	1.07	1.87	9	0	0	0	9
15:30	2.60	1.34	2.23	1.08	1.95	9	0	0	0	9
15:40	2.62	1.37	2.23	1.09	1.94	9	0	0	0	9
15:50	2.87	1.55	2.42	1.14	2.13	8	0	0	0	8
16:00	3.04	1.67	2.55	1.18	2.26	8	0	0	0	8
16:10	2.72	1.45	2.30	1.16	1.99	9	0	0	0	9
16:20	3.13	1.69	2.64	1.32	2.28	9	0	0	0	9
16:30	3.50	1.90	2.94	1.51	2.52	9	0	0	0	9
16:40	3.51	1.90	2.95	1.60	2.48	9	0	0	0	9
16:50	3.11	1.66	2.63	1.52	2.15	9	0	0	0	9
17:00	2.05	1.03	1.77	1.13	1.36	10	0	0	0	10
17:10	2.01	1.00	1.75	1.13	1.33	10	0	0	0	10
17:20	1.95	0.95	1.70	1.10	1.29	10	0	0	0	10
17:30	1.87	0.90	1.64	1.07	1.24	10	0	0	0	10
17:40	1.79	0.84	1.58	1.04	1.18	10	0	0	0	10
17:50	1.82	0.87	1.60	1.05	1.21	9	0	0	0	9
18:00	5.80	3.29	4.77	2.49	4.07	7	0	0	0	7







RECEIVED  
OCT 16 2008  
COGCC



Planning: List of DOP values


www.trimble.com

Planning / Copyright (C) 2001 - 2008 by Trimble Navigation Limited.

Station name	W of Rangely CO
Latitude	40° 06'
Longitude	108° 52'
Height	1 [m]
Time span	10/1/2008/2:00:00 PM - 10/1/2008/3:00:00 PM
Time zone	Mountain Standard Time (DST)
Offset UTC	-6.0 [h]
Elevation cutoff	15°
Obstruction Editor	0%
GPS Satellites	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32
Glomass Satellites	- none -
Galileo Satellites	- none -
Compass Satellites	- none -

Time	GDOP	TDOP	PDOP	HDOP	VDOP	GPS	GLN	GAL	COM	Total
14:00	2.56	1.29	2.22	1.20	1.87	8	0	0	0	8
14:10	2.42	1.20	2.11	1.17	1.75	8	0	0	0	8
14:20	2.50	1.25	2.17	1.18	1.82	7	0	0	0	7
14:30	2.75	1.37	2.39	1.36	1.96	6	0	0	0	6
14:40	2.55	1.23	2.23	1.31	1.81	6	0	0	0	6
14:50	2.53	1.23	2.20	1.27	1.80	6	0	0	0	6
15:00	2.15	0.96	1.92	1.15	1.54	6	0	0	0	6

Pharos I GPS-BT computed  
measurement error  
**DOP Position** = ± 4.59 ft



Station W of Rangely CO North 40° 6' West 108° 52' Height 1m  
Time 10/1/2008 00:00 - 10/2/2008 00:00 (UTC-6.0h)

Elevation cutoff 15° Obstacles 0%  
Satellites 31 GPS 31 [Almanac.alm (6/24/2008)]



Planning: List of DOP values

www.trimble.com

Planning / Copyright (C) 2001 - 2008 by Trimble Navigation Limited.


Station name	KCNR Littleton CO
Latitude	39° 35'
Longitude	105° 11'
Height	1 [m]
Time span	9/29/2008/10:00:00 AM - 9/29/2008/11:00:00 AM
Time zone	Mountain Standard Time (DST)
Offset UTC	-6.0 [h]
Elevation cutoff	15°
Obstruction Editor	0%
GPS Satellites	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32
Glionass Satellites	- none -
Galileo Satellites	- none -
Compass Satellites	- none -



Time	GDOP	TDOP	PDOP	HDOP	VDOP	GPS	GLN	GAL	COM	Total
10:00	2.35	1.22	2.01	1.16	1.65	10	0	0	0	10
10:10	2.48	1.32	2.10	1.18	1.74	10	0	0	0	10
10:20	2.52	1.36	2.12	1.17	1.77	10	0	0	0	10
10:30	3.17	1.81	2.61	1.19	2.32	9	0	0	0	9
10:40	3.17	1.83	2.59	1.12	2.34	9	0	0	0	9
10:50	3.05	1.76	2.50	1.09	2.25	9	0	0	0	9
11:00	2.87	1.63	2.36	1.09	2.10	9	0	0	0	9

## DOP Position

Pharos IGPS-BT computed  
measurement error  
=  $\pm 2.95$  ft



Station KCNR Littleton CO North 39° 35' West 105° 11' Height 1m  
Time 9/29/2008 00:00 - 9/30/2008 00:00 (UTC-6.0h)

Elevation cutoff 15° Obstacles 0%  
Satellites 31 GPS 31 [Almanac.alm (6/24/2008)]