Radial Cement Bond
Gamma Ray
Casing Collar Log

THE WIRELINE GROUP

Company	TEP Rocky Mountain LLC
Well	Federal #RG 421-24-298
Field	Sulfer Creek
County	Rio Blanco
State	Colorado

Company TEP Rocky Mountain LLC
Well Federal #RG 421-24-298
Field Sulfer Creek
County Rio Blanco State Colorado

Location: API # : 05-103-12571

SEC 13 TWP 2S RGE 98W

Other Services

Permanent Datum	Ground Level	Elevation 6667'	Elevation
Log Measured From	Kelly Bushing		K.B. 6697'
Drilling Measured From	Kelly Bushing		G.L. 6667'

Date	13 JULY 2024
Run Number	One
Depth Driller	11753'
Depth Logger	11690'
Bottom Logged Interval	11688'
Top Log Interval	Surface
Open Hole Size	8.75"
Type Fluid	Water
Density / Viscosity	8.34 Lb/Gal
Max. Recorded Temp.	256°F
Estimated Cement Top	See Log
Time Well Ready	ROA
Time Logger on Bottom	12:00
Equipment Number	8102
Location	Grand Junction
Recorded By	Vaughn
Witnessed By	C. Applegate

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface Casing		36	Surface	3244'
Production Casing	4.5"	11.6	Surface	11743'
Intermediate #2				
Liner				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran as per customer request
Depth referenced to Kelly Bushing at 30'
Marker joint logged @ 6850'-6860'
Thank you for choosing The Wireline Group!

THE WIRELINE GROUP

Main Pass 5"=100'

(0 PSI)

Database File	tep_rg_421-24-298_rcbl\tep_rg_421-24-298_rcbl.db
Dataset Pathname	main
Presentation Format	twgrcbl
Dataset Creation	Sat Jul 13 11:01:52 2024
Charted by	Depth in Feet scaled 1:240

Gamma Ray	3' Amplitude	5' Variable Density Log	Sector Map	Average Amplitude
0 (GAPI) 150	0 (mV) 100	200 (usec) 1200		0 120
Line Tension	3' Amplitude x 5			Mimimum Amplitude
0 (lb) 2000	0 (mV) 20			0 120
-9 CCL$1 1	3' Travel Time			Maximum Amplitude
0 Temp (degF) 300	650 (usec) 150			0 120

141.1
142.3
3800
142.9
143.9
3900
144.9
145.3
4000
145.9
146.5
4100
147.4
148.8
4200
149.6
150.4
4300
151.5
152.6
4400
154.0
154.8
4500
155.8
157.1
4600
158.0
158.7
4700
159.8
160.3
4800
161.0
161.9
4900
162.2
163.4
5000
164.1
165.1
5100
166.0
166.7
5200
167.3
167.8
5300
168.4
168.9
5400
169.6
170.3
5500
171.2
172.0
5600
172.5
173.2
5700
174.1
174.9
5800
175.3
176.0
5900
176.6
177.4
6000
177.9
178.5
6100
179.2
179.5
6200
180.4
180.8
6300
181.5
182.2
6400
182.7
183.2
6500
183.9
184.4
6600
184.8
185.1
6700
186.2
186.7
6800
186.8
Marker Joint
186.6
6900
187.0
187.5
7000
188.1
189.4
7100
189.8
190.7
7200
191.3
191.8
7300
192.1
192.8
7400
193.2
193.8
7500
194.7
195.2
7600
195.6
196.1
7700

253.3
254.2
11500
254.9
255.4
11600
256.2
GR
CCL
TEMP
TT3FT
Amp 3FTx5
AMP3FT
AMPMIN
AMPMAX
AMPAVG
Gamma Ray
0 (GAPI) 150
Line Tension
0 (lb) 2000
3' Amplitude
0 (mV) 100
3' Amplitude x 5
0 (mV) 20
5' Variable Density Log
200 (usec) 1200
Sector Map
Average Amplitude
0 120
Mimimum Amplitude
0 120

-9 CCL$1 1		3' Travel Time			Maximum Amplitude
0 Temp (degF) 300		650 (usec) 150			0 120

THE WIRELINE GROUP

Repeat Pass 5"=100'

(0 PSI)

Database File	tep_rg_421-24-298_rcbl\tep_rg_421-24-298_rcbl.db
Dataset Pathname	repeat
Presentation Format	twgrcbl
Dataset Creation	Sat Jul 13 10:58:08 2024
Charted by	Depth in Feet scaled 1:240

Gamma Ray		3' Amplitude	5' Variable Density Log	Sector Map	Average Amplitude
0 (GAPI) 150		0 (mV) 100	200 (usec) 1200		0 120
Line Tension		3' Amplitude x 5			Mimimum Amplitude
0 (lb) 2000		0 (mV) 20			0 120
-9 CCL$1 1		3' Travel Time			Maximum Amplitude
0 Temp (degF) 300		650 (usec) 150			0 120



Gamma Ray		3' Amplitude	5' Variable Density Log	Sector Map	Average Amplitude
0 (GAPI) 150		0 (mV) 100	200 (usec) 1200		0 120
Line Tension		3' Amplitude x 5			Mimimum Amplitude
0 (lb) 2000		0 (mV) 20			0 120
-9 CCL$1 1		3' Travel Time			Maximum Amplitude
0 Temp (degF) 300		650 (usec) 150			0 120

Calibration Report

Database File	C:\ProgramData\Warrior\Data\tep_rg_421-24-298_rcbl\tep_rg_421-24-298_rcbl.db
Dataset Pathname	main
Dataset Creation	Sat Jul 13 11:01:52 2024

Gamma Ray Calibration Report

Serial Number:	FW1401-17	
Tool Model:	50-GCT275-0000	
Performed:	Thu May 2 14:09:05 2024	
Calibrator Value:	148.8	GAPI
Background Reading:	74.9	cps
Calibrator Reading:	301.0	cps
Sensitivity:	0.4079	GAPI/cps

Inclinometer Calibration Report

Performed: Fri Oct 20 14:22:50 2023

	Low Read.	High Read.	Low Ref.	High Ref.	
X Accelerometer	-903.00	892.00	-1.00	1.00	gee
Y Accelerometer	-900.00	901.00	-1.00	1.00	gee
Z Accelerometer	6.33	-897.73	0.00	1.00	gee

Segmented Cement Bond Log Calibration Report

Serial Number:	FW1211-30	
Tool Model:	Probe275acc	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	0.000	ft

Master Calibration, performed Sat Jul 13 08:00:41 2024:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.005	0.905	0.250	81.196	89.877	-0.156
CAL	0.000	0.884				
5'	0.003	0.754	0.250	81.196	107.809	-0.116
SUM						
S1	0.006	0.904	0.000	100.000	111.310	-0.620
S2	0.009	0.885	0.000	100.000	114.080	-0.990
S3	0.005	0.855	0.000	100.000	117.637	-0.623
S4	0.007	0.848	0.000	100.000	118.907	-0.782
S5	0.006	0.881	0.000	100.000	114.278	-0.734
S6	0.005	0.887	0.000	100.000	113.312	-0.535
S7	0.005	0.911	0.000	100.000	110.395	-0.596
S8	0.004	0.914	0.000	100.000	109.915	-0.448

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.000	0.884	1.000	0.000

Air Zero Calibration, performed Sat Jul 13 08:00:01 2024:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Inclinometer Calibration Report

Performed: (Not Performed)

	Low Read.	High Read.	Low Ref.	High Ref.	
X Accelerometer	0.00	1.00	0.00	1.00	gee
Y Accelerometer	0.00	1.00	0.00	1.00	gee
Z Accelerometer	0.00	1.00	0.00	1.00	gee



Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb
GCT_FMWR	14.77		Cable-Head-Titan 1 7/16" Cable Head	1.00	1.44	1.00
mSec_Count	14.77					
RBT_Status	14.77					
Error_Ct	14.77					
			SO BS CENT-2750-4500 Slip Over 2-3/4" I.D. for 4-1/2" O.D. Casing Bow Spring Centralizer	1.33	3.25	10.00
			RBT8acc-Probe275acc (FW1211-30) 2.75" Radial Corrosion with accelerometer	8.75	2.75	110.00
WVFS8	9.27					
WVFS7	9.27					
WVFS6	9.27					
WVFS5	9.27					
WVFS4	9.27					
WVFS3	9.27					
WVFS2	9.27					
WVFS1	9.27					
WVF3FT	9.27					
WVF5FT	8.27					
RBT_ACCZ	5.02					
RBT_ACCY	5.02					
RBT_ACCX	5.02					
WVFSYNC	5.02					
WVFCAL	5.02					
GCT_HV	5.01					
CCL$2	4.06					
CCL$1	4.06					
GCT_Temp	3.51		GCT_acc-50-GCT275-0000 (FW1401-17) Probe 2.75" Gamma Ray - CCL w/Temp (Single Pin)	4.77	2.75	55.00
GR	2.64					
GCT_IntTemp	1.92		SO BS CENT-2750-4500 Slip Over 2-3/4" I.D. for 4-1/2" O.D. Casing Bow Spring Centralizer	1.33	3.25	10.00
GCT_ACCZ	0.25					
GCT_ACCY	0.25					
GCT_ACCX	0.25		GO BN-14375 GO 1-7/16" Bull Nose with Go Box Top	0.25	1.44	1.00

Dataset:	tep_rg_421-24-298_rcbl.db: field/well/run1/main
Total length:	14.77 ft
Total weight:	187.00 lb
O.D.:	3.25 in

Company	TEP Rocky Mountain LLC		
Well	Federal #RG 421-24-298		
Field	Sulfer Creek		
County	Rio Blanco	State	Colorado

THE WIRELINE GROUP

Radial Cement Bond
Gamma Ray
Casing Collar Log