

FORM
5A

Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403911243

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. ECMC Operator Number: <u>47120</u>	4. Contact Name: <u>Christina Hirtler</u>
2. Name of Operator: <u>KERR MCGEE OIL & GAS ONSHORE LP</u>	Phone: <u>(720) 929-6301</u>
3. Address: <u>P O BOX 173779</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-</u>	Email: <u>christina_hirtler@oxy.com</u>

5. API Number <u>05-123-52257-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>LIZZY NORTH</u>	Well Number: <u>36-12HZ</u>
8. Location: QtrQtr: <u>SENE</u> Section: <u>36</u> Township: <u>1N</u> Range: <u>68W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

Completed Interval

FORMATION: CARLILE Status: COMMINGLED Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 06/16/2024 End Date: 07/02/2024 Date this Formation was Completed: _____

Perforations Top: 9441 Bottom: 9542 No. Holes: 34 Hole size: 0.53 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

CARLILE PERFS GO FROM: 9441-9542

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: CODELL Status: COMMINGLED Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 06/16/2024 End Date: 07/02/2024 Date this Formation was Completed: _____

Perforations Top: 9942 Bottom: 19670 No. Holes: 396 Hole size: 0.53 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

CODELL perfs: 9551-11,851, 12280-17,332, 18,545-19,670

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: Bbl oil: Mcf Gas: Bbl H2O:
Date: Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: Yes No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 06/16/2024 End Date: 07/02/2024 Date this Formation was Completed:
Perforations Top: 17766 Bottom: 18497 No. Holes: 48 Hole size: 47 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

This formation is commingled with another formation: Yes No
Total fluid used in treatment (bbl): Max pressure during treatment (psi):
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):
Type of gas used in treatment: Min frac gradient (psi/ft):
Total acid used in treatment (bbl): Number of staged intervals:
Recycled or Reused Fluids used in treatment (bbl): Flowback volume recovered (bbl):
Fresh water used in treatment (bbl): Disposition method for flowback:
Total proppant used (lbs):

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: Bbl oil: Mcf Gas: Bbl H2O:
Date: Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: Yes No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 06/16/2024 End Date: 07/02/2024 Date this Formation was Completed:
Perforations Top: 11897 Bottom: 17715 No. Holes: 40 Hole size: 0.53 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Nio perms are from 11897-12243 and from 17371-17715

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
 Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
 Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
 Total acid used in treatment (bbl): _____ Number of staged intervals: _____
 Recycled or Reused Fluids used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
 Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
 Total proppant used (lbs): _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

_____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
 Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
 Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
 Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-FORT HAYS-CODELL-CARLILE Status: SHUT IN Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 06/16/2024 End Date: 07/02/2024 Date this Formation was Completed:
Perforations Top: 9441 Bottom: 19670 No. Holes: 515 Hole size: 0.53 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

190 BBL 15% HCL ACID; 90 BBL 7.5% HCL ACID; 12,240 BBL PUMP DOWN; 354,249 BBL SLICKWATER; 366,769 BBL TOTAL FLUID; 9,743,377 LBS 30/50 GENOA/SAND HILLS; 979,070 LBS 100 MESH GENOA/SAND HILLS; 10,722447 LBS TOTAL PROPPANT.

This formation is commingled with another formation: Yes No
Total fluid used in treatment (bbl): 366769 Max pressure during treatment (psi): 8289
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: Min frac gradient (psi/ft): 0.89
Total acid used in treatment (bbl): 280 Number of staged intervals: 27
Recycled or Reused Fluids used in treatment (bbl): 6120 Flowback volume recovered (bbl):
Fresh water used in treatment (bbl): 360369 Disposition method for flowback:
Total proppant used (lbs): 10722447

Fracture stimulations must be reported on FracFocus.org

Test Information:

Hours: Bbl oil: Mcf Gas: Bbl H2O:
Date Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: Yes No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

The estimated TPZ footages on the Form 5 should be revised to 100'FSL / 625'FWL
This well was immediately shut in after frac and therefore does not have a date of first production, flowback volumes or test data yet.
Another 5A will be submitted when the well is turned on to production.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Christina Hirtler
Title: Regulatory Date: Email christina_hirtler@oxy.com

ATTACHMENT LIST

Table with columns: Att Doc Num, Name

Total Attach: 0 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)