

FORM
5A

Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403791350

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. ECMC Operator Number: 10633

2. Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC

3. Address: 555 17TH STREET SUITE 3700

City: DENVER State: CO Zip: 80202

4. Contact Name: Elaine Winick

Phone: (303) 2947806

Fax:

Email: ewinick@civiresources.com

5. API Number 05-005-07553-00

7. Well Name: Watkins

8. Location: QtrQtr: NWSW Section: 30 Township: 4S Range: 64W Meridian: 6

9. Field Name: DJ HORIZONTAL NIOBRARA Field Code: 16950

6. County: ARAPAHOE

Well Number: 4-64 30-29 4BH

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING
Treatment Date: 04/20/2024 End Date: 05/03/2024 Date this Formation was Completed: 08/22/2024
Perforations Top: 8403 Bottom: 18323 No. Holes: 2925 Hole size: 35/100 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Frac'd Niobrara with 54 stage plug and perf:
11512491 total pounds proppant pumped: 929120 pounds 40/70 mesh; 10583371 pounds 100 mesh;
476781 total bbls fluid pumped: 449916 bbls gelled fluid; 22984 bbls fresh water and 3881 bbls 15% HCl Acid.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 476781 Max pressure during treatment (psi): 8996
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.34
Type of gas used in treatment: _____ Min frac gradient (psi/ft): 0.88
Total acid used in treatment (bbl): 3881 Number of staged intervals: 54
Recycled or Reused Fluids used in treatment (bbl): 0 Flowback volume recovered (bbl): 0
Fresh water used in treatment (bbl): 22984 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 11512491

Fracture stimulations must be reported on FracFocus.org

Test Information:

08/28/2024 Hours: 24 Bbl oil: 260 Mcf Gas: 252 Bbl H2O: 495
Calculated 24 hour rate: Bbl oil: 260 Mcf Gas: 252 Bbl H2O: 495 GOR: 969
Test Method: FLOWING Casing PSI: 1040 Tubing PSI: 1313 Choke Size: 16/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1400 API Gravity Oil: 40
Tubing Size: 2 + 3/8 Tubing Setting Depth: 8077 Tbg setting date: 06/28/2024 Packer Depth: 8076
Reason for Non-Production: _____
Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment:

TPZ 440 FSL & 350 FWL

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Elaine Winick
Title: Completions Tech Date: _____ Email: ewinick@civiresources.com
:

ATTACHMENT LIST

Att Doc Num **Name**

403914344 WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)