

FORM
5A

Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403801483

Date Received:

05/23/2024

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. ECMC Operator Number: 10261

2. Name of Operator: BAYSWATER EXPLORATION & PRODUCTION LLC

3. Address: 730 17TH ST STE 500

City: DENVER State: CO Zip: 80202

4. Contact Name: Robert Carney

Phone: (720) 881-4509

Fax:

Email: RCarney@bayswater.us

5. API Number 05-123-51622-00

7. Well Name: Blehm

8. Location: QtrQtr: Lot 3 Section: 18 Township: 7N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 07/14/2022 End Date: 08/05/2022 Date this Formation was Completed: 10/03/2022

Perforations Top: 7776 Bottom: 17798 No. Holes: 1370 Hole size: 0.433 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

97 bbls 15% HCl; 12,148 bbls Pump Down; 551,329 bbls Treated Water. 1,982,730 lbs 100 Mesh Premium White sand; 17,203,100 lbs 30/50 Premium White sand. Flowback volume metered.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 563574 Max pressure during treatment (psi): 9390

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.33

Type of gas used in treatment: Min frac gradient (psi/ft): 1.03

Total acid used in treatment (bbl): 97 Number of staged intervals: 51

Recycled or Reused Fluids used in treatment (bbl): 0 Flowback volume recovered (bbl): 19141

Fresh water used in treatment (bbl): 563477 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 19185830

Fracture stimulations must be reported on [FracFocus.org](https://www.fracfocus.org)

Test Information:

10/03/2022 Hours: 24 Bbl oil: 6 Mcf Gas: 109 Bbl H2O: 1418

Calculated 24 hour rate: Bbl oil: 6 Mcf Gas: 109 Bbl H2O: 1418 GOR: 18167

Test Method: Flowback Casing PSI: 0 Tubing PSI: 1941 Choke Size: 14/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1401 API Gravity Oil: 41

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7727 Tbg setting date: 09/06/2022 Packer Depth: 7727

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

After the approval of the original Form 5A (doc #403252368), errors were found in the 3rd party frac summary report. The report has been corrected and this submittal is to report the corrected completion information.

Actual TPZ: 1501' FNL & 250' FEL, Section 13-T7N-R67W
Actual BPZ: 1520' FNL & 327' FWL, Section 14-T7N-R67W

The wellbore beyond the unit boundary setback is physically isolated with a plug and Bayswater certifies that none of the wellbore beyond the setback was completed.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Kelsi Welch
Title: Regulatory & Compliance Date: 5/23/2024 Email: kelsi.welch@iptwell.com

ATTACHMENT LIST

Att Doc Num	Name
403801483	FORM 5A SUBMITTED
403801527	OPERATIONS SUMMARY

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)