

EWS 13

Groundwater Monitoring Report

Q4 2021

Prepared for:



Expedition Water Solutions
2015 Clubhouse Drive, Suite 201
Greeley, CO 80634
970.381.5005



1301 Academy Ct.
Fort Collins, CO 80524

www.cgrs.com
800.288.2657

Contents

1.0 Introduction	3
1.1 Facility Overview	3
1.2 Scope of Work	3
2.0 Groundwater Monitoring	3
2.1 Activities	3
2.2 Results	3
3.0 Conclusion	4

Attachments:

- Figures
 - Site Location Map
 - Groundwater Elevation Map
 - Groundwater Sample Location Map
 - Leak Detection System Map
- Table 1 – Groundwater Elevation and Analytical Data
- Table 2 – Leak Detection System Data
- Attachment A –Laboratory Report and Chain of Custody

1.0 Introduction

This report documents monitoring activities performed by CGRS, Inc. (CGRS) at the Expedition Water Solutions (EWS) EWS 13 Class II disposal facility. The facility is located at 23360 County Road 54, Greeley, Weld County, Colorado, as depicted in the Site Location Map.

1.1 Facility Overview

The facility was constructed in 2009 and provides services for the oil and gas industry. Operations include the collection, storage, treatment, and injection of produced water into an injection well for disposal. The facility design consists of an office, pump house, concrete unloading pad, concrete vault, one Class II injection well, and a concrete secondary containment that houses 9 aboveground storage tanks (ASTs) for the treatment of produced water and storage of recovered oil.

1.2 Scope of Work

Quarterly groundwater monitoring was performed on November 30, 2021. Monitoring activities consisted of collecting groundwater level measurements, measuring in-situ water quality parameters, and collecting water quality samples for laboratory analysis.

2.0 Groundwater Monitoring

2.1 Activities

On November 30, 2021, CGRS conducted groundwater monitoring at the EWS 13 facility. Depth to water was measured in monitoring wells MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, and MW-7. Depth to water measurements were used to calculate groundwater elevation and well-specific purge volumes. Water quality samples were obtained from monitoring wells MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, and MW-7, and in-situ field parameters consisting of temperature, specific conductance, dissolved oxygen, pH, and oxidation-reduction potential (ORP) were measured and documented after sampling each monitoring well.

Samples were submitted to Origins Laboratory in Denver, Colorado under chain-of-custody protocol for analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX), total dissolved solids (TDS), chloride, and sulfate. Laboratory analytical results and chain-of-custody documentation are included in Attachment A, summarized with historical data in Table 1, and depicted in the Groundwater Sample Location Map.

2.2 Results

Depth to groundwater varied between 3.87 feet below top of casing (TOC) in monitoring well MW-7 to 7.90 feet below TOC in monitoring well MW-3. To determine relative groundwater elevation, depth to groundwater was subtracted from surveyed reference elevations, as shown in Table 1. The inferred groundwater flow direction is to the north-northeast at a calculated hydraulic gradient of 0.0012 ft/ft, as measured between monitoring wells MW-7 and MW-2. Inferred water table elevation contours are illustrated in the Groundwater Elevation Map.

A review of groundwater analytical data indicates that all BTEX analytes from the groundwater quality samples submitted for analysis were reported to be below the laboratory reporting limit and Colorado Oil and Gas Conservation Commission (COGCC) maximum contaminant level (MCL) with the exception of MW-6. Groundwater

sample MW-6 reported benzene in concentration of 0.0368 mg/L, which exceeds the COGCC MCL of 0.005 mg/L. Inorganic analyte concentrations reported for each monitoring well represent normal background water quality conditions historically observed at this facility.

3.0 Conclusion

CGRS will continue the quarterly monitoring program, which will consist of obtaining groundwater level measurements and in-situ field parameters, and collecting water quality samples from groundwater monitoring wells. The next quarterly monitoring event is scheduled for January 2022. If you have any questions regarding this report or the project itself, please contact Ms. Dresden Kinnaird at dkinnaird@cgrs.com.

Prepared by:



Elizabeth Wilson
Project Manager
Geologist

Reviewed by:



Dresden Kinnaird
Project Manager
Environmental Scientist




Recipients:

Ben Frissell, Weld County Department of Public Health & Environment – bfrissell-durley@weldgov.com
Dave Gage, Expedition Water Solutions – dgage@expedition-water.com
Jim Goddard, Expedition Water Solutions – jgoddard@expedition-water.com



Figures

Site Location Map
Groundwater Elevation Map
Groundwater Sample Location Map




SITE LOCATION MAP

EXPEDITION WATER SOLUTIONS
EWS #13
23360 COUNTY ROAD 54
GREELEY, COLORADO 80631

PROJECT: 1-12456-18304aa	DRAFT: CLB
DATE: 01/28/2020	REVIEW: JAA






LEGEND

- (●) MONITORING WELL
- (●) DOMESTIC WATER WELL
- (∅) UTILITY POLE
- (— OHE —) OVERHEAD ELECTRIC
- (— - - APPROXIMATE PROPERTY BOUNDARY

SAMPLE DATE

B	BENZENE (mg/L)
T	TOLUENE (mg/L)
E	ETHYLBENZENE (mg/L)
X	TOTAL XYLENES (mg/L)
C	CHLORIDE (mg/L)
S	SULFATES (mg/L)
TDS TOTAL DISSOLVED SOLIDS (mg/L)	

NOTE: **BOLD** VALUES INDICATE CONCENTRATION EXCEEDS THE APPLICABLE REGULATORY GUIDELINES



GROUNDWATER SAMPLE LOCATION MAP

November 30, 2021

EXPEDITION WATER SOLUTIONS

EWS #13

23360 COUNTY ROAD 54

GREELEY, COLORADO 80631

PROJECT:

1-12456-18304aa

DRAFT:


CLB

DATE:

1/5/2022

REVIEW:






LEGEND

- MW-1 MONITORING WELL
- (91.10) DOMESTIC WATER WELL
- GROUNDWATER ELEVATION (FEET)
- OH&E OVERHEAD ELECTRIC
- APPROXIMATE PROPERTY BOUNDARY
- GROUNDWATER ELEVATION CONTOUR

INFERRED FLOW DIRECTION
Ø UTILITY POLE



GROUNDWATER ELEVATION MAP

November 30, 2021
EXPEDITION WATER SOLUTIONS
EWS #13
23360 COUNTY ROAD 54
GREELEY, COLORADO 80631

1-12456-18304aa	DRAFT: CLB	CGRS SOLUTIONS DELIVERED
DATE: 1/5/2022	REVIEW:	



Table 1

Groundwater Elevation and Analytical Data

Groundwater Elevation and Analytical Data

Groundwater Monitoring Report

Expedition Water Solutions - EWS #13
23360 County Road 54, Greeley, CO 80631

Sample ID	Sample Date	Reference Elevation	Depth To Water	Groundwater Elevation	Benzene	Toluene	Ethyl-Benzene	Xylenes	Chloride	Sulfate	TDS	Temperature	Specific Conductance	Dissolved Oxygen	pH	ORP
		(ft)	(ft)	(ft)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(°C)	(µS/cm)	(mg/L)		
COGCC MCL	-	-	-	-	0.005	1	0.7	10	1.25 x BG	1.25 x BG	1.25 x BG	-	-	-	-	-
MW-1	1/26/2016	96.10	5.66	90.44	<0.001	<0.001	<0.001	<0.001	298	733	2,280	10.13	2,690		7.18	
MW-1	7/26/2016	96.10	4.24	91.86	<0.001	<0.001	<0.001	<0.001	308	845	2,530	17.01	3,322		7.15	
MW-1	1/30/2017	96.10	6.75	89.35	<0.001	<0.001	<0.001	<0.001	340	1,050	1,830	11.74	3,039		7.06	
MW-1	7/24/2017	96.10	4.24	91.86	<0.001	<0.001	<0.001	<0.002	225	617	1,740	16.88	3,289		7.10	
MW-1	1/29/2018	96.10	6.30	89.80	<0.001	<0.001	<0.001	<0.002	382	993	2,320	9.62	3,033		8.50	
MW-1	7/24/2018	96.10	4.95	91.15	<0.001	<0.001	<0.001	<0.002	373	900	1,660	17.95	2,636		7.81	
MW-1	1/30/2019	96.10	6.73	89.37	<0.001	<0.001	<0.001	<0.002	1,280	3,410	1,480	9.40	3,023		7.45	
MW-1	7/29/2019	96.10	5.01	91.09	<0.001	<0.001	<0.001	<0.002	274	670	1,440	16.00	2,938		5.27	
MW-1	1/8/2020	96.10	5.97	90.13	<0.001	<0.001	<0.001	<0.001	321	802	2,250	10.46	3,194	0.38	7.09	151.1
MW-1	4/28/2020	96.10	9.24	86.86	<0.001	<0.001	<0.001	<0.001	342	821	2,140	9.24	3,388	0.31	7.05	128.5
MW-1	7/15/2020	96.10	7.43	88.67	<0.001	<0.001	<0.001	<0.001	369	923	2,310	16.51	2,637	3.85	7.33	145.9
MW-1	10/13/2020	96.10	4.38	91.72	<0.001	<0.001	<0.001	<0.001	223	548	1,580	15.30	2,599	4.15	7.17	114.2
MW-1	1/13/2021	96.10	6.97	89.13	<0.001	<0.001	<0.001	<0.001	296	715	1,980	10.75	2,753	2.47	7.26	121.6
MW-1	4/15/2021	96.10	9.36	86.74	<0.001	<0.001	<0.001	<0.001	309	753	1,980	7.76	2,671	2.65	7.01	197.3
MW-1	7/8/2021	96.10	7.33	88.77	<0.001	<0.001	<0.001	<0.001	338	927	2,210	15.44	2,967	4.86	7.25	115.2
MW-1	11/30/2021	96.10	5.00	91.10	<0.00100	<0.00100	<0.00100	<0.00100	295	685	1,910	12.68	2,821.6	5.20	7.21	94.7
MW-2	1/26/2016	96.40	6.18	90.22	<0.001	<0.001	<0.001	<0.001	330	801	2,250	10.21	2,780		7.03	
MW-2	7/26/2016	96.40	4.60	91.80	<0.001	<0.001	<0.001	<0.001	292	743	2,330	14.80	3,020		7.14	
MW-2	1/30/2017	96.40	7.31	89.09	<0.001	<0.001	<0.001	<0.001	379	1,200	1,890	11.44	3,152		7.01	
MW-2	7/24/2017	96.40	4.49	91.91	<0.001	<0.001	<0.001	<0.002	228	593	1,780	18.37	1,618		7.13	
MW-2	1/29/2018	96.40	6.86	89.54	<0.001	<0.001	<0.001	<0.001	402	1,090	2,560	10.86	3,322		8.77	
MW-2	7/24/2018	96.40	5.24	91.16	<0.001	<0.001	<0.001	<0.002	406	967	1,720	17.18	2,692		7.74	
MW-2	1/30/2019	96.40	4.27	92.13	<0.001	<0.001	<0.001	<0.002	1,220	3,230	1,500	10.57	3,114		7.43	
MW-2	7/29/2019	96.40	5.40	91.00	<0.001	<0.001	<0.001	<0.002	299	692	1,450	15.32	3,028		5.45	
MW-2	1/8/2020	96.40	6.51	89.89	<0.001	<0.001	<0.001	<0.001	322	851	2,410	11.06	3,302	1.95	7.06	132.0
MW-2	4/28/2020	96.40	9.15	87.25	<0.001	<0.001	<0.001	<0.001	355	831	2,120	9.84	3,475	3.06	6.90	137.5
MW-2	7/15/2020	96.40	7.83	88.57	<0.001	<0.001	<0.001	<0.001	380	953	2,320	16.73	2,766	5.64	7.44	151.0
MW-2	10/13/2020	96.40	4.83	91.57	<0.001	<0.001	<0.001	<0.001	156	411	1,220	15.71	1,922	4.76	7.21	114.5
MW-2	1/13/2021	96.40	7.52	88.88	<0.001	<0.001	<0.001	<0.001	306	749	2,080	11.40	2,986	5.28	7.19	115.8
MW-2	4/15/2021	96.40	9.89	86.51	<0.001	<0.001	<0.001	<0.001	314	767	2,070	8.43	3,125	3.27	7.01	197.4
MW-2	7/8/2021	96.40	INA													
MW-2	11/30/2021	96.40	5.53	90.87	<0.00100	<0.00100	<0.00100	<0.00100	279	685	1,930	13.37	2,539.7	5.98	7.16	94.4
MW-3	1/26/2016	99.00	8.41	90.59	<0.001	<0.001	<0.001	<0.001	335	734	2,310	10.90	2,775		7.28	
MW-3	7/26/2016	99.00	7.14	91.86	<0.001	<0.001	<0.001	<0.001	298	758	2,410	14.39	3,157		7.10	
MW-3	1/30/2017	99.00	9.54	89.46	<0.001	<0.001	<0.001	<0.001	286	1,090	1,800	11.32	2,963		7.06	
MW-3	7/24/2017	99.00	7.20	91.80	<0.001	<0.001	<0.001	<0.002	235	592	1,800	14.20	3,147		7.07	
MW-3	1/29/2018	99.00	9.10	89.90	<0.001	<0.001	<0.001	<0.002	435	1,210	2,270	10.30	3,060		8.76	
MW-3	7/24/2018	99.00	7.78	91.22	<0.001	<0.001	<0.001	<0.002	382	902	1,690	15.15	2,479		7.67	
MW-3	1/30/2019	99.00	9.51	89.49	<0.001	<0.001	<0.001	<0.002	1,230	3,180	1,570	10.28	3,173		7.29	
MW-3	7/29/2019	99.00	7.99	91.01	<0.001	<0.001	<0.001	<0.002	248	620	1,140	13.62	2,938		7.32	
MW-3	1/8/2020	99.00	8.75	90.25	<0.001	<0.001	<0.001	<0.001	340	853	2,320	10.31	3,296	0.50	7.11	168.8
MW-3	4/28/2020	99.00	11.40	87.60	<0.001	<0.001	<0.001	<0.001	357	803	2,120	9.48	3,451	0.21	7.05	117.0
MW-3	7/15/2020	99.00	9.50	89.50	<0.001	<0.001	<0.001	<0.001	375	938	2,300	14.99	2,532	2.50	7.37	150.8
MW-3	10/13/2020	99.00	7.25	91.75	<0.001	<0.001	<0.001	<0.001	248	613	1,770	16.79	3,034	2.95	7.31	120.1
MW-3	1/13/2021	99.00	9.77	89.23	<0.001	<0.001	<0.001	<0.001	302	741	2,070	11.55	2,885	2.70	6.95	91.2
MW-3	4/15/2021	99.00	12.13	86.87	<0.001	<0.001	<0.001	<0.001	318	762	2,000	8.84	3,113	2.09	7.07	178.0
MW-3	7/8/2021	99.00	10.30	88.70	<0.001	<0.001	<0.001	<0.001	325	821	2,070	14.52	2,878	4.18	7.29	112.1
MW-3	11/30/2021	99.00	7.90	91.10	<0.00100	0.00101	<0.00100	<0.00100	293	702	1,980	14.15	2,716.3	4.26	6.99	42.2
MW-4	1/26/2016	98.70	8.33	90.37	<0.001	<0.001	<0.001	<0.001	322	751	2,250	11.70	2,718		7.29	
MW-4	7/26/2016	98.70	6.97	91.73	<0.001	<0.001	<0.001	<0.001	302	722	2,190	13.80	2,901		7.31	

Groundwater Elevation and Analytical Data

Groundwater Monitoring Report

Expedition Water Solutions - EWS #13
23360 County Road 54, Greeley, CO 80631

Sample ID	Sample Date	Reference Elevation	Depth To Water	Groundwater Elevation	Benzene	Toluene	Ethyl-Benzene	Xylenes	Chloride	Sulfate	TDS	Temperature	Specific Conductance	Dissolved Oxygen	pH	ORP
		(ft)	(ft)	(ft)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(°C)	(µS/cm)	(mg/L)		
COGCC MCL	-	-	-	-	0.005	1	0.7	10	1.25 x BG	1.25 x BG	1.25 x BG	-	-	-	-	-
MW-4	1/30/2017	98.70	9.44	89.26	<0.001	<0.001	<0.001	<0.001	352	1,100	1,770	12.07	2,872		7.12	
MW-4	7/24/2017	98.70	6.98	91.72	<0.001	<0.001	<0.001	<0.002	248	620	1,770	13.50	2,909		7.27	
MW-4	1/29/2018	98.70	8.98	89.72	<0.001	<0.001	<0.001	<0.002	428	1,180	2,400	11.20	3,138		8.40	
MW-4	7/24/2018	98.70	8.10	90.60	0.0017	0.0015	<0.001	<0.002	439	1,020	1,730	15.42	2,484		7.62	
MW-4	1/30/2019	98.70	9.41	89.29	<0.001	<0.001	<0.001	<0.002	1,300	3,340	1,580	10.78	3,220		7.31	
MW-4	7/29/2019	98.70	7.82	90.88	<0.001	<0.001	<0.001	<0.002	276	670	1,450	12.64	3,013		6.98	
MW-4	1/8/2020	98.70	8.65	90.05	<0.001	<0.001	<0.001	<0.001	330	818	2,280	11.94	3,182	0.16	7.04	174.8
MW-4	4/28/2020	98.70	11.29	87.41	<0.001	<0.001	<0.001	<0.001	308	232	2,180	9.61	3,522	0.09	6.97	114.8
MW-4	7/15/2020	98.70	9.28	89.42	<0.001	<0.001	<0.001	<0.001	373	949	2,310	15.09	2,515	2.36	7.26	152.1
MW-4	10/13/2020	98.70	7.11	91.59	<0.001	<0.001	<0.001	<0.001	237	590	1,630	16.46	2,821	2.52	7.24	115.9
MW-4	1/13/2021	98.70	9.68	89.02	<0.001	<0.001	<0.001	<0.001	318	770	2,110	11.64	3,053	3.86	7.07	103.2
MW-4	4/15/2021	98.70	12.03	86.67	<0.001	<0.001	<0.001	<0.001	322	766	2,010	8.74	2,833	2.37	7.05	183.1
MW-4	7/8/2021	98.70	10.16	88.54	<0.001	<0.001	<0.001	<0.001	316	786	2,000	14.03	2,682	3.55	7.29	110.5
MW-4	11/30/2021	98.70	7.75	90.95	<0.00100	<0.00100	<0.00100	<0.00100	295	710	1,980	14.52	2,882.9	4.60	7.08	62.5
MW-5	1/26/2016	99.00	8.41	90.59	<0.001	<0.001	<0.001	<0.001	313	722	2,110	9.31	2,658		7.20	
MW-5	4/26/2016	99.00	10.07	88.93	<0.001	<0.001	<0.001	<0.001	371	725	2,290	8.33	2,991		6.68	
MW-5	7/26/2016	99.00	7.16	91.84	<0.001	<0.001	<0.001	<0.001	270	650	2,250	15.29	2,939		7.21	
MW-5	10/31/2016	99.00	6.87	92.13	<0.001	<0.001	<0.001	<0.001	382	1,050	1,800	16.20	3,364		7.39	
MW-5	1/30/2017	99.00	9.50	89.50	<0.001	<0.001	<0.001	<0.001	362	1,070	1,760	11.29	2,960		7.09	
MW-5	4/27/2017	99.00	11.21	87.79	<0.001	<0.001	<0.001	<0.002	423	933	2,410	8.95	3,146		7.26	
MW-5	7/24/2017	99.00	7.22	91.78	<0.001	<0.001	<0.001	<0.002	207	498	1,780	14.65	2,950		7.17	
MW-5	10/27/2017	99.00	5.48	93.52	<0.001	<0.001	<0.001	<0.002	283	830	2,510	14.81	3,317		7.68	
MW-5	1/29/2018	99.00	9.09	89.91	<0.001	<0.001	<0.001	<0.002	454	1,270	2,460	9.78	3,243		8.30	
MW-5	4/12/2018	99.00	11.00	88.00	<0.001	<0.001	<0.001	<0.002	362	1,100	2,570	8.41	3,337		7.34	
MW-5	7/24/2018	99.00	8.00	91.00	0.0012	<0.001	<0.001	<0.002	505	1,160	1,780	15.96	2,648		7.64	
MW-5	10/29/2018	99.00	6.10	92.90	<0.001	<0.001	<0.001	<0.002	316	683	1,720	16.21	3,061		7.26	
MW-5	1/30/2019	99.00	9.46	89.54	0.0019	0.0021	<0.001	<0.002	1,130	2,910	1,580	10.27	3,190		7.70	
MW-5	4/29/2019	99.00	11.30	87.70	<0.001	<0.001	<0.001	<0.002	227	488	1,580	7.41	3,240		7.19	
MW-5	7/29/2019	99.00	8.03	90.97	<0.001	<0.001	<0.001	<0.002	< 6.00	319	1,400	13.55	2,935		7.33	
MW-5	1/8/2020	99.00	8.71	90.29	<0.001	<0.001	<0.001	<0.001	336	836	2,310	10.66	3,301	0.71	7.08	172.5
MW-5	4/28/2020	99.00	11.35	87.65	<0.001	<0.001	<0.001	<0.001	367	829	2,200	8.88	3,538	1.66	6.99	123.0
MW-5	7/15/2020	99.00	9.60	89.40	<0.001	<0.001	<0.001	<0.001	346	831	2,220	15.94	2,506	1.24	7.01	146.8
MW-5	10/13/2020	99.00	7.25	91.75	0.0016	0.0016	<0.001	<0.001	284	693	1,880	15.39	3,203	3.79	7.13	116.6
MW-5	1/13/2021	99.00	9.74	89.26	<0.001	<0.001	<0.001	<0.001	306	755	2,040	11.41	2,946	3.76	6.96	69.3
MW-5	4/15/2021	99.00	12.08	86.92	<0.001	<0.001	<0.001	<0.001	331	790	2,100	7.78	3,239	3.33	7.06	168.5
MW-5	7/8/2021	99.00	10.36	88.64	<0.001	<0.001	<0.001	<0.001	305	720	2,000	14.64	2,715	3.08	7.25	104.1
MW-5	11/30/2021	99.00	7.85	91.15	<0.00100	0.00112	<0.00100	<0.00100	298	725	2,050	14.14	3,355.1	4.80	7.07	80.5
MW-6	1/26/2016	98.80	8.28	90.52	0.0039	0.0022	<0.001	<0.001	312	718	2,250	11.78	2,692		7.24	
MW-6	4/26/2016	98.80	9.98	88.82	<0.001	<0.001	<0.001	<0.001	371	751	2,200	9.80	3,059		7.45	
MW-6	7/26/2016	98.80	7.00	91.80	<0.001	<0.001	<0.001	<0.001	264	550	2,340	13.40	3,068		7.16	
MW-6	10/31/2016	98.80	6.72	92.08	<0.001	<0.001	<0.001	<0.001	60	204	1,700	15.38	3,283		7.38	
MW-6	1/30/2017	98.80	9.42	89.38	0.0018	0.0018	<0.001	<0.001	387	1,110	1,780	12.26	2,957		7.17	
MW-6	4/27/2017	98.80	11.12	87.68	<0.001	<0.001	<0.001	<0.002	358	812	2,350	10.69	3,030		7.35	
MW-6	7/24/2017	98.80	7.03	91.77	<0.001	<0.001	<0.001	<0.002	236	564	1,800	13.18	3,014		7.09	
MW-6	10/27/2017	98.80	5.38	93.42	0.0019	0.0012	<0.001	<0.002	69	167	2,510	16.91	3,338		7.73	
MW-6	1/29/2018	98.80	9.00	89.80	<0.001	<0.001	<0.001	<0.002	526	1,470	2,510	13.65	3,294		8.45	
MW-6	4/12/2018	98.80	10.97	87.83	<0.001	<0.001	<0.001	<0.002	390	1,130	2,540	11.86	3,347		7.27	

Groundwater Elevation and Analytical Data

Groundwater Monitoring Report

Expedition Water Solutions - EWS #13
23360 County Road 54, Greeley, CO 80631

Sample ID	Sample Date	Reference	Depth To	Groundwater	Benzene	Toluene	Ethyl-	Xylenes	Chloride	Sulfate	TDS	Temperature	Specific	Dissolved	pH	ORP
		Elevation	Water	Elevation	(mg/L)	(mg/L)	Benzene	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(°C)	Conductance	Oxygen	(mV)	
COGCC MCL	-	-	-	-	0.005	1	0.7	10	1.25 x BG	1.25 x BG	1.25 x BG	-	-	-	-	-
MW-6	7/24/2018	98.80	7.92	90.88	0.015	0.014	<0.001	0.0028	451	1,070	1,840	16.80	2,790		7.73	
MW-6	10/29/2018	98.80	6.00	92.80	<0.001	<0.001	<0.001	<0.002	269	602	1,720	19.39	3,026		7.26	
MW-6	1/30/2019	98.80	9.38	89.42	0.001	<0.001	<0.001	<0.002	989	2,520	1,560	13.82	3,219		7.30	
MW-6	4/29/2019	98.80	11.24	87.56	<0.001	<0.001	<0.001	<0.002	233	570	1,570	9.66	3,211		7.16	
MW-6	7/29/2019	98.80	7.88	90.92	<0.001	<0.001	<0.001	<0.002	258	647	1,540	14.99	2,999		7.38	
MW-6	1/8/2020	98.80	8.64	90.16	<0.001	<0.001	<0.001	<0.001	331	821	2,340	12.38	3,299	0.65	7.04	173.2
MW-6	4/28/2020	98.80	11.28	87.52	<0.001	<0.001	<0.001	<0.001	358	804	2,170	10.42	3,482	1.24	6.93	113.5
MW-6	7/15/2020	98.80	9.40	89.40									Unable to Perform Groundwater Monitoring Due to Obstruction in Well			
MW-6	10/13/2020	98.80	7.13	91.67	<0.001	<0.001	<0.001	<0.001	263	673	1,910	14.85	3,355	3.14	7.28	121.0
MW-6	1/13/2021	98.80	9.64	89.16	<0.001	<0.001	<0.001	<0.001	313	771	2,100	11.80	2,909	2.19	7.11	111.3
MW-6	4/15/2021	98.80	12.02	86.78	<0.001	<0.001	<0.001	<0.001	335	791	2,080	8.66	2,936	2.54	7.01	191.1
MW-6	7/8/2021	98.80	10.23	88.57	<0.001	<0.001	<0.001	<0.001	344	821	2,110	14.58	2,677	3.66	7.22	109.3
MW-6	11/30/2021	98.80	7.76	91.04	0.0368	<0.00100	<0.00100	<0.00100	303	744	2,050	15.34	3,001.7	5.88	7.00	77.4
MW-7	7/26/2016	95.20	3.45	91.75	<0.001	<0.001	<0.001	<0.001	306	674	2,630	13.50	3,424		6.60	
MW-7	1/30/2017	95.20	5.43	89.77	<0.001	<0.001	<0.001	<0.001	318	988	1,730	8.60	2,912		6.85	
MW-7	7/24/2017	95.20	3.68	91.52	<0.001	<0.001	<0.001	<0.002	267	573	1,800	13.92	3,475		6.60	
MW-7	1/29/2018	95.20	5.02	90.18	<0.001	<0.001	<0.001	<0.002	576	1,440	2,610	8.34	3,403		8.91	
MW-7	7/24/2018	95.20	4.75	90.45	<0.001	<0.001	<0.001	<0.002	400	851	1,850	13.95	2,630		8.12	
MW-7	1/30/2019	95.20	5.39	89.81	<0.001	<0.001	<0.001	<0.002	835	1,900	1,640	7.92	3,361		7.36	
MW-7	7/29/2019	95.20	4.39	90.81	<0.001	<0.001	<0.001	<0.002	210	541	1,590	13.12	3,216		7.44	
MW-7	1/8/2020	95.20	4.65	90.55	<0.001	<0.001	<0.001	<0.001	358	808	2,200	9.42	3,238	0.16	7.04	96.1
MW-7	4/28/2020	95.20	7.28	87.92	<0.001	<0.001	<0.001	<0.001	398	870	2,310	10.70	3,597	0.00	6.22	158.1
MW-7	7/15/2020	95.20	6.22	88.98	<0.001	<0.001	<0.001	<0.001	450	986	2,320	16.50	2,625	0.41	6.76	170.1
MW-7	10/13/2020	95.20	3.41	91.79	<0.001	<0.001	<0.001	<0.001	343	795	2,200	14.17	3,627	1.06	7.39	125.5
MW-7	1/13/2021	95.20	5.67	89.53	<0.001	<0.001	<0.001	<0.001	336	809	2,180	11.53	3,007	2.95	7.08	7.8
MW-7	4/15/2021	95.20	8.01	87.19	<0.001	<0.001	<0.001	<0.001	397	866	2,310	8.72	3,392	0.73	7.04	140.9
MW-7	7/8/2021	95.20	6.79	88.41	<0.001	<0.001	<0.001	<0.001	357	1,010	2,010	14.15	2,416	2.69	7.34	102.8
MW-7	11/30/2021	95.20	3.87	91.33	<0.00100	<0.00100	<0.00100	<0.00100	316	748	2,100	12.86	2,804.4	5.53	7.17	94.5

Notes

A blank data box indicates that the analysis or measurement was not completed during the specified monitoring event.

COGCC MCL references groundwater quality standards from COGCC Table 915-1 (*January 15, 2021*).

COGCC MCL of inorganic compounds is defined as a concentration below 250 mg/L (chloride, sulfate) or less than 1.25 x local background (chloride, sulfate, TDS).

BG = background concentration

COGCC = Colorado Oil and Gas Conservation Commission

MCL = maximum contaminant level

INA = monitoring well inaccessible

ORP = oxidation reduction potential

TDS = total dissolved solids



Attachment A

Laboratory Report and Chain of Custody

December 15, 2021

CGRS, Inc**Drezen Kinnaird****1301 Academy Court****Fort Collins CO 80524****Project Name - EWS #13****Project Number - 18304aa**

Attached are your analytical results for EWS #13 received by Origins Laboratory, Inc. December 01, 2021. This project is associated with Origins project number Y112068-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-1	Y112068-01	Water	November 30, 2021 11:30	12/01/2021 15:10
MW-2	Y112068-02	Water	November 30, 2021 12:00	12/01/2021 15:10
MW-3	Y112068-03	Water	November 30, 2021 9:00	12/01/2021 15:10
MW-4	Y112068-04	Water	November 30, 2021 9:30	12/01/2021 15:10
MW-5	Y112068-05	Water	November 30, 2021 10:30	12/01/2021 15:10
MW-6	Y112068-06	Water	November 30, 2021 10:00	12/01/2021 15:10
MW-7	Y112068-07	Water	November 30, 2021 11:00	12/01/2021 15:10

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS LABORATORY, INC.

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Dresden Kinnaird
Project Number: 18304aa
Project: EWS #13

Origins Laboratory, Inc.

Frank

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS

LABORATORY, INC

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Dredden Kinnaird
Project Number: 18304aa
Project: EWS #13

Origins Laboratory		Sample Receipt Checklist			
		F-012207-01-R1 Effective Date: 01/09/12			
Origins Work Order:	Y112066	Client:	CGRS		
Checklist Completed by:	JG	Client Project ID:	EWS #13		
Date/time completed:	12/12/21	Shipped Via:	(UPS, FedEx, Hand Delivered, Pick-up, etc.)		
Matrix(s) Received: (Check all that apply):	Soil/Solid	<input checked="" type="checkbox"/>	Water	<input type="checkbox"/>	Other: _____ (Describe)
Cooler Number/Temperature:	1, 4.4 °c	<input type="checkbox"/>	/ °c	<input type="checkbox"/>	/ °c
Thermometer ID:	T003	<input type="checkbox"/>	/ °c	<input type="checkbox"/>	/ °c
Requirement Description	Yes	No	N/A	Comments (if any)	
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	/				
Is there ice present (document if blue ice is used)	/				
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		/			
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		/			
Were all samples received intact ⁽¹⁾ ?	/				
Was adequate sample volume provided ⁽¹⁾ ?	/				
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?		/			
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	/				
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	/				
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	/				
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	/				
For volatiles in water – is there headspace (> ½ inch bubble) present? If yes, contact client and note in narrative.		/			
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity) / (pH < 2 for samples preserved with HNO3, HCl, H2SO4) / (pH > 10 for samples preserved with NaAsO2+NaOH, ZnAc+NaOH)		/			
Additional Comments (if any):					

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by (Project Manager)

12/13/21
Date/Time Reviewed

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS

LABORATORY, INC

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

MW-1

11/30/2021 11:30:00AM

Analyte	Result	Limit	Units	Dilution	Batch	Reporting Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	-------------------	----------	----------	-------

Origins Laboratory, Inc.
Y112068-01 (Water)

Anions by IC 300.0

Chloride	295	31.2	mg/L	125	B1L0502	AHK	12/05/2021	12/05/2021
Sulfate	685	31.2	"	"	"	AHK	"	"

BTEX by EPA 8260D

Benzene	ND	0.00100	mg/L	1	B1L0817	ZZZ	12/08/2021	12/13/2021	U
Toluene	ND	0.00100	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	0.00100	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	0.00100	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4

110 %

70-130

" "

" "

Surrogate: Toluene-d8

98.8 %

70-130

" "

Surrogate: 4-Bromofluorobenzene

96.3 %

70-130

" "

Total Dissolved Solids by 2540C

Total Dissolved Solids	1910	5.00	mg/L	1	B1L0701	SCL	12/07/2021	12/08/2021
------------------------	------	------	------	---	---------	-----	------------	------------

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS

LABORATORY, INC

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

MW-2

11/30/2021 12:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y112068-02 (Water)

Anions by IC 300.0

Chloride	279	31.2	mg/L	125	B1L0502	AHK	12/05/2021	12/05/2021
Sulfate	685	31.2	"	"	"	AHK	"	"

BTEX by EPA 8260D

Benzene	ND	0.00100	mg/L	1	B1L0817	ZZZ	12/08/2021	12/13/2021	U
Toluene	ND	0.00100	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	0.00100	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	0.00100	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4

110 % 70-130

" " "

Surrogate: Toluene-d8

97.1 % 70-130

" " "

Surrogate: 4-Bromofluorobenzene

96.2 % 70-130

" " "

Total Dissolved Solids by 2540C

Total Dissolved Solids	1930	5.00	mg/L	1	B1L0701	SCL	12/07/2021	12/08/2021
------------------------	------	------	------	---	---------	-----	------------	------------

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS

LABORATORY, INC

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

MW-3

11/30/2021 9:00:00AM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	---------	----------	----------	-------

Origins Laboratory, Inc.
Y112068-03 (Water)

Anions by IC 300.0

Chloride	293	31.2	mg/L	125	B1L0502	AHK	12/05/2021	12/05/2021
Sulfate	702	31.2	"	"	"	AHK	"	"

BTEX by EPA 8260D

Benzene	ND	0.00100	mg/L	1	B1L0817	ZZZ	12/08/2021	12/13/2021	U
Toluene	0.00101	0.00100	"	"	"	ZZZ	"	"	
Ethylbenzene	ND	0.00100	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	0.00100	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4

113 % 70-130

" " "

Surrogate: Toluene-d8

97.5 % 70-130

" " "

Surrogate: 4-Bromofluorobenzene

97.0 % 70-130

" " "

Total Dissolved Solids by 2540C

Total Dissolved Solids	1980	5.00	mg/L	1	B1L0702	SCL	12/07/2021	12/08/2021
------------------------	------	------	------	---	---------	-----	------------	------------

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS

LABORATORY, INC

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

MW-4

11/30/2021 9:30:00AM

Analyte	Result	Limit	Units	Dilution	Batch	Reporting	Analyst	Prepared	Analyzed	Notes

Origins Laboratory, Inc.
Y112068-04 (Water)

Anions by IC 300.0

Chloride	295	31.2	mg/L	125	B1L0502	AHK	12/05/2021	12/05/2021
Sulfate	710	31.2	"	"	"	AHK	"	"

BTEX by EPA 8260D

Benzene	ND	0.00100	mg/L	1	B1L0817	ZZZ	12/08/2021	12/13/2021	U
Toluene	ND	0.00100	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	0.00100	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	0.00100	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4

113 % 70-130

" " "

Surrogate: Toluene-d8

96.9 % 70-130

" " "

Surrogate: 4-Bromofluorobenzene

96.0 % 70-130

" " "

Total Dissolved Solids by 2540C

Total Dissolved Solids	1980	5.00	mg/L	1	B1L0702	SCL	12/07/2021	12/08/2021
------------------------	------	------	------	---	---------	-----	------------	------------

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

MW-5

11/30/2021 10:30:00AM

Analyte	Result	Reporting		Dilution	Batch	Analyst	Prepared	Analyzed	Notes
		Limit	Units						

Origins Laboratory, Inc.
Y112068-05 (Water)

Anions by IC 300.0

Chloride	298	31.2	mg/L	125	B1L0502	AHK	12/05/2021	12/06/2021
Sulfate	725	31.2	"	"	"	AHK	"	"

BTEX by EPA 8260D

Benzene	ND	0.00100	mg/L	1	B1L0817	ZZZ	12/08/2021	12/13/2021	U
Toluene	0.00112	0.00100	"	"	"	ZZZ	"	"	
Ethylbenzene	ND	0.00100	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	0.00100	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4

114 % 70-130

" " "

Surrogate: Toluene-d8

96.4 % 70-130

" " "

Surrogate: 4-Bromofluorobenzene

97.1 % 70-130

" " "

Total Dissolved Solids by 2540C

Total Dissolved Solids	2050	5.00	mg/L	1	B1L0702	SCL	12/07/2021	12/08/2021
------------------------	------	------	------	---	---------	-----	------------	------------

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

MW-6

11/30/2021 10:00:00AM

Analyte	Result	Limit	Units	Dilution	Batch	Analyst	Prepared	Analyzed	Notes
Reporting									

Origins Laboratory, Inc.
Y112068-06 (Water)

Anions by IC 300.0

Chloride	303	31.2	mg/L	125	B1L0502	AHK	12/05/2021	12/06/2021
Sulfate	744	31.2	"	"	"	AHK	"	"

BTEX by EPA 8260D

Benzene	0.0368	0.00100	mg/L	1	B1L0817	ZZZ	12/08/2021	12/13/2021
Toluene	ND	0.00100	"	"	"	ZZZ	"	"
Ethylbenzene	ND	0.00100	"	"	"	ZZZ	"	"
Xylenes, total	ND	0.00100	"	"	"	ZZZ	"	"

Surrogate: 1,2-Dichloroethane-d4

115 % 70-130

" " "

Surrogate: Toluene-d8

97.6 % 70-130

" " "

Surrogate: 4-Bromofluorobenzene

96.5 % 70-130

" " "

Total Dissolved Solids by 2540C

Total Dissolved Solids	2050	5.00	mg/L	1	B1L0702	SCL	12/07/2021	12/08/2021
------------------------	------	------	------	---	---------	-----	------------	------------

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

ORIGINS

LABORATORY, INC

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

MW-7

11/30/2021 11:00:00AM

Analyte	Result	Limit	Units	Dilution	Batch	Reporting Analyst	Prepared	Analyzed	Notes
---------	--------	-------	-------	----------	-------	-------------------	----------	----------	-------

Origins Laboratory, Inc.

Y112068-07 (Water)

Anions by IC 300.0

Chloride	316	31.2	mg/L	125	B1L0502	AHK	12/05/2021	12/06/2021
Sulfate	748	31.2	"	"	"	AHK	"	"

BTEX by EPA 8260D

Benzene	ND	0.00100	mg/L	1	B1L0817	ZZZ	12/08/2021	12/13/2021	U
Toluene	ND	0.00100	"	"	"	ZZZ	"	"	U
Ethylbenzene	ND	0.00100	"	"	"	ZZZ	"	"	U
Xylenes, total	ND	0.00100	"	"	"	ZZZ	"	"	U

Surrogate: 1,2-Dichloroethane-d4

115 % 70-130

" " "

Surrogate: Toluene-d8

95.5 % 70-130

" " "

Surrogate: 4-Bromofluorobenzene

94.4 % 70-130

" " "

Total Dissolved Solids by 2540C

Total Dissolved Solids	2100	5.00	mg/L	1	B1L0702	SCL	12/07/2021	12/08/2021
------------------------	------	------	------	---	---------	-----	------------	------------

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1L0817 - EPA 5030B (Water)

Blank (B1L0817-BLK1)							Prepared: 12/08/2021 Analyzed: 12/13/2021			
Benzene	ND	0.00100	mg/L							U
Toluene	ND	0.00100	"							U
Ethylbenzene	ND	0.00100	"							U
Xylenes, total	ND	0.00100	"							U
Surrogate: 1,2-Dichloroethane-d4	0.062		"	0.0625		98.9	70-130			
Surrogate: Toluene-d8	0.062		"	0.0625		99.8	70-130			
Surrogate: 4-Bromofluorobenzene	0.061		"	0.0625		96.9	70-130			

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B1L0817 - EPA 5030B (Water)										
LCS (B1L0817-BS1)										
Prepared: 12/08/2021 Analyzed: 12/13/2021										
Benzene	0.0527	0.00100	mg/L	0.0500	105	70-130				
Toluene	0.0513	0.00100	"	0.0500	103	70-130				
Ethylbenzene	0.0523	0.00100	"	0.0500	105	70-130				
m,p-Xylene	0.101	0.00200	"	0.100	101	70-130				
o-Xylene	0.0539	0.00100	"	0.0500	108	70-130				
Surrogate: 1,2-Dichloroethane-d4	0.064		"	0.0625	103	70-130				
Surrogate: Toluene-d8	0.062		"	0.0625	99.4	70-130				
Surrogate: 4-Bromofluorobenzene	0.063		"	0.0625	100	70-130				

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1L0817 - EPA 5030B (Water)

Matrix Spike (B1L0817-MS1)		Source: Y112053-21			Prepared: 12/08/2021 Analyzed: 12/13/2021				
Benzene	0.0628	0.00100	mg/L	0.0500	0.000440	125	70-130		
Toluene	0.0613	0.00100	"	0.0500	ND	123	70-130		
Ethylbenzene	0.0645	0.00100	"	0.0500	ND	129	70-130		
m,p-Xylene	0.123	0.00200	"	0.100	ND	123	70-130		
o-Xylene	0.0652	0.00100	"	0.0500	ND	130	70-130		
Surrogate: 1,2-Dichloroethane-d4	0.066		"	0.0625		105	70-130		
Surrogate: Toluene-d8	0.061		"	0.0625		98.0	70-130		
Surrogate: 4-Bromofluorobenzene	0.065		"	0.0625		104	70-130		

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B1L0817 - EPA 5030B (Water)										
Matrix Spike Dup (B1L0817-MSD1)										
Source: Y112053-21 Prepared: 12/08/2021 Analyzed: 12/13/2021										
Benzene	0.0643	0.00100	mg/L	0.0500	0.000440	128	70-130	2.36	20	
Toluene	0.0633	0.00100	"	0.0500	ND	127	70-130	3.16	20	
Ethylbenzene	0.0652	0.00100	"	0.0500	ND	130	70-130	1.13	20	
m,p-Xylene	0.124	0.00200	"	0.100	ND	124	70-130	0.803	20	
o-Xylene	0.0664	0.00100	"	0.0500	ND	133	70-130	1.82	20	QM-07
Surrogate: 1,2-Dichloroethane-d4	0.065		"	0.0625		103	70-130			
Surrogate: Toluene-d8	0.062		"	0.0625		99.2	70-130			
Surrogate: 4-Bromofluorobenzene	0.063		"	0.0625		101	70-130			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezen Kinnaird
Project Number: 18304aa
Project: EWS #13

Volatile Organic Compounds by GC/MS SW846 8260D - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Classical Chemistry Parameters - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B1L0502 - Filter .45um non acidified

Blank (B1L0502-BLK1)				Prepared: 12/05/2021 Analyzed: 12/06/2021				
Chloride	ND	0.250	mg/L					
Sulfate	ND	0.250	"					
LCS (B1L0502-BS1)					Prepared: 12/05/2021 Analyzed: 12/05/2021			
Chloride	4.06	0.250	mg/L	4.00	102	90-110		
Sulfate	4.03	0.250	"	4.00	101	90-110		
Matrix Spike (B1L0502-MS1)				Source: Y112050-02 Prepared: 12/05/2021 Analyzed: 12/05/2021				
Chloride	1210		mg/L	500	700	102	80-120	
Sulfate	514		"	500	17.6	99.2	80-120	
Matrix Spike Dup (B1L0502-MSD1)				Source: Y112050-02 Prepared: 12/05/2021 Analyzed: 12/05/2021				
Chloride	1210		mg/L	500	700	102	80-120	0.164
Sulfate	511		"	500	17.6	98.7	80-120	0.490

Batch B1L0701 - NO PREP

Blank (B1L0701-BLK1)				Prepared: 12/07/2021 Analyzed: 12/08/2021				
Total Dissolved Solids	ND	5.00	mg/L					
LCS (B1L0701-BS1)					Prepared: 12/07/2021 Analyzed: 12/08/2021			
Total Dissolved Solids	997	5.00	mg/L	1050	95.0	90-110		
Duplicate (B1L0701-DUP1)				Source: Y112066-01 Prepared: 12/07/2021 Analyzed: 12/08/2021				

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CGRS, Inc
 1301 Academy Court
 Fort Collins CO 80524

Drezen Kinnaird
 Project Number: 18304aa
 Project: EWS #13

Classical Chemistry Parameters - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B1L0701 - NO PREP										
Total Dissolved Solids	4510	5.00	mg/L		4520			0.111		10
Batch B1L0702 - NO PREP										
Blank (B1L0702-BLK1)						Prepared: 12/07/2021 Analyzed: 12/08/2021				
Total Dissolved Solids	ND	5.00	mg/L							
LCS (B1L0702-BS1)						Prepared: 12/07/2021 Analyzed: 12/08/2021				
Total Dissolved Solids	1020	5.00	mg/L	1050		96.8	90-110			
Duplicate (B1L0702-DUP1)						Source: Y112053-14 Prepared: 12/07/2021 Analyzed: 12/08/2021				
Total Dissolved Solids	2640	5.00	mg/L		2670			1.06		10

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

CGRS, Inc
1301 Academy Court
Fort Collins CO 80524

Drezden Kinnaird
Project Number: 18304aa
Project: EWS #13

Notes and Definitions

U Sample is Non-Detect.

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.