

FORM
4
Rev
03/22

State of Colorado
Energy & Carbon Management Commission
1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DEETOEES
Document Number:
403793702
Date Received:
05/16/2024

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: 96850

Contact Name Scott Ghan

Name of Operator: TEP ROCKY MOUNTAIN LLC

Phone: (970) 263-2725

Address: 1058 COUNTY ROAD 215

Fax: ()

City: PARACHUTE State: CO Zip: 81635

Email: sghan@terraep.com

FORM 4 SUBMITTED FOR:

Facility Type: WELL

API Number : 05- 045 19666 00 ID Number: 418050

Name: ExxonMobil Number: GM 343-27

Location QtrQtr: NWSE Section: 27 Township: 6S Range: 96W Meridian: 6

County: GARFIELD Field Name: GRAND VALLEY

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
323789	ExxonMobil MV 29-27

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

☐ Change of Location for Well * ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude Longitude

GPS Quality Value: Type of GPS Quality Value: Measurement Date:

Well Ground Elevation: feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: (Vertical, Directional, Horizontal)

Change of Surface Footage From:

Change of Surface Footage To:

Current Surface Location From QtrQtr NWSE Sec 27 Twp 6S Range 96W Meridian 6

New Surface Location To QtrQtr Sec Twp Range Meridian

Change of Top of Productive Zone Footage From:

Change of Top of Productive Zone Footage To:

Current Top of Productive Zone Location Sec 27 Twp 6S Range 96W

New Top of Productive Zone Location Sec Twp Range

FNL/FSL

FEL/FWL

1978 FSL 1314 FEL

2345 FSL 820 FEL

**

	FEL
--	-----

Page 10 of 10

Range	
-------	--

Range	
-------	--

823	FEL
-----	-----

Page 10 of 10

** attach deviated drilling plan

Range

Required for change of Surface Location.

Distance from Well to nearest:

Building:	_____	Feet
Building Unit:	_____	Feet
Public Road:	_____	Feet
Above Ground Utility:	_____	Feet
Railroad:	_____	Feet
Property Line:	_____	Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit?

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

LOCATION CHANGE COMMENTS

--

CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
WILLIAMS FORK	WMFK	479-13	320	S/2			X	

OTHER

☐ RULE 502 VARIANCE

Order Number: _____

Description: _____

☐ REMOVE FROM SURFACE BOND Signed surface use agreement is a required attachment

☐ CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGD

From: Name EXXONMOBIL Number GM 343-27 Effective Date: _____

To: Name _____ Number _____

☐ ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.

☐ WELL: Abandon Application for Permit-to-Drill (Form 2) – Well API Number _____ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – ECMC Pit Facility ID Number _____ has not been constructed (Permitted and constructed pit requires closure per Rule 911)

☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number _____ has not been constructed (Constructed facility requires closure per Rule 907)

OIL & GAS LOCATION ID Number: _____

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.

☐ REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))

☐ DIGITAL WELL LOG UPLOAD

☐ DOCUMENTS SUBMITTED Purpose of Submission: _____

☐ COMPLIANCE with CONDITION OF APPROVAL (COA) on Form NO: _____ Document Number: _____

RECLAMATION

INTERIM RECLAMATION

☐ Interim Reclamation will commence approximately _____

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

Field inspection will be conducted to document Rule 1003.e. compliance

FINAL RECLAMATION

☐ Final Reclamation will commence approximately _____

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

Field inspection will be conducted to document Rule 1004.c. compliance

Comments:

ENGINEERING AND ENVIRONMENTAL WORK

☐ REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

☐ REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned _____

Has Production Equipment been removed from site? _____

Mechanical Integrity Test (MIT) required. Date of last MIT _____

TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☐ NOTICE OF INTENT/REQUEST FOR APPROVAL Approximate Start Date _____

☒ SUBSEQUENT REPORT Date of Activity 04/19/2024

- | | | |
|---|--|--|
| <input checked="" type="checkbox"/> Bradenhead Plan | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement |
| <input type="checkbox"/> Change Drilling Plan | <input type="checkbox"/> Repair Well | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change | | |
| <input type="checkbox"/> Underground Injection Control | | |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.) | | |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) | | |
| <input type="checkbox"/> Other | | |

☐ Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID _____ Pit Name _____

(No Sample Provided)

☐ Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

TEP Rocky Mountain LLC (TEP) is reporting that the bradenhead on the Exxon Mobil GM 343-27 was connected to the sales line on April 19, 2024, as part of a Pressure Management Plan for this well. TEP relocated the latch valve to the wellhead and the bradenhead was connected downstream of the latch valve which is continuously equalized with the sales line pressure. The bradenhead was connected to the sales line with steel pipe and a check valve. A typical diagram is attached which depicts the bradenhead connection. This Sundry is a subsequent report to ECMC Document # 403748520.

GAS CAPTURE

VENTING AND FLARING:

Operation type: _____ Operational phase requiring venting/flaring: _____

Reason for venting/flaring: _____

Describe Other reason for venting/flaring: _____

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: _____ mcf ☐ estimated ☐ measured
Total duration of emission event: _____ hours ☐ consecutive ☐ cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: _____

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached. ☐

CASING PROGRAM

(No Casing Provided)

POTENTIAL FLOW AND CONFINING FORMATIONS

H2S REPORTING

- ☐ Intentional release of H2S gas due to Upset Condition or malfunction.
- ☐ Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million) Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID OGDG Name

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells

Oil Tanks

Condensate Tanks

Water Tanks

Buried Produced Water Vaults

Drilling Pits

Production Pits

Special Purpose Pits

Multi-Well Pits

Modular Large Volume Tank

Pump Jacks

Separators

Injection Pumps

Heater-Treaters

Gas Compressors

Gas or Diesel Motors

Electric Motors

Electric Generators

Fuel Tanks

LACT Unit

Dehydrator Units

Vapor Recovery Unit

VOC Combustor

Flare

Enclosed Combustion Devices

Meter/Sales Building

Pigging Station

Vapor Recovery Towers

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDG UPDATES

PROPOSED CHANGES TO AN APPROVED OGDG

☐ This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- ☐ Add Oil and Gas Location(s)

☐ Add Drilling and Spacing Unit(s)

☐ Amend Oil and Gas Location(s)

☐ Amend Drilling and Spacing Unit(s)

☐ Remove Oil and Gas Location(s)

☐ Remove Drilling and Spacing Unit(s)

☐ Oil and Gas Location attachment or plan updates

☐ Amend the lands subject to the OGDG

☐ Other

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

Best Management Practices

No BMP/COA Type

Description

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Scott Ghan
Title: Sr. Regulatory Specialist Email: sghan@terraep.com Date: 5/16/2024

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Katz, Aaron Date: 9/18/2024

CONDITIONS OF APPROVAL, IF ANY LIST

COA Type

Description

	<p>1. Operator will implement measures to control venting, to protect health and safety, and to ensure that vapors and odors from well operations do not constitute a nuisance or hazard to public welfare.</p> <p>2. Bradenhead gas is not to be vented to the atmosphere; any gas from the Bradenhead will routed to to specified abatement system. Shut in bradenhead pressure shall not exceed threshold pressure. Operator will implement measures to get an estimate of the gas flow rate and/or volume from the bradenhead.</p> <p>3. No later than 9/18/2025, (for ongoing abatement consider extending followup to a year rather than 6 months), conduct a bradenhead test, submit a Form 17, and submit a Form 4 Sundry that summarizes current well condition. The well should be shut in for seven days to monitor and collect data to characterize build up pressures prior to conducting the bradenhead test. The sundry should include details of the future plans, sample analysis interpretation, bradenhead test description, and the flow rate information and pressure data.</p> <p>4. If a sample has not been collected from surface casing within the last twelve months collect bradenhead gas samples for laboratory analysis. Sampling will comply with Operator Guidance - Bradenhead Testing and Reporting Instructions, Appendix A: Liquid and Gas Sampling. Copies of all final laboratory analytical results will be provided to the ECMC within three months of collecting the samples.</p>
--	---

1 COA

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
403793702	SUNDRY NOTICE APPROVED-OBJ
403793720	LAYOUT DRAWINGS
403926385	FORM 4 SUBMITTED

Total Attach: 3 Files