

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
403870183
Receive Date:
08/01/2024

Report taken by:
Alexander Ahmadian

Site Investigation and Remediation Workplan (Supplemental Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECMC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

Name of Operator: NOBLE ENERGY INC	Operator No: 100322	Phone Numbers Phone: (970) 730-7281 Mobile: ()
Address: 1099 18TH STREET SUITE 1500		
City: DENVER	State: CO	Zip: 80202
Contact Person: Dan Peterson	Email: RBUEUF27@chevron.com	

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 34864 Initial Form 27 Document #: 403713009

PURPOSE INFORMATION

- Rule 913.c.(1): Pit or Cuttings Trench closure.
- Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- Rule 913.g: Changes of Operator.
- Rule 915.b: Request to leave elevated inorganics in situ.
- Other: _____

SITE INFORMATION

No Multiple Facilities

Facility Type: LOCATION	Facility ID: 422865	API #: _____	County Name: WELD
Facility Name: REI TANK BATTERY 25-10	Latitude: 40.231403	Longitude: -104.657991	
** correct Lat/Long if needed: Latitude: 40.231578		Longitude: -104.658323	
QtrQtr: NWNW	Sec: 15	Twp: 3N	Range: 65W Meridian: 6 Sensitive Area? Yes

SITE CONDITIONS

General soil type - USCS Classifications SW Most Sensitive Adjacent Land Use Rangeland
Is domestic water well within 1/4 mile? Yes Is surface water within 1/4 mile? Yes
Is groundwater less than 20 feet below ground surface? Yes

Other Potential Receptors within 1/4 mile

Mule Deer Severe Winter Range (1202.d) and Bald Eagle Roost Site (309.e.1)
Forested/Shrub Wetland 0.07mi E (Milton Reservoir), Lake/Pond 0.10mi E (Milton Reservoir), Emergent Wetland 0.8mi W, Holding Pond 0.17mi W, 0.04/0.06mi E, 0.16mi SE
N/A

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- E&P Waste
- Other E&P Waste
- Non-E&P Waste
- Produced Water
- Workover Fluids
- Oil
- Tank Bottoms
- Condensate
- Pigging Waste
- Drilling Fluids
- Rig Wash
- Drill Cuttings
- Spent Filters
- Pit Bottoms
- Other (as described by EPA)

DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
Yes	GROUNDWATER	See attached figure	Lab analysis
No	SOILS	NA	Lab analysis

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

A site investigation will be conducted pursuant to ECMC Rule 911 at the REI FED BEEBE DRAW OVIATT T3N-R65W-S10 L01 Facility and Tank Battery location.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

Grab confirmation soil samples were collected from the produced water vessel(s) excavation, beneath the ground oil tank(s), at the risers for the flowline (s) and dumpline(s) of any separator(s). In addition, the on-site dump lines located between the separator and tank battery were removed by pulling from either end. Soil samples were analyzed by a certified laboratory for the full extent of Table 915-1, including but not limited to: TPH (total volatile [C6-C10] and extractable [C10-C36] hydrocarbons) organic compounds in soil per ECMC Table 915-1, and EC, SAR, pH, metals, and boron. All samples collected were analyzed by a certified laboratory using approved ECMC laboratory analysis methods.

Proposed Groundwater Sampling

Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Groundwater was encountered during the site investigation and a grab groundwater sample was collected and analyzed for all organic compounds per ECMC Table 915-1; this sample analysis includes, but is not limited to BTEX, naphthalene, 1,2,4-trimethylbenzene (TMB), and 1,3,5-TMB by EPA Method 8260.

Proposed Surface Water Sampling

Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Additional Investigative Actions

Additional alternative investigative actions described in attached Site Investigation Plan (summary):

Visual inspection at the tank battery area occurred during abandonment activities. Field personnel field screened all disturbed areas using visual and olfactory senses to determine if laboratory confirmation sampling was required. The ECMC Tank Battery and Produced Water Vessel Closure Checklists were utilized and filled out during the abandonment process. A photolog is attached.

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

Soil

Number of soil samples collected 6
Number of soil samples exceeding 915-1 6
Was the areal and vertical extent of soil contamination delineated? Yes
Approximate areal extent (square feet) 0

NA / ND

ND Highest concentration of TPH (mg/kg) _____
-- Highest concentration of SAR 1.23
BTEX > 915-1 No
Vertical Extent > 915-1 (in feet) 5

Groundwater

Number of groundwater samples collected 1
Was extent of groundwater contaminated delineated? No
Depth to groundwater (below ground surface, in feet) 5
Number of groundwater monitoring wells installed 0
Number of groundwater samples exceeding 915-1 1

-- Highest concentration of Benzene (µg/l) 44
-- Highest concentration of Toluene (µg/l) 130
-- Highest concentration of Ethylbenzene (µg/l) 7.9
-- Highest concentration of Xylene (µg/l) 130
NA Highest concentration of Methane (mg/l) _____

Surface Water

0 Number of surface water samples collected
 Number of surface water samples exceeding 915-1
If surface water is impacted, other agency notification may be required.

OTHER INVESTIGATION INFORMATION

Were impacts to adjacent property or offsite impacts identified?

Were background samples collected as part of this site investigation?

Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) _____ Volume of liquid waste (barrels) _____

Is further site investigation required?

Operator proposes to install soil borings that will be improved with temporary PVC monitoring wells. One monitoring well will be installed within the source area (if possible) and additional wells will be installed to monitor up-gradient, down-gradient, and cross-gradient groundwater conditions. Each soil boring location will have the soil type logged, will be field screened with a PID, and the interval with the highest PID measurement and/or the interval directly above groundwater will be collected and submitted for analysis of Table 915-1 constituents in soil. Quarterly groundwater monitoring will be completed until four consecutive quarters of groundwater sampling have been completed and reported at the location with concentrations of Table 915 constituents below regulatory limits. Groundwater monitoring wells will be sampled and submitted to a laboratory for analysis of Table 915-1 groundwater constituents: Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX), naphthalene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Chloride ion, Sulfate ion and Total Dissolved Solids (TDS).

REMEDIAL ACTION PLAN

Does this Supplemental Form 27A include changes to a previously approved Remedial Action Plan? No

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

No source has been generated at this time.

REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

If groundwater impacts are observed, an NFA will be requested once four consecutive quarters of groundwater sampling have been completed and reported at the location with concentrations of Table 915 constituents below regulatory limits. As needed, soil and/or groundwater remediation plans will be developed and submitted to ECMC in a supplemental Form 27.

Soil Remediation Summary

In Situ

Ex Situ

_____ Bioremediation (or enhanced bioremediation)

_____ Excavate and offsite disposal

_____ Chemical oxidation

_____ If Yes: Estimated Volume (Cubic Yards) _____

_____ Air sparge / Soil vapor extraction

_____ Name of Licensed Disposal Facility or ECMC Facility ID # _____

_____ Natural Attenuation

_____ Excavate and onsite remediation

_____ Other _____

_____ Land Treatment

_____ Bioremediation (or enhanced bioremediation)

_____ Chemical oxidation

_____ Other _____

Groundwater Remediation Summary

_____ Bioremediation (or enhanced bioremediation)

_____ Chemical oxidation

_____ Air sparge / Soil vapor extraction

_____ Natural Attenuation

_____ Other _____

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

Operator proposes to install soil borings that will be improved with temporary PVC monitoring wells. One monitoring well will be installed within the source area (if possible) and additional wells will be installed to monitor up-gradient, down-gradient, and cross-gradient groundwater conditions. Each soil boring location will have the soil type logged, will be field screened with a PID, and the interval with the highest PID measurement and/or the interval directly above groundwater will be collected and submitted for analysis of Table 915-1 constituents in soil. Quarterly groundwater monitoring will be completed until four consecutive quarters of groundwater sampling have been completed and reported at the location with concentrations of Table 915 constituents below regulatory limits. Groundwater monitoring wells will be sampled and submitted to a laboratory for analysis of Table 915-1 groundwater constituents: Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX), naphthalene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Chloride ion, Sulfate ion and Total Dissolved Solids (TDS).

REMEDIATION PROGRESS UPDATE

PERIODIC REPORTING

Approved Reporting Schedule:

Quarterly Semi-Annually Annually Other Quarterly following receipt of Final Lab Results

Request Alternative Reporting Schedule:

Semi-Annually Annually Other

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

Report Type: Groundwater Monitoring Land Treatment Progress Report O&M Report

Other Supplemental Form 27

Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

Noble intends to directly address the costs of remediation at the locations as part of our asset retirement obligation process and operations. Noble has general liability insurance (policy MWZZ 316714) and financial assurance in compliance with ECMC rules. Records are available on the ECMC's website. The cost for remediation is an estimate only, costs may change upwards or downward based on site-specific information. Noble makes no representation or guarantees as to the accuracy of the estimate.

Operator anticipates the remaining cost for this project to be: \$ 25000

WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? No

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Volume of E&P Waste (solid) in cubic yards

E&P waste (solid) description

ECMC Disposal Facility ID #, if applicable:

Non-ECMC Disposal Facility:

Volume of E&P Waste (liquid) in barrels

E&P waste (liquid) description

ECMC Disposal Facility ID #, if applicable:

Non-ECMC Disposal Facility:

REMEDIATION COMPLETION REPORT

REMEDIATION COMPLETION SUMMARY

Is this a Final Closure Request for this Remediation Project? No

If YES:

Compliant with Rule 913.h.(1).

Compliant with Rule 913.h.(2).

Compliant with Rule 913.h.(3).

Do all soils meet Table 915-1 standards? No

Does the previous reply indicate consideration of background concentrations?

Does Groundwater meet Table 915-1 standards? No

Is additional groundwater monitoring to be conducted? Yes

Operator shall comply with the ECMC 1000-Series Reclamation Requirements for all impacted and disturbed areas.

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

Reclamation will be in accordance with ECMC 1000 Series Rules.

Is the described reclamation complete? No

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

Interim

Final

Did the Surface Owner provide the seed mix? _____

If YES, does the seed mix comply with local soil conservation district recommendations? _____

Did the local soil conservation district provide the seed mix? _____

SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. _____

Proposed date of completion of Reclamation. _____

IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

PRIOR DATES

Date of Surface Owner notification/consultation, if required. 12/07/2023

Actual Spill or Release date, or date of discovery. 07/30/2024

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 07/03/2024

Proposed site investigation commencement. 04/15/2024

Proposed completion of site investigation. 01/03/2025

REMEDIAL ACTION DATES

Proposed start date of Remediation. 01/03/2025

Proposed date of completion of Remediation. _____

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

Groundwater impacts observed at the produced water vault and need additional delineation.

OPERATOR COMMENT

This form serves as a request to close out the forthcoming associated Form 19 and continue remediation under the approved Form 27 (Rule 912.c). Remediation # 34864. Pending location, landowner approval, and crew availability, the operator will complete the additional site investigation as outlined in this proposed Site Investigation Report workplan. Supplemental Form 27s will be prepared and submitted on a quarterly schedule to provide updates and progress of the remediation until closure criteria has been achieved.

The site map has been attached with the corrected Facility Name and Facility ID #.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Ethan Black

Title: Consultant

Submit Date: 08/01/2024

Email: ethanb@fremontenv.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Alexander Ahmadian

Date: 09/30/2024

Remediation Project Number: 34864

COA Type**Description**

	On the subsequent Supplemental Form 27, Operator shall provide the associated Form 42 – Abandonment of Flowlines document number required by Rule 1105.f.(1).
	Operator shall fully populate the implementation schedule in accordance with Rule 913.d on the subsequent Supplemental Form 27.
2 COAs	

ATTACHMENT LIST

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num**Name**

403870183	FORM 27-SUPPLEMENTAL-SUBMITTED
403870462	SITE INVESTIGATION PLAN
403874608	SOIL SAMPLE LOCATION MAP

Total Attach: 3 Files

General Comments**User Group****Comment****Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)