

FORM
4
Rev
03/22

State of Colorado
Energy & Carbon Management Commission
1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DEETOEES
Document Number:
403913194
Date Received:
09/09/2024

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: 96850

Contact Name MELISSA LUKE

Name of Operator: TEP ROCKY MOUNTAIN LLC

Phone: (970) 263-2721

Address: 1058 COUNTY ROAD 215

Fax: ()

City: PARACHUTE State: CO Zip: 81635

Email: MLUKE@TERRAEP.COM

FORM 4 SUBMITTED FOR:

Facility Type: WELL

API Number : 05- 103 11060 00 ID Number: 291706

Name: FEDERAL RG Number: 11-7-397

Location QtrQtr: NWNW Section: 7 Township: 3S Range: 97W Meridian: 6

County: RIO BLANCO Field Name: SULPHUR CREEK

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
316653	FEDERAL RG 11-7-397

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

☐ Change of Location for Well * ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude Longitude

GPS Quality Value: Type of GPS Quality Value: Measurement Date:

Well Ground Elevation: feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: (Vertical, Directional, Horizontal)

Change of Surface Footage From:

Change of Surface Footage To:

Current Surface Location From QtrQtr NWNW Sec 7 Twp 3S Range 97W Meridian 6

New Surface Location To QtrQtr Sec Twp Range Meridian

Change of Top of Productive Zone Footage From:

Change of Top of Productive Zone Footage To:

Current Top of Productive Zone Location Sec Twp Range

New Top of Productive Zone Location Sec Twp Range

FNL/FSL

FEL/FWL

1078 FNL 902 FWL

**

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

**

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

**

Current **Bottomhole** Location

Sec

Twp

Range

** attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building: _____ Feet
Building Unit: _____ Feet
Public Road: _____ Feet
Above Ground Utility: _____ Feet
Railroad: _____ Feet
Property Line: _____ Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? _____

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: _____ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

LOCATION CHANGE COMMENTS

CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
ILES	ILES						X	
SEGO	SEGO						X	
WASATCH	WSTC						X	
WILLIAMS FORK	WMFK						X	

OTHER

☐ **RULE 502 VARIANCE**

Order Number: _____

Description: _____

☐ **REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment☐ **CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGD**From: Name FEDERAL RG Number 11-7-397 Effective Date: _____

To: Name _____ Number _____

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**☐ WELL: Abandon Application for Permit-to-Drill (Form 2) – Well API Number _____ has not been drilled.☐ PIT: Abandon Earthen Pit Permit (Form 15) – ECMC Pit Facility ID Number _____ has not been constructed (Permitted and constructed pit requires closure per Rule 911)☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number _____ has not been constructed (Constructed facility requires closure per Rule 907)

OIL & GAS LOCATION ID Number: _____

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**☐ **REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))**☐ **DIGITAL WELL LOG UPLOAD**☐ **DOCUMENTS SUBMITTED** Purpose of Submission: _____☐ **COMPLIANCE with CONDITION OF APPROVAL (COA) on** Form NO: _____ Document Number: _____

RECLAMATION

INTERIM RECLAMATION

☐ Interim Reclamation will commence approximately _____

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.
Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.**Field inspection will be conducted to document Rule 1003.e. compliance**

FINAL RECLAMATION

☐ Final Reclamation will commence approximately _____

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

- ☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

Field inspection will be conducted to document Rule 1004.c. compliance

Comments:

ENGINEERING AND ENVIRONMENTAL WORK

☐ **REPORT OF TEMPORARY ABANDONMENT**

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

☐ **REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS**

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned _____

Has Production Equipment been removed from site? _____

Mechanical Integrity Test (MIT) required. Date of last MIT _____

TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ **NOTICE OF INTENT/REQUEST FOR APPROVAL** Approximate Start Date 09/15/2024

☐ **SUBSEQUENT REPORT** Date of Activity _____

- | | | |
|---|--|--|
| <input type="checkbox"/> Bradenhead Plan | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement |
| <input type="checkbox"/> Change Drilling Plan | <input checked="" type="checkbox"/> Repair Well | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change | | |
| <input type="checkbox"/> Underground Injection Control | | |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.) | | |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) | | |
| <input type="checkbox"/> Other | | |

- ☐ Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID _____ Pit Name _____

(No Sample Provided)

- ☒ Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

TEP Rocky Mountain LLC (TEP) respectfully requests approval to conduct maintenance work on the Federal RG 11-7-397 well. CPW consultation occurred on 08/26/2024 for ECMC Rule 312, please see attached email correspondence. Included with this submittal is a copy of the current wellbore diagram.

Proposed Procedure:

1. MIRU Service rig, spot all equipment, kill well
2. ND Production tree, NU BOP's, Pressure test BOP's to 300 psi low, 4,000 psi high
3. POOH 2-3/8" tbg while scanning/inspecting, leaving final 10-15 jts of tbg in hole for tail string
 - a. Note – broken bumper spring may be stuck at EOT
 - b. Note – tbg data does not appear to have been entered into the system following a HIT workover performed in 2010. EOT per Open Wells daily ops rpt should be 11,430'.
4. RIH with 4-1/2" TSBP using only YB tbg pulled from well. If necessary PUMU YB, WB, or new tbg
5. Set BP at +/-3,500' (TOC 3,250')
6. Pull casing slips and lay down parted casing
7. RIH latch onto fish and pull test csg
8. Manually backoff production casing with string shot appx 1+ jt below joint of parted csg
9. POOH with casing and lay down
10. RIH with new casing and screw back into existing casing, fully torque (+/-2,650 ft-lbs)
11. Pull test +/-65k. Land in minimum tension (+/-55k)
12. Pressure test csg
13. RIH and retrieve RBP; POOH entire string, visually inspect tbg and tally
14. RIH with production tubing while HYDROTESTING, make light tag on fill (last tag depth 11,615' during WOV in March of 2010)
 - a. Note – Run lower grade pipe on bottom of string. Clearly notate within daily operation activity details the makeup of the string (grade, color, depths)
15. POOH to land depth +/-11,430' (+/-150' above tag). Pump tbg volume if tagged to clear tbg; Hydrotest hanger connection
16. RDMO Service Unit and cleanup location

GAS CAPTURE

VENTING AND FLARING:

Operation type: _____ Operational phase requiring venting/flaring: _____

Reason for venting/flaring: _____

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: _____ mcf ☐ estimated ☐ measured

Total duration of emission event: _____ hours ☐ consecutive ☐ cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: _____

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached. ☐

CASING PROGRAM

(No Casing Provided)

POTENTIAL FLOW AND CONFINING FORMATIONS

H2S REPORTING

- ☐ Intentional release of H2S gas due to Upset Condition or malfunction.
- ☐ Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million)

Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID _____ OGDP Name _____

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____	Vapor Recovery Towers _____		

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDG UPDATES**PROPOSED CHANGES TO AN APPROVED OGDG**

☐ This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- | | |
|--|--|
| <input type="checkbox"/> Add Oil and Gas Location(s) | <input type="checkbox"/> Add Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Amend Oil and Gas Location(s) | <input type="checkbox"/> Amend Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Remove Oil and Gas Location(s) | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDG |
| <input type="checkbox"/> Other | |

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

Best Management Practices**No BMP/COA Type****Description**

--	--

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: MELISSA LUKE
Title: REGULATORY SPECIALIST Email: MLUKE@TERRAEP.COM Date: 9/9/2024

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Katz, Aaron Date: 10/3/2024

CONDITIONS OF APPROVAL, IF ANY LIST**COA Type****Description**

- 1) Provide electronic Form 42 Notice of MIRU 2 business days ahead of operations.
- 2) After completing repair work a bradenhead test shall be performed. If the beginning pressure is greater than 25 psi, or if pressure remains at the conclusion of the test, or if any liquids were present contact ECMC Engineer for sampling requirements before pumping any cement. The Form 17 shall be submitted within 10 days of the test.
- 3) For applicable operations , report work completed with a Form 4 Sundry REPORT OF WORK DONE - Repair Well noting final pressure test results and include any operational or job summaries. If the wellbore geometry changes or there is not an updated WBD in the well file submit an updated WBD.
- 4) For applicable operations, submit a Form 5 or 5A (updated packer and tubing depths) within 30 days of the work with job related documents including a minimum of one of the following attachments: operations summary, cement job summary and/or wireline summary. Additionally, include CBLs and any additional logs run.
- 5) Complete repair within 6 months of identifying the failure

Operator committed to the following Best Management Practices in the attached email of the CPW consultation:

1. Wildlife – Minimization: To minimize the potential for wildlife related traffic accidents, TEP has implemented speed restrictions for all lease roads and requires that all TEP employees and contractors adhere to these posted speed restrictions.
2. Wildlife – Minimization: TEP will make best efforts to minimize operations at these location during winter months by conducting operations, when possible, between 9:00am to 4:00pm when wildlife activity minimal.
3. Wildlife – Minimization: TEP will minimize vehicle numbers and traffic by carpooling to the site whenever possible.

2 COAs

General Comments**User Group****Comment****Comment Date**

Engineer	Repair is to replace production casing with new joints of casing.	10/03/2024
OGLA	LAS review completed and task passed.	09/09/2024

Total: 2 comment(s)

ATTACHMENT LIST**Att Doc Num****Name**

403913194	SUNDRY NOTICE APPROVED-OBJ-SBSQ-OPS-REPAIR
403913198	WELLBORE DIAGRAM
403913199	CPW CONSULTATION
403945037	FORM 4 SUBMITTED

Total Attach: 4 Files