

State of Colorado
Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:
403951059

Date Received:
10/09/2024

FIR RESOLUTION FORM

Overall Status:

CA Summary:

4 of 5 CAs from the FIR responded to on this Form

4 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

ECMC Operator Number: 10456
Name of Operator: CAERUS PICEANCE LLC
Address: 1001 17TH STREET #1600
City: DENVER State: CO Zip: 80202

Contact Name and Telephone:
Name:
Phone: () Fax: ()
Email:

Additional Operator Contact:

Contact Name	Phone	Email
ENERGY_QB		ecmc.inspections@qb-energy.com

ECMC INSPECTION SUMMARY:

FIR Document Number: 713400356
Inspection Date: 09/30/2024 FIR Submit Date: 10/03/2024 FIR Status:

Inspected Operator Information:

Company Name: CAERUS PICEANCE LLC Company Number: 10456
Address: 1001 17TH STREET #1600
City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 418691

Location Name: P6-11-36 Number: County:
Qtrqr: Lot 4 Sec: 36 Twp: 6S Range: 97W Meridian: 6
Latitude: 39.485028 Longitude: -108.174692

FACILITY - API Number: 05-045- -00 Facility ID: 418691

Facility Name: P6-11-36 Number:
Qtrqr: Lot 4 Sec: 36 Twp: 6S Range: 97W Meridian: 6
Latitude: 39.485028 Longitude: -108.174692

CORRECTIVE ACTIONS:

2 CA# 199301

Corrective Action: Comply with CECMC debris rules Date: 10/10/2024

Response: CA COMPLETED Date of Completion: 10/09/2024

Operator Comment: Removed all unused equipment and debris to comply with ECMC rules and regulations.

ECMC Decision:

ECMC
Representative:

3 CA# 199302

Corrective Action: Comply with CECMC wildlife rules

Date: 10/10/2024

Response: CA COMPLETED

Date of Completion: 10/09/2024

Operator Comment: Closed all separator doors to comply with ECMC wildlife rules and regulations

ECMC Decision: _____

ECMC Representative: _____

4 CA# 199303

Corrective Action: Comply with CECMC wildlife rules

Date: 10/10/2024

Response: CA COMPLETED

Date of Completion: 10/09/2024

Operator Comment: Fixed barbed wire fencing to protect wildlife and comply with ECMC rules and regulations.

ECMC Decision: _____

ECMC Representative: _____

5 CA# 199304

Corrective Action: Comply with CECMC Stormwater rules

Date: 10/06/2024

Response: CA COMPLETED

Date of Completion: 10/07/2024

Operator Comment: Pulled all fluids from chemical BMP to comply with ECMC rules and regulations.

ECMC Decision: _____

ECMC Representative: _____

OPERATOR COMMENT AND SUBMITTAL

Comment: _____

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Joey Gracey

Signed: _____

Title: Compliance

Date: 10/9/2024 12:04:30 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on ECMC website (<http://ecmcweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403951059	FIR RESOLUTION SUBMITTED

403951065	Fixed Barbed Wire Fence
403951069	Closed Separator Door
403951071	Removed Unused Equipment
403951075	Unused Piping

Total Attach: 5 Files