



**EXTENDED NATURAL GAS ANALYSIS (\*DHA)**

**MAIN PAGE**

PRIMARY DB KEY: **05-103-10405**      NAME/DESCRIP : **YCF 34-44-1**  
 LEASE #: **COC - 059394**                      SURFACE CASING  
 FIELD/AREA:

PROJECT NO. : **202409057**                      ANALYSIS NO. : **03**  
 COMPANY NAME : **QB ENERGY OPERATING, LLC**      ANALYSIS DATE: **SEPTEMBER 20, 2024 13:40**  
 OFFICE / BRANCH: **PARACHUTE, CO**                      SAMPLE DATE : **SEPTEMBER 9, 2024 12:15**  
 CUSTOMER REF:    TO:  
 PRODUCER : **QB ENERGY OPERATING, LLC**              EFFECTIVE DATE:

**\*\*\*FIELD DATA\*\*\***

SAMPLE CYCLE:    SAMPLE TYPE:                      SPOT  
 SAMPLE PRES. :    300                      psig                                      PROBE :  
 FLOW PRES. :    psig                                      CYLINDER NO. :                      ECA-823  
 LAB PRES:    psig                                      SAMPLED BY :                      JUSTIN STEELE  
 SAMPLE TEMP. :    60                                      °f                                      SAMPLING COMPANY: **QB ENERGY OPERATING, LLC**  
 AMBIENT TEMP.:    °f                                      H2S BY STAIN TUBE:                      -                      ppm mol  
 H2O BY STAIN TUBE:                                      -                                      #/mmcf                                      CO2 BY STAIN TUBE:                      -                      Mol %  
 FIELD COMMENTS:  
 LAB COMMENTS:

COMPONENT	MOLE %	MASS %	GPM @	
			14.65	14.73
ALCOHOLS	0.0002	0.0005	0.0000	0.0000
HELIUM	0.01	0.00	---	---
HYDROGEN	0.01	0.00	---	---
OXYGEN/ARGON	0.01	0.02	---	---
NITROGEN	0.40	0.62	---	---
CARBON DIOXIDE	0.01	0.02	---	---
METHANE	90.4191	80.0830	---	---
ETHANE	6.0689	10.0748	1.6181	1.6269
PROPANE	1.7833	4.3414	0.4897	0.4924
I-BUTANE	0.3518	1.1289	0.1149	0.1156
N-BUTANE	0.3941	1.2646	0.1239	0.1246
I-PENTANE	0.1572	0.6256	0.0570	0.0573
N-PENTANE	0.1156	0.4604	0.0420	0.0422
HEXANES PLUS	0.2698	1.3608	0.1030	0.1033
<b>TOTALS</b>	<b>100.0000</b>	<b>100.0000</b>	<b>2.5486</b>	<b>2.5623</b>

BTEX COMPONENTS	MOLE%	WT%	CALCULATED VALUES**	
			BTU @	
BENZENE	0.0110	0.0474		
TOLUENE	0.0053	0.0269		
ETHYLBENZENE	0.0004	0.0023		
XYLENES	0.0014	0.0083		
<b>TOTAL BTEX</b>	<b>0.0181</b>	<b>0.0849</b>		
			<b>14.65</b>	<b>14.73</b>
<b>LHV NET DRY REAL :</b>			1005.7 /scf	1011.2 /scf
<b>NET WET REAL :</b>			988.1 /scf	993.6 /scf
<b>HHV GROSS DRY REAL :</b>			1112.8 /scf	1118.8 /scf
<b>GROSS WET REAL :</b>			1093.3 /scf	1099.3 /scf
<b>NET HEATING VALUE (60 °F ideal reaction):</b>				21092.9 Btu/lbm
<b>GROSS HEATING VALUE (60°F ideal reaction):</b>				23342.2 Btu/lbm
<b>RELATIVE DENSITY (AIR=1):</b>				0.6249
<b>DENSITY</b>				0.04773 lbm/scf
<b>COMPRESSIBILITY FACTOR :</b>				0.9975
<b>REGULAR WOBBE INDEX</b>				1408.5

\*(DETAILED HYDROCARBON ANALYSIS/NJ 1993)  
 Mod ASTM D6730, GPA 2261 & GPA 2286.

\*\* (CALC: GPA 2172, GPA 2145 & TP-17 @14.696 & 60 F)

The data presented herein has been acquired by means of current analytical techniques and represents the judicious conclusion EMPACT Analytical Systems, Inc. Results of the analysis can be affected by the sampling conditions, therefore, are only warranted through proper lab protocol. EMPACT assumes no responsibility for interpretation or any consequences from application of the reported information and is the sole liability of the user. The reproduction in any media of this reported information may not be made, in portion or as a whole, without the written permission of EMPACT Analytical Systems, Inc.



**EXTENDED NATURAL GAS ANALYSIS (\*DHA)  
GLYCALC INFORMATION**

PROJECT NO. :	202409057	ANALYSIS NO. :	03
COMPANY NAME :	QB ENERGY OPERATING, LLC	ANALYSIS DATE:	SEPTEMBER 20, 2024 13:40
ACCOUNT NO. :		SAMPLE DATE :	SEPTEMBER 9, 2024 12:15
PRODUCER :	QB ENERGY OPERATING, LLC	CYLINDER NO. :	ECA-823
LEASE NO. :	COC - 059394	SAMPLED BY :	JUSTIN STEELE
NAME/DESCRIP :	YCF 34-44-1		
	SURFACE CASING		

***FIELD DATA***		SAMPLE TEMP. :	60
SAMPLE PRES. :	300	AMBIENT TEMP.:	
H2S BY STAIN TUBE:	—		
COMMENTS :	<i>SPOT</i>		

<u>Componet</u>	<u>Mole %</u>	<u>Wt %</u>
Helium	0.01	0.00
Hydrogen	0.01	0.00
Carbon Dioxide	0.01	0.02
Nitrogen	0.40	0.62
Methane	90.4191	80.0830
Ethane	6.0689	10.0748
Propane	1.7833	4.3414
Isobutane	0.3518	1.1289
n-Butane	0.3941	1.2646
Isopentane	0.1522	0.6062
n-Pentane	0.1156	0.4604
Cyclopentane	0.0050	0.0194
n-Hexane	0.0428	0.2036
Cyclohexane	0.0288	0.1338
Other Hexanes	0.0866	0.4096
Heptanes	0.0436	0.2400
Methylcyclohexane	0.0306	0.1658
2,2,4 Trimethylpentane	0.0001	0.0006
Benzene	0.0110	0.0474
Toluene	0.0053	0.0269
Ethylbenzene	0.0004	0.0023
Xylenes	0.0014	0.0083
C8+ Heavies	0.0192	0.1225
<u>Subtotal</u>	<u>99.98980</u>	<u>99.97950</u>
Oxygen/Argon	0.01	0.02
Alcohols	0.0002	0.0005
<u>Total</u>	<u>100.00000</u>	<u>100.00000</u>

	<u>Total</u>	<u>C6+</u>	<u>C8+</u>	<u>C10+</u>	
<b>Calculated Values BTU @</b> <b>14.65</b>	<b>Sample</b>	<b>Fraction</b>	<b>Fraction</b>	<b>Fraction</b>	
LHV Net Dry Real:	1005.7	4619.0	5743.2	#DIV/0!	Btu/scf
Net Wet Real:	988.1	4538.3	5642.8	#DIV/0!	Btu/scf
HHV Gross Dry Real:	1112.8	4966.5	6177.4	#DIV/0!	Btu/scf
Gross Wet Real:	1093.3	4879.7	6069.4	#DIV/0!	Btu/scf
<b>Other Calculated Values</b>					
Reguarl Wobbe Index*	1408.5	2781.0	3105.2	#DIV/0!	Btu/scf
Net Heating Value (60 °F ideal reaction):	21092.9	19231.1	19783.5	#DIV/0!	Btu/lbm
Gross Heating Value (60°F ideal reaction):	23342.2	20679.1	21282.0	#DIV/0!	Btu/lbm
Molar Mass (MW):	18.11377	91.386	114.693	#DIV/0!	g/mol
Relative Density (AIR=1):	0.6249	3.1549	3.9606	#DIV/0!	SG
Density:	0.04773	0.24081	0.30224	#DIV/0!	lbm/scf
Compressibility Factor:	0.9975	0.9915	0.9972	#DIV/0!	Z
Liquid Volume real gas @:	<b>14.65</b>	17.833	0.1027	0.006	0 gal/1000 scf

\* The Wobbe pressure base in the number considered is based upon the given Pb of the HHV above.  
 #DIV/0 or 0 (zero) will appear in the Calculated Value Section when there is no C6+, C8+ or C10+ in the sample to calculate these factors.  
 BDL - Below Detection Limit. The H2S LOS has a detection limit of 0.25 ppm. A \_ (an underscore) indicates there was no tube pulled for H2S.

The data presented herein has been acquired by means of current analytical techniques and represents the judicious conclusion EMPACT Analytical Systems, Inc. Results of the analysis can be affected by the sampling conditions, therefore, are only warranted through proper lab protocol. EMPACT assumes no responsibility for interpretation or any consequences from application of the reported information and is the sole liability of the user. The reproduction in any media of this reported information may not be made, in portion or as a whole, without the written permission of EMPACT Analytical Systems, Inc.



**EXTENDED NATURAL GAS ANALYSIS (\*DHA)**

**DHA COMPONENT LIST**

PRIMARY DB KEY: **05-103-10405**  
 LEASE #: **COC - 059394**  
 FIELD/AREA:

NAME/DESCRIP : **YCF 34-44-1**  
**SURFACE CASING**

PROJECT NO. : **202409057**  
 COMPANY NAME : **QB ENERGY OPERATING, LLC**  
 OFFICE / BRANCH: **PARACHUTE, CO**  
 CUSTOMER REF:  
 PRODUCER : **QB ENERGY OPERATING, LLC**

ANALYSIS NO. : **03**  
 ANALYSIS DATE: **SEPTEMBER 20, 2024 13:40**  
 SAMPLE DATE : **SEPTEMBER 9, 2024 12:15**  
 TO:  
 EFFECTIVE DATE:

**\*\*\*FIELD DATA\*\*\***

SAMPLE CYCLE:			SAMPLE TYPE:	SPOT
SAMPLE PRES. :	300	psig	PROBE :	
FLOW PRES. :		psig	CYLINDER NO. :	ECA-823
LAB PRES:		psig	SAMPLED BY :	JUSTIN STEELE
SAMPLE TEMP. :	60	°f	SAMPLING COMPANY:	QB ENERGY OPERATING, LLC
AMBIENT TEMP.:		°f	H2S BY STAIN TUBE:	— ppm mol
H2O BY STAIN TUBE:	-	#/mmcf	CO2 BY STAIN TUBE:	- Mol %
FIELD COMMENTS:				
LAB COMMENTS:				

COMPONENT	PIANO #	MOLE %	MASS %	GPM @ 14.65	GPM @ 14.73
Helium	---	0.01	0.00	---	---
Hydrogen	---	0.01	0.00	---	---
Oxygen/Argon	---	0.01	0.02	---	---
Nitrogen	---	0.40	0.62	---	---
Carbon Dioxide	---	0.01	0.02	---	---
Methane	P1	90.4191	80.0830	---	---
Ethane	P2	6.0689	10.0748	1.618	1.627
Propane	P3	1.7833	4.3414	0.490	0.492
i-Butane	I4	0.3518	1.1289	0.115	0.116
n-Butane	P4	0.3941	1.2646	0.124	0.125
2,2-Dimethylpropane	I5	0.0054	0.0215	0.002	0.002
Ethanol	X2	0.0002	0.0005	0.000	0.000
i-Pentane	I5	0.1468	0.5847	0.054	0.054
n-Pentane	P5	0.1156	0.4604	0.042	0.042
2,2-Dimethylbutane	I6	0.0053	0.0252	0.002	0.002
Cyclopentane	N5	0.0050	0.0194	0.001	0.001
2,3-Dimethylbutane	I6	0.0080	0.0380	0.003	0.003
2-Methylpentane	I6	0.0346	0.1646	0.014	0.014
3-Methylpentane	I6	0.0182	0.0866	0.007	0.007
n-Hexane	P6	0.0428	0.2036	0.018	0.018
2,2-Dimethylpentane	I7	0.0010	0.0055	0.000	0.000
Methylcyclopentane	N6	0.0205	0.0952	0.007	0.007
2,4-Dimethylpentane	I7	0.0019	0.0105	0.001	0.001
2,2,3-Trimethylbutane	I7	0.0005	0.0028	0.000	0.000
Benzene	A6	0.0110	0.0474	0.003	0.003
3,3-Dimethylpentane	I7	0.0006	0.0033	0.000	0.000
Cyclohexane	N6	0.0288	0.1338	0.010	0.010

2-Methylhexane	I7	0.0070	0.0387	0.003	0.003
2,3-Dimethylpentane	I7	0.0019	0.0105	0.001	0.001
1,1-Dimethylcyclopentane	N7	0.0014	0.0076	0.001	0.001
3-Methylhexane	I7	0.0062	0.0343	0.003	0.003
1c,3-Dimethylcyclopentane	N7	0.0022	0.0119	0.001	0.001
1t,3-Dimethylcyclopentane	N7	0.0020	0.0108	0.001	0.001
3-Ethylpentane	I7	0.0002	0.0011	0.000	0.000
1t,2-Dimethylcyclopentane	N7	0.0031	0.0168	0.001	0.001
2,2,4-Trimethylpentane	I8	0.0001	0.0006	0.000	0.000
n-Heptane	P7	0.0143	0.0791	0.007	0.007
1c,2-Dimethylcyclopentane	N7	0.0004	0.0022	0.000	0.000
Methylcyclohexane	N7	0.0306	0.1658	0.012	0.012
2,2-Dimethylhexane	I8	0.0006	0.0038	0.000	0.000
Ethylcyclopentane	N7	0.0009	0.0049	0.000	0.000
2,5-Dimethylhexane	I8	0.0006	0.0038	0.000	0.000
2,2,3-Trimethylpentane	I8	0.0005	0.0032	0.000	0.000
1c,2t,4-Trimethylcyclopentane	N8	0.0004	0.0025	0.000	0.000
3,3-Dimethylhexane	I8	0.0002	0.0013	0.000	0.000
Toluene	A7	0.0053	0.0269	0.002	0.002
2,3-Dimethylhexane	I8	0.0004	0.0025	0.000	0.000
2-Methyl-3-ethylpentane	I8	0.0001	0.0006	0.000	0.000
2-Methylheptane	I8	0.0019	0.0120	0.001	0.001
4-Methylheptane	I8	0.0005	0.0032	0.000	0.000
3-Methyl-3-ethylpentane	I8	0.0001	0.0006	0.000	0.000
3,4-Dimethylhexane	I8	0.0001	0.0006	0.000	0.000
3-Methylheptane	I8	0.0013	0.0082	0.001	0.001
1c,2t,3-Trimethylcyclopentane	N8	0.0024	0.0149	0.001	0.001
3-Ethylhexane	I8	0.0001	0.0006	0.000	0.000
1t,4-Dimethylcyclohexane	N8	0.0010	0.0062	0.001	0.001
1,1-Dimethylcyclohexane	N8	0.0004	0.0025	0.000	0.000
3c-Ethylmethylcyclopentane	N8	0.0001	0.0006	0.000	0.000
3t-Ethylmethylcyclopentane	N8	0.0001	0.0006	0.000	0.000
2t-Ethylmethylcyclopentane	N8	0.0001	0.0006	0.000	0.000
1t,2-Dimethylcyclohexane	N8	0.0008	0.0050	0.000	0.000
1c,2c,3-Trimethylcyclopentane	N8	0.0001	0.0006	0.000	0.000
1t,3-Dimethylcyclohexane	N8	0.0004	0.0025	0.000	0.000
n-Octane	P8	0.0035	0.0221	0.002	0.002
1c,2-Dimethylcyclohexane	N8	0.0001	0.0006	0.000	0.000
2,2-Dimethylheptane	I9	0.0002	0.0014	0.000	0.000
1,1,4-Trimethylcyclohexane	N9	0.0008	0.0056	0.000	0.000
2,2,3-Trimethylhexane	I9	0.0001	0.0007	0.000	0.000
Ethylcyclohexane	N8	0.0004	0.0025	0.000	0.000
n-Propylcyclopentane	N8	0.0001	0.0006	0.000	0.000
2,5-Dimethylheptane	I9	0.0003	0.0021	0.000	0.000
Ethylbenzene	I8	0.0004	0.0023	0.000	0.000
1,3-Dimethylbenzene (m-Xylene)	A8	0.0010	0.0059	0.000	0.000
1,4-Dimethylbenzene (p-Xylene)	A8	0.0002	0.0012	0.000	0.000
4-Methyloctane	I9	0.0001	0.0007	0.000	0.000
2-Methyloctane	I9	0.0002	0.0014	0.000	0.000
1c,2t,3-Trimethylcyclohexane	N9	0.0001	0.0007	0.000	0.000
1c,2t,4c-Trimethylcyclohexane	I9	0.0002	0.0014	0.000	0.000
1,2-Dimethylbenzene (o-Xylene)	A8	0.0002	0.0012	0.000	0.000
i-Butylcyclopentane	N9	0.0001	0.0007	0.000	0.000
n-Nonane	P9	0.0005	0.0035	0.000	0.000
1,1-Methylethylcyclohexane	N9	0.0001	0.0007	0.000	0.000
1,3-Methylethylbenzene	A9	0.0001	0.0007	0.000	0.000
UnknownC9s	U9	0.0001	0.0007	0.000	0.000
<b>TOTAL</b>		<b>100.00000</b>	<b>100.00000</b>	<b>2.5486</b>	<b>2.5623</b>

BTEX COMPONENTS	MOLE%	WT%
BENZENE	0.0110	0.0474
TOLUENE	0.0053	0.0269
ETHYLBENZENE	0.0004	0.0023
XYLENES	0.0014	0.0083
<b>TOTAL BTEX</b>	<b>0.0181</b>	<b>0.0849</b>

\*(DETAILED HYDROCARBON ANALYSIS/NJ 1993)  
Mod ASTM D6730, GPA 2261 & GPA 2286.

\*\* (CALC: GPA 2172, GPA 2145 & TP-17 @14.696 & 60 F)

CALCULATED VALUES**		
BTU @	14.65	14.73
LHV NET DRY REAL :	1005.7 /scf	1011.2 /scf
NET WET REAL :	988.1 /scf	993.6 /scf
HHV GROSS DRY REAL :	1112.8 /scf	1118.8 /scf
GROSS WET REAL :	1093.3 /scf	1099.3 /scf
NET HEATING VALUE (60 °F ideal reaction):		21092.9 Btu/lbm
GROSS HEATING VALUE (60°F ideal reaction):		23342.2 Btu/lbm
RELATIVE DENSITY (AIR=1):		0.6249
DENSITY		0.04773 lb/scf
COMPRESSIBILITY FACTOR :		0.9975
REGULAR WOBBE INDEX		1408.5

**C6+ Fraction of DHA Gas Analysis @60°F, 14.696 psia**

Net Dry Ideal BTU	<u>4594.1 /scf</u>	Relative Density - SG (Air=1)	<u>3.1549</u>	<b>C6+ factors</b>
Gross Dry Ideal BTU	<u>4939.7 /scf</u>	Z Compressibility Factor	<u>0.9915</u>	<u>0.99089</u>
Net Dry Ideal BTU	<u>19231.1 /lb</u>	Density Factor	<u>240.808 lbm/1000 ft3</u>	
Gross Dry Ideal BTU	<u>20679.1 /lb</u>	Molar Mass or MW	<u>91.386 g/mol</u>	
		Volume Liquid Ideal gas	<u>0.103 scf/gal</u>	<u>24.8</u>

**This hexanes plus fraction may be applied in place of published C6+ factors. The Z & GPM need additional calc for C6+ factors.  
#DIV/0 or 0 (zero) will appear in this section when there is no hexanes plus in the sample to calculate C6+ factors.**

The data presented herein has been acquired by means of current analytical techniques and represents the judicious conclusion EMPACT Analytical Systems, Inc. Results of the analysis can be affected by the sampling conditions, therefore, are only warranted through proper lab protocol. EMPACT assumes no responsibility for interpretation or any consequences from application of the reported information and is the sole liability of the user. The reproduction in any media of this reported information may not be made, in portion or as a whole, without the written permission of EMPACT Analytical Systems, Inc.