

SOIL ANALYTICAL RESULTS TABLE
CHEVRON EL12 697

Analyte				GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2,4- TMB	1,3,5- TMB	Acenaphthene	Anthracene	Benz(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(a)pyrene	Chrysene	Dibenz(a,h)anthracen	Fluoranthene	Fluorene	Indeno(1,2,3-cd)Pyre	1-Methylnaphthalene	2-Methylnaphthalene	Naphthalene	Pyrene	
				500	500	500	1.2	490	5.8	58	30	27	360	1800	1.1	1.1	11	0.11	110	0.11	240	240	1.1	18	24	2	180	
915-1 RESIDENTIAL SOIL				500	500	500	1.2	490	5.8	58	30	27	360	1800	1.1	1.1	11	0.11	110	0.11	240	240	1.1	18	24	2	180	
Units				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Sample Name	Sample Type	Sample Date	Lab Report																									
20230510-CHEVRONEL12697-(FCFL1211DSEPBAS	Facility Closure	05/10/2023	L1615557	0.731	129	154	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.0200	< 0.0200	< 0.0200	< 0.00600	
20230510-CHEVRONEL12697-(FCFL1211DWHBASE	Facility Closure	05/10/2023	L1615557	570	519	983	< 0.0100	20.3	0.220	4.93	1.64	2.75	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	0.0416	0.0891	0.0338	< 0.00600	
20230720-CHEVRON EL12 697-(FCWH1211DBA)@	Facility Closure	07/20/2023	L1637974	2.58	422	675	< 0.00100	< 0.00500	< 0.00250	0.00183	0.00171	0.00532	< 0.00600	< 0.00600	0.0128	0.0157	0.00609	0.0106	0.0142	0.00277	0.0239	0.0284	0.00841	0.0625	0.114	0.0659	0.0607	
20230720-CHEVRON EL12 697-(FCWH1211DEW)@	Facility Closure	07/20/2023	L1637974	0.259	45.4	65.2	0.00156	0.00158	< 0.00250	0.00144	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	0.00953	0.0187	0.00789	0.00335
20230720-CHEVRON EL12 697-(FCWH1211DNW)@	Facility Closure	07/20/2023	L1637974	0.0445	30.6	62.7	< 0.00100	0.00158	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	0.00624	0.0129	0.00457	0.00302
20230720-CHEVRON EL12 697-(FCWH1211DSP)@	Facility Closure	07/20/2023	L1637974	0.235	487	371	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	0.00215	< 0.00600	< 0.00600	0.00185	0.00313	< 0.00600	0.00190	0.00240	< 0.00600	0.00292	0.00530	< 0.00600	0.0243	0.0457	0.0231	0.00755	
20230720-CHEVRON EL12 697-(FCWH1211DSW)@	Facility Closure	07/20/2023	L1637974	0.265	121	173	0.000675	< 0.00500	< 0.00250	0.00925	0.00577	0.0191	< 0.00600	< 0.00600	0.00305	0.00414	< 0.00600	0.00268	0.00429	< 0.00600	0.00521	0.00391	0.00226	0.0153	0.0349	0.0121	0.00817	
20230720-CHEVRON EL12 697-(FCWH1211DWW)@	Facility Closure	07/20/2023	L1637974	2.98	2630	4730	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	0.00616	< 0.00600	< 0.00600	0.0121	0.0204	0.0169	0.0157	0.0110	< 0.00600	0.0201	0.0114	0.00863	0.0219	0.0367	0.0170	0.0243	
20231010-EL12697-(FCWH1211DSWW)@10	Facility Closure	10/10/2023	L1665084	0.0380	25.9	109	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.0200	0.00708	0.00418	< 0.00600	
20231010-EL12697-(FCWH1211DWW)@5	Facility Closure	10/10/2023	L1665084	0.0372	29.4	140	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.0200	< 0.0200	< 0.0200	< 0.00600	
20240925-EL12 697-(FC-T-BASE01) @ 22	Facility Closure	09/25/2024	L1782583	0.0250	6.39	30.8	< 0.00100	< 0.00500	< 0.00250	0.000950	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.0200	0.00741	< 0.0200	< 0.00600
20240925-EL12 697-(FC-T-BASE02) @ 22	Facility Closure	09/25/2024	L1782583	0.0301	11.5	37.0	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.0200	0.00636	0.00553	< 0.00600
20240925-EL12 697-(FC-T-NW02) @ 16	Facility Closure	09/25/2024	L1782583	0.0276	5.36	27.5	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	0.00479	0.0148	0.00925	< 0.00600
20241001-(FC-WH-1211D-BASE)@10	Facility Closure	10/01/2024	L1784364	0.0583	105	194	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.0200	< 0.0200	< 0.0200	< 0.00600	
20241001-(FC-WH-1211D-SW)@5	Facility Closure	10/01/2024	L1784364	0.0654	98.2	145	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	0.00460	0.0113	< 0.00600	0.00569	0.00760	0.00307	0.00976	0.0128	0.00406	0.0869	0.184	0.0771	0.0172	
20241001-(FC-WH-1211D-WW)@5	Facility Closure	10/01/2024	L1784364	0.0529	51.6	113	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.0200	0.00572	< 0.0200	< 0.00600	

Notes:
Bold with silver highlight: Exceeds RSSLs
"<" (as in, less than laboratory reporting detection limit)

SOIL ANALYTICAL RESULTS TABLE
CHEVRON EL12 697

Analyte				EC	SAR	pH	HWS Boron	Arsenic	Barium	Cadmium	Chromium VI	Copper	Lead	Nickel	Selenium	Silver	Zinc
915-1 RESIDENTIAL SOIL				4	6	8.3	2	0.68	15000	71	0.3	3100	400	1500	390	390	23000
Units				mmhos/cm	No Unit	SU	mg/L	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Sample Name	Sample Type	Sample Date	Lab Report														
20230510-CHEVRONEL12697-(FCFL1211DSEPBAS	Facility Closure	05/10/2023	L1615557	0.132	0.589	8.29	< 0.400	5.88	315	< 1.00	< 1.00	7.98	18.7	9.81	< 2.50	< 0.500	51.4
20230510-CHEVRONEL12697-(FCFL1211DWHBASE	Facility Closure	05/10/2023	L1615557	0.44	1.44	8.03	0.449	13.5	246	< 1.00	< 1.00	19.0	14.0	15.9	< 2.50	< 0.500	60.2
20230720-CHEVRON EL12 697-(FCWH1211DBA)@	Facility Closure	07/20/2023	L1637974	0.507	0.925	7.95	0.283	4.41	313	0.295	< 1.00	20.8	18.0	21.0	0.365	< 0.500	42.4
20230720-CHEVRON EL12 697-(FCWH1211DEW)@	Facility Closure	07/20/2023	L1637974	0.453	1.84	8.05	0.274	7.75	303	0.503	0.395	182	15.8	14.2	0.475	< 0.500	55.9
20230720-CHEVRON EL12 697-(FCWH1211DNW)@	Facility Closure	07/20/2023	L1637974	0.371	2.38	8.24	0.169	5.70	246	0.291	0.619	20.5	13.2	15.7	0.383	< 0.500	49.4
20230720-CHEVRON EL12 697-(FCWH1211DSP)@	Facility Closure	07/20/2023	L1637974	0.487	2.02	7.90	0.253	7.31	321	0.396	< 1.00	25.3	24.0	15.6	0.364	< 0.500	55.0
20230720-CHEVRON EL12 697-(FCWH1211DSW)@	Facility Closure	07/20/2023	L1637974	0.312	1.37	7.96	0.232	7.01	369	0.418	< 1.00	22.6	16.9	18.0	0.321	< 0.500	65.3
20230720-CHEVRON EL12 697-(FCWH1211DWW)@	Facility Closure	07/20/2023	L1637974	0.331	1.55	7.85	0.457	7.43	333	0.419	< 1.00	21.2	23.2	16.0	0.264	< 0.500	54.5
20231010-EL12697-(FCWH1211DSWW)@10	Facility Closure	10/10/2023	L1665084	0.125	0.677	8.29	0.147	18.9	413	0.672	0.392	27.6	18.6	30.3	0.673	0.124	76.1
20231010-EL12697-(FCWH1211DWW)@5	Facility Closure	10/10/2023	L1665084	0.137	0.692	8.56	0.131	23.3	433	0.772	0.486	29.4	21.1	34.2	0.832	0.159	92.9
20240925-EL12 697-(FC-T-BASE01) @ 22	Facility Closure	09/25/2024	L1782583	0.595	0.700	7.03	0.381	13.9	197	0.161	0.752	17.2	12.2	16.7	0.558	< 0.500	50.4
20240925-EL12 697-(FC-T-BASE02) @ 22	Facility Closure	09/25/2024	L1782583	0.316	0.454	7.38	0.385	11.5	272	0.277	< 1.00	19.6	13.5	19.9	0.538	0.0934	56.7
20240925-EL12 697-(FC-T-NW02) @ 16	Facility Closure	09/25/2024	L1782583	0.13	0.672	7.45	0.232	11.1	180	0.175	0.341	11.5	11.8	14.7	0.416	< 0.500	41.8
20241001-(FC-WH-1211D-BASE)@10	Facility Closure	10/01/2024	L1784364	0.793	3.01	7.89	0.346	12.2	332	0.416	< 1.00	20.1	13.5	24.2	0.571	0.105	62.9
20241001-(FC-WH-1211D-SW)@5	Facility Closure	10/01/2024	L1784364	1.22	3.53	7.99	0.322	10.3	399	0.489	< 1.00	31.7	13.7	19.6	0.733	0.0928	104
20241001-(FC-WH-1211D-WW)@5	Facility Closure	10/01/2024	L1784364	0.285	1.01	8.06	0.147	15.1	407	0.590	0.363	101	31.6	28.1	0.872	0.147	77.9
20230510-LMBG-(EL12 BG E)@1	Background	05/10/2023	L1615558	0.0861	0.166	6.96	0.429	4.72	284	< 1.00	< 1.00	14.5	13.3	14.4	< 2.50	< 0.500	44.5
20230510-LMBG-(EL12 BG N)@1	Background	05/10/2023	L1615558	0.0518	0.149	7.10	0.451	8.51	358	< 1.00	< 1.00	18.6	15.7	16.0	< 2.50	< 0.500	47.2
20230510-LMBG-(EL12 BG W)@1	Background	05/10/2023	L1615558	0.0558	0.174	6.73	0.469	3.86	204	< 1.00	< 1.00	9.73	11.1	10.6	< 2.50	< 0.500	35.8

Notes:
Bold with silver highlight: Exceeds RSSLs
"<" (as in, less than laboratory reporting detection limit)