

SOIL ANALYTICAL RESULTS TABLE  
CHEVRON EL12 697

Analyte				GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	1,2,4-TMB	1,3,5-TMB	Acenaphthene	Anthracene	Benz(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(a)pyrene	Chrysene	Dibenz(a,h)anthracen	Fluoranthene	Fluorene	Indeno(1,2,3-cd)Pyre	1-Methylnaphthalene	2-Methylnaphthalene	Naphthalene	Pyrene		
915-1 PROTECTION OF GW				500	500	500	0.0026	0.69	0.78	9.9	0.0081	0.0087	0.55	5.8	0.011	0.3	2.9	0.24	9	0.096	5.9	0.54	0.98	0.006	0.019	0.0038	1.3		
915-1 RESIDENTIAL SOIL				500	500	500	1.2	490	5.8	58	30	27	360	1800	1.1	1.1	11	0.11	110	0.11	240	240	1.1	18	24	2	180		
Units				mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
Sample Name	Sample Type	Sample Date	Lab Report																										
20230510-CHEVRONEL12697-(FCFL1211DSEPBAS	Facility Closure	05/10/2023	L1615557	0.731	129	154	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600		
20230510-CHEVRONEL12697-(FCFL1211DWHBASE	Facility Closure	05/10/2023	L1615557	570	519	983	< 0.0100	20.3	0.220	4.93	1.64	2.75	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600		
20230720-CHEVRON EL12 697-(FCWH1211DBA)@	Facility Closure	07/20/2023	L1637974	2.58	422	675	< 0.00100	< 0.00500	< 0.00250	0.00183	0.00171	0.00532	< 0.00600	< 0.00600	0.0128	0.0157	0.00609	0.0106	0.0142	0.00277	0.0239	0.0284	0.00841	0.0625	0.114	0.0659	0.0607		
20230720-CHEVRON EL12 697-(FCWH1211DEW)@	Facility Closure	07/20/2023	L1637974	0.259	45.4	65.2	0.00156	0.00158	< 0.00250	0.00144	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	0.00953	0.0187	0.00789	0.00335
20230720-CHEVRON EL12 697-(FCWH1211DNW)@	Facility Closure	07/20/2023	L1637974	0.0445	30.6	62.7	< 0.00100	0.00158	< 0.00250	< 0.00650	< 0.00500	0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	0.00624	0.0129	0.00457	0.00302
20230720-CHEVRON EL12 697-(FCWH1211DSP)@	Facility Closure	07/20/2023	L1637974	0.235	487	371	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	0.00215	< 0.00600	< 0.00600	0.00185	0.00313	< 0.00600	0.00190	0.00240	< 0.00600	0.00292	0.00530	< 0.00600	0.0243	0.0457	0.0231	0.00755		
20230720-CHEVRON EL12 697-(FCWH1211DSW)@	Facility Closure	07/20/2023	L1637974	0.265	121	173	0.000675	< 0.00500	< 0.00250	0.00925	0.00577	0.0191	< 0.00600	< 0.00600	0.00305	0.00414	< 0.00600	0.00268	0.00429	< 0.00600	0.00521	0.00391	0.00226	0.0153	0.0349	0.0121	0.00817		
20230720-CHEVRON EL12 697-(FCWH1211DWW)@	Facility Closure	07/20/2023	L1637974	2.98	2630	4730	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	0.00616	< 0.00600	< 0.00600	0.0121	0.0204	0.0169	0.0157	0.0110	< 0.00600	0.0201	0.0114	0.00863	0.0219	0.0367	0.0170	0.0243		
20231010-EL12697-(FCWH1211DSWW)@10	Facility Closure	10/10/2023	L1665084	0.0380	25.9	109	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600		
20231010-EL12697-(FCWH1211DWW)@5	Facility Closure	10/10/2023	L1665084	0.0372	29.4	140	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600		
20241001-(FC-WH-1211D-BASE)@10	Facility Closure	10/01/2024	L1784364	0.0583	105	194	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600		
20241001-(FC-WH-1211D-SW)@5	Facility Closure	10/01/2024	L1784364	0.0654	98.2	145	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	0.00460	0.0113	< 0.00600	0.00569	0.00760	0.00307	0.00976	0.0128	0.00406	0.0869	0.184	0.0771	0.0172		
20241001-(FC-WH-1211D-WW)@5	Facility Closure	10/01/2024	L1784364	0.0529	51.6	113	< 0.00100	< 0.00500	< 0.00250	< 0.00650	< 0.00500	< 0.00500	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600	< 0.00600		

Notes:  
Bold with silver highlight: Exceeds RSSLs  
Bold with blue highlight: Exceeds POGs  
"<" (as in, less than laboratory reporting detection limit)

SOIL ANALYTICAL RESULTS TABLE  
CHEVRON EL12 697

Analyte				EC	SAR	pH	HWS Boron	Arsenic	Barium	Cadmium	Chromium VI	Copper	Lead	Nickel	Selenium	Silver	Zinc
915-1 PROTECTION OF GW				4	6	8.3	2	0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
915-1 RESIDENTIAL SOIL				4	6	8.3	2	0.68	15000	71	0.3	3100	400	1500	390	390	23000
Units				mmhos/cm	No Unit	SU	mg/L	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
Sample Name	Sample Type	Sample Date	Lab Report														
20230510-CHEVRONEL12697-(FCFL1211DSEPBAS	Facility Closure	05/10/2023	L1615557	0.132	0.589	8.29	< 0.400	5.88	315	< 1.00	< 1.00	7.98	18.7	9.81	< 2.50	< 0.500	51.4
20230510-CHEVRONEL12697-(FCFL1211DWHBASE	Facility Closure	05/10/2023	L1615557	0.44	1.44	8.03	0.449	13.5	246	< 1.00	< 1.00	19.0	14.0	15.9	< 2.50	< 0.500	60.2
20230720-CHEVRON EL12 697-(FCWH1211DBA)@	Facility Closure	07/20/2023	L1637974	0.507	0.925	7.95	0.283	4.41	313	0.295	< 1.00	20.8	18.0	21.0	0.365	< 0.500	42.4
20230720-CHEVRON EL12 697-(FCWH1211DEW)@	Facility Closure	07/20/2023	L1637974	0.453	1.84	8.05	0.274	7.75	303	0.503	0.395	182	15.8	14.2	0.475	< 0.500	55.9
20230720-CHEVRON EL12 697-(FCWH1211DNW)@	Facility Closure	07/20/2023	L1637974	0.371	2.38	8.24	0.169	5.70	246	0.291	0.619	20.5	13.2	15.7	0.383	< 0.500	49.4
20230720-CHEVRON EL12 697-(FCWH1211DSP)@	Facility Closure	07/20/2023	L1637974	0.487	2.02	7.90	0.253	7.31	321	0.396	< 1.00	25.3	24.0	15.6	0.364	< 0.500	55.0
20230720-CHEVRON EL12 697-(FCWH1211DSW)@	Facility Closure	07/20/2023	L1637974	0.312	1.37	7.96	0.232	7.01	369	0.418	< 1.00	22.6	16.9	18.0	0.321	< 0.500	65.3
20230720-CHEVRON EL12 697-(FCWH1211DWW)@	Facility Closure	07/20/2023	L1637974	0.331	1.55	7.85	0.457	7.43	333	0.419	< 1.00	21.2	23.2	16.0	0.264	< 0.500	54.5
20231010-EL12697-(FCWH1211DSWW)@10	Facility Closure	10/10/2023	L1665084	0.125	0.677	8.29	0.147	18.9	413	0.672	0.392	27.6	18.6	30.3	0.673	0.124	76.1
20231010-EL12697-(FCWH1211DWW)@5	Facility Closure	10/10/2023	L1665084	0.137	0.692	8.56	0.131	23.3	433	0.772	0.486	29.4	21.1	34.2	0.832	0.159	92.9
20241001-(FC-WH-1211D-BASE)@10	Facility Closure	10/01/2024	L1784364	0.793	3.01	7.89	0.346	12.2	332	0.416	< 1.00	20.1	13.5	24.2	0.571	0.105	62.9
20241001-(FC-WH-1211D-SW)@5	Facility Closure	10/01/2024	L1784364	1.22	3.53	7.99	0.322	10.3	399	0.489	< 1.00	31.7	13.7	19.6	0.733	0.0928	104
20241001-(FC-WH-1211D-WW)@5	Facility Closure	10/01/2024	L1784364	0.285	1.01	8.06	0.147	15.1	407	0.590	0.363	101	31.6	28.1	0.872	0.147	77.9
20230510-LMBG-(EL12 BG E)@1	Background	05/10/2023	L1615558	0.0861	0.166	6.96	0.429	4.72	284	< 1.00	< 1.00	14.5	13.3	14.4	< 2.50	< 0.500	44.5
20230510-LMBG-(EL12 BG N)@1	Background	05/10/2023	L1615558	0.0518	0.149	7.10	0.451	8.51	358	< 1.00	< 1.00	18.6	15.7	16.0	< 2.50	< 0.500	47.2
20230510-LMBG-(EL12 BG W)@1	Background	05/10/2023	L1615558	0.0558	0.174	6.73	0.469	3.86	204	< 1.00	< 1.00	9.73	11.1	10.6	< 2.50	< 0.500	35.8

Notes:  
Bold with silver highlight: Exceeds RSSLs  
Bold with blue highlight: Exceeds POGs  
"<" (as in, less than laboratory reporting detection limit)