



US Treatment Report

Customer: CIVITAS RESOURCES		Job #: JOB00189324	
Rep: Manny Parras	Rig: Patterson 345	Job Date: Jul 26 @ 00:00	
Supervisor: ANTHONY GARCIA	Well: Grim Motocross 4-65 24 1B2BUH	Time Requested: Jul 27 @ 09:20	
Job Type: US Primary	UWI: Grim Motocross 4-65 24 1B2BUH	Time Arrived: Jul 27 @ 09:30	
Casing-Surface	Surface: Grim Motocross 4-65 24 1B2BUH	Time Released: Jul 27 @ 18:30	

1480 sk MAG S 13.3 + 0.10% MCDF-P

Yield: 1.44 ft³/sk = 379.57bbls Mix Water: 7.01 gal/sk = 10374.8gal

BHCT (F)	100	BHST (F)	140	Surface Casing Size (in)	9.625
Surface Casing Grade	J-55	Surface Casing Weight (lb/ft)	36	Collapse Csg Pressure (psi)	2020
Float Depth (ft)	3269	Max Csg Pressure (psi)	3520	Max Pressure (psi)	1500
Mud Type	WBM	Plug Size (in)	9.625	Plug Type	Rig
TMD (ft)	3308	TVD (ft)	3290		Supplie d

Treatment Info: Sacks Used: 1480 Sacks Not Used: 0

Preflush: 10bbls MAG Mark & 40bbls Fresh Water

Displace: 252.7bbls Fresh Water

	Circulation Time: 1
	Slurry Temp: 89 Bulk Sample: Yes
	Water Temp: 81 Water Sample: Yes
	Bulk Temp: 90 Slurry Sample: Yes
	Air Temp: 86 Air Pressure 29.7
Slurry Returns: 1	Plug Bumped: Yes Pump Out Lines: Float Held: Yes
Cement Class: Type III	Humidity: 37 Precipitation: 0

Further Blend Details:

Prehydrated:

Additional Details (General Notes): CASING SET DEPTH 3,308'

Time	Pressure psi	Annular Pressure psi	Volume Per Stage bbls	Total Stage Volume bbls	Rate bbls/mi n	Treatment Detail
07:30	0.00					Arrive on Location - GET NUMBERS FROM COMPANY MAN, SPOT IN EQUIPMENT AND TEST WATER PH-8 CHLORIDES-100 HARDNESS-50
14:30	0.00					Safety Meeting - HELD SAFETY MEETING TO GO OVER SAFETY AND JOB PROCEDURES WITH RIG CREW, COMPANY MAN AND MAGNUM CREW
15:10	200.00			5	3.5	Fill Lines - FILL LINES 5 BBLS
15:13	2,500.00			0.5	.5	Start Pressure Test - TEST LINES TO 2500 PSI
15:15	300.00			50	5	Pump Preflush - 10 MAG MARK 40 BBLS FRESH WATER

15:25	400.00			379	6.5	Pump Slurry - MIX AND PUMP 1480 SKS/379 BBLs OF MAG S 13.3 PPG VERIFIED WITH PRESSUREIZED SCALES
16:35	0.00					Stop Pumping
16:36	0.00					Drop Plug - DROP TOP PLUG WITNESSED BY COMPANY MAN
16:37	700.00			232	5.5	Displace - TOTAL DISPLACEMENT 252.7 BBLs
17:26	1,000.00			20.7	3.5	Decrease Rate - SLOWED TO BUMP PLUG
17:35	1,500.00					Bump Plug - 1 BBL OF CEMENT TO SURFACE
17:38	0.00					Check Floats - HOLD PRESSURE FOR 3 MINUTES 2 BBL BACK FLOATS HELD
18:00	0.00					Wash Up Truck - WASH UP INTO CELLAR
18:30	0.00					Leave Location



Customer: CIVITAS
Date: July 27, 2024
Ticket: 189375

Location: GRIMM MOTOCROSS 04-65 24 1B2BUH
Well Name: GRIMM MOTOCROSS 04-65 24 1B2BUH
Job Type: SURFACE
Magnum Unit #: 1507

