










Database File 8-5-24dillard 10=08 cbl.db
 Dataset Pathname pass7
 Presentation Format tkcblnew
 Dataset Creation Mon Aug 05 11:01:05 2024
 Charted by Depth in Feet scaled 1:240




0	Gamma Ray (GAPI)	250	Collar Locat	0	Amplified Amplitude (mV)	20	200	VDL (usec)	1200
0	LSPD (ft/min)	120	-1	9	Amplitude (mV)	100			
					1200	TT3FT (usec)	200		




















REPEAT PASS



Database File 8-5-24dillard 10=08 cbl.db
 Dataset Pathname pass6
 Presentation Format tkcblnew
 Dataset Creation Mon Aug 05 10:57:17 2024
 Charted by Depth in Feet scaled 1:240






CAL PASS

Database File 8-5-24dillard 10=08 cbl.db
 Dataset Pathname pass5
 Presentation Format tkcblnew
 Dataset Creation Mon Aug 05 10:54:00 2024
 Charted by Depth in Feet scaled 1:240





Calibration Report

Database File 8-5-24dillard 10=08 cbl.db
 Dataset Pathname pass7
 Dataset Creation Mon Aug 05 11:01:05 2024

Gamma Ray Calibration Report

Serial Number: 275
 Tool Model: Probe
 Performed: Thu Aug 07 08:00:19 2008

Calibrator Value: 100.0 GAPI

Background Reading: 35.0 cps
 Calibrator Reading: 160.0 cps

Sensitivity: 1.0000 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: 275
 Tool Model: Probe

Calibration Casing Diameter: 7.000 in
 Calibration Depth: 1058.350 ft

Master Calibration, performed Mon Aug 05 10:49:59 2024:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	0.477	1.000	62.165	128.320	1.000
CAL						
5'	0.000	0.582	1.000	62.165	105.120	1.000
SUM						
S1						
S2						
S3						
S4						
S5						
S6						
S7						
S8						

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset

CAL

Air Zero Calibration, performed Thu May 28 09:57:00 2020:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1			
S2			
S3			
S4			
S5			
S6			
S7			
S8			

Log Variables

DatabaseC:\ProgramData\Warrior\Data\8-5-24dillard 10=08 cbl.db
 Dataset field/well/run1/pass7/_vars_


Top - Bottom

BOREID in 7.875	BOTTEMP degF 100	CASEOD in 7	CASETHCK in 0	CASEWGHT lb/ft 26	MAXAMPL mV 0	MINAMPL mV 1	MINATTN db/ft 0.8
PERFS No	PPT usec 0	SRFTEMP degF 0	TDEPTH ft 0				

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)	
				CENT-Probe Probe 2 3/4 Centralizer	2.88	2.75	20.00
WVF3FT	11.40			CBL-Probe (275) Probe 2.75" Dual Receiver Bond	8.75	2.75	60.00
WVF5FT	10.40						

WVFSYNC
HEADVOLT
CCL

7.21
7.21
6.51



GR-Probe (275)
Probe 2.75" 4 Channel Pulse

4.33

2.75

30.00

GR

3.77

CENT-Probe
Probe 2 3/4 Centralizer

2.88

2.75

20.00

Dataset: 8-5-24dillard 10=08 cbl.db: field/well/run1/pass7
 Total length: 18.83 ft
 Total weight: 130.00 lb
 O.D.: 2.75 in