

FORM  
5

Rev  
12/20

# State of Colorado

## Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403251160

Date Received:

### DRILLING COMPLETION REPORT

Per Rule 308A, this form and all required attachments shall be submitted after completing the drilling operations to drill, sidetrack, or deepen a wellbore and after changing the casing and/or cement configuration of a wellbore. If any attempt has been made to test, complete, or produce the well, the operator shall also submit a Form 5A (Completed Interval Report) per Rule 308B. If the well has been plugged, the operator shall also submit a Form 6 (Well Abandonment Report) per Rule 311.

Completion Type  Final completion  Preliminary completion

ECMC Operator Number: <u>100322</u>	Contact Name: <u>Randy Thweatt</u>
Name of Operator: <u>NOBLE ENERGY INC</u>	Phone: <u>(303) 228-4200</u>
Address: <u>1099 18TH STREET SUITE 1500</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>denverregulatory@chevron.onmicrosoft.com</u>

API Number <u>05-123-49292-00</u>	County: <u>WELD</u>
Well Name: <u>Johnson</u>	Well Number: <u>C32-745</u>
Location: QtrQtr: <u>NENW</u> Section: <u>29</u> Township: <u>4N</u> Range: <u>64W</u> Meridian: <u>6</u>	
	FNL/FSL <span style="float: right;">FEL/FWL</span>
Footage at surface: Distance: <u>330</u> feet Direction: <u>FNL</u> Distance: <u>2421</u> feet Direction: <u>FWL</u>	
As Drilled Latitude: <u>40.289771</u> As Drilled Longitude: <u>-104.575525</u>	
GPS Data: GPS Quality Value: <u>2.4</u> Type of GPS Quality Value: <u>PDOP</u> Date of Measurement: <u>09/14/2022</u>	
	FNL/FSL <span style="float: right;">FEL/FWL</span>
** If directional footage at Top of Prod. Zone Dist: <u>456</u> feet Direction: <u>FNL</u> Dist: <u>2321</u> feet Direction: <u>FEL</u>	
Sec: <u>29</u> Twp: <u>4N</u> Rng: <u>64W</u>	
	FNL/FSL <span style="float: right;">FEL/FWL</span>
** If directional footage at Bottom Hole Dist: <u>201</u> feet Direction: <u>FSL</u> Dist: <u>2335</u> feet Direction: <u>FEL</u>	
Sec: <u>32</u> Twp: <u>4N</u> Rng: <u>64W</u>	
Field Name: <u>WATTENBERG</u> Field Number: <u>90750</u>	
Federal, Indian or State Lease Number: _____	

Spud Date: (when the 1st bit hit the dirt) <u>10/16/2022</u> Date TD: <u>10/20/2022</u> Date Casing Set or D&A: <u>10/21/2022</u>
Rig Release Date: <u>11/03/2022</u> Per Rule 308A.b.

Well Classification:

Dry  Oil  Gas/Coalbed  Disposal  Stratigraphic  Enhanced Recovery  Storage  Observation

Total Depth MD <u>17163</u> TVD** <u>6891</u> Plug Back Total Depth MD <u>17130</u> TVD** <u>6891</u>
Elevations GR <u>4774</u> KB <u>4804</u> <b>Digital Copies of ALL Logs must be Attached</b> <input checked="" type="checkbox"/>

List All Logs Run:

CBL, MWD/LWD, NEU, (IND-GR in 123-26113 and Porosity Log in 123-12458)

**FLUID VOLUMES USED IN DRILLING OPERATIONS**  
(Enter "0" if a type of a fluid was not used. Do not leave blank.)

Total Fluids (bbls): 1540 Fresh Water (bbls): 1395

Recycled or Reused Fluids That Offset the Use of Fresh Water (bbls): 145

### CASING, LINER AND CEMENT

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
CONDUCTOR	26	16	A-52A	36.94	0	110	64	110	0	CALC
SURF	13+1/2	9+5/8	J-55	36	0	1934	719	1934	0	VISU
1ST	8+1/2	5+1/2	P-110	17	0	17150	1994	17150	1342	CBL

Bradenhead Pressure Action Threshold   580   psig

This threshold is calculated per Rule 308A.b.(2)G. If this well is located in a bradenhead test area (see Rule 207.b) per an Order of the Commission, it may be subject to a different threshold.

Does the casing centralization comply with Rule 317.g?   Yes  

If "NO", provide details below.

### STAGE/TOP OUT/REMEDIAL CEMENT

Cement work date: \_\_\_\_\_

Method used	String	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom

Details of work:

### FORMATION LOG INTERVALS AND TEST ZONES

FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analysis must be submitted to ECMC)
	Top	Bottom	DST	Cored	
PARKMAN	3,649				
SUSSEX	4,104				
SHANNON	4,927				
TEEPEE BUTTES	6,024				
SHARON SPRINGS	6,790				
NIOBRARA	6,867				

Operator Comments:

TPZ is estimated, actual TPZ will be submitted on Form 5A.

As drilled GPS was surveyed after conductor was set.

Alternative logging Program: No open hole logs were ran per rule 408.r IND-GR log ran on Johnson C 29-28 (123-26113) and Porosity Log ran on CPC-Johnson 29-1 (123-12458).

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name:   Julie Webb  

Title:   Sr. Regulatory Analyst   Date: \_\_\_\_\_ Email:   julie.webb@chevron.com

**ATTACHMENT LIST**

Att Doc Num	Document Name	attached ?	
<b><u>Attachment Checklist</u></b>			
403253065	CMT Summary *	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Core Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
403251230	Directional Survey **	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	DST Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Logs	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Other	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<b><u>Other Attachments</u></b>			
403251192	DIRECTIONAL DATA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403254012	PDF-MWD/LWD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403254014	LAS-MWD/LWD	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403968623	PDF-CEMENT BOND	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403968624	PDF-NEUTRON	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
403968625	LAS-NEUTRON	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	Returned to Draft - The CBL has the wrong location Asked the Operator to confirm depth of the driller on the CBL. If incorrect, update the log and re-attach. Neutron Density log has the wrong location Neutron Density log (LAS) has the wrong location	10/17/2024

Total: 1 comment(s)