

**State of Colorado**  
**Energy & Carbon Management Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>403959175</u>			
Date Received: <u>10/25/2024</u>			

**SUNDRY NOTICE**

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>47120</u>	Contact Name <u>Christina Hirtler</u>
Name of Operator: <u>KERR MCGEE OIL &amp; GAS ONSHORE LP</u>	Phone: <u>(720) 929-6301</u>
Address: <u>P O BOX 173779</u>	Fax: <u>( )</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-3779</u>	Email: <u>christina_hirtler@oxy.com</u>

**FORM 4 SUBMITTED FOR:**

Facility Type: WELL

API Number : 05- 123 52627 00 ID Number: 487180

Name: ACACIA Number: 17-9HZ

Location QtrQtr: SWSW Section: 17 Township: 2N Range: 63W Meridian: 6

County: WELD Field Name: WATTENBERG

**Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information**

**Location(s)**

Location ID	Location Name and Number
486605	ACACIA 13-17

**OGDP(s)**

OGDP ID	OGDP Name
485610	OAK

**WELL LOCATION CHANGE OR AS-BUILT GPS REPORT**

Change of Location for Well \*     As-Built GPS Location Report     As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

**SURFACE LOCATION GPS DATA**      Data must be provided for Change of Surface Location and As Built Reports.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

GPS Quality Value: \_\_\_\_\_ Type of GPS Quality Value: \_\_\_\_\_ Measurement Date: \_\_\_\_\_

Well Ground Elevation: \_\_\_\_\_ feet (Required for change of Surface Location.)

**WELL LOCATION CHANGE**

Well plan is: HORIZONTAL (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From**:

Change of **Surface** Footage **To**:

Current <b>Surface</b> Location <b>From</b>	QtrQtr <u>SWSW</u>	Sec <u>17</u>	Twp <u>2N</u>	Range <u>63W</u>	Meridian <u>6</u>
New <b>Surface</b> Location <b>To</b>	QtrQtr <u>  </u>	Sec <u>  </u>	Twp <u>  </u>	Range <u>  </u>	Meridian <u>  </u>

FNL/FSL		FEL/FWL	
<u>951</u>	<u>FSL</u>	<u>962</u>	<u>FWL</u>
<u>  </u>	<u>  </u>	<u>  </u>	<u>  </u>

Change of **Top of Productive Zone** Footage **From:**

2501 FNL

501 FWL

Change of **Top of Productive Zone** Footage **To:**

2566 FNL

289 FWL

\*\*

Current **Top of Productive Zone** Location

Sec 20

Twp 2N

Range 63W

New **Top of Productive Zone** Location

Sec 20

Twp 2N

Range 63W

Change of **Base of Productive Zone** Footage **From:**

FNL

FWL

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

2561 FSL

500 FWL

Change of **Bottomhole** Footage **To:**

2638 FSL

486 FWL

\*\*

Current **Bottomhole** Location

Sec 8

Twp 2N

Range 63W

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec 8

Twp 2N

Range 63W

### SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building: \_\_\_\_\_ Feet

Building Unit: \_\_\_\_\_ Feet

Public Road: \_\_\_\_\_ Feet

Above Ground Utility: \_\_\_\_\_ Feet

Railroad: \_\_\_\_\_ Feet

Property Line: \_\_\_\_\_ Feet

**INSTRUCTIONS:**

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

### SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? \_\_\_\_\_

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

### Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

### LOCATION CHANGE COMMENTS

\_\_\_\_\_



Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date    12/31/2024

SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

<input type="checkbox"/> Bradenhead Plan	<input type="checkbox"/> Venting or Flaring (Rule 903)	<input type="checkbox"/> E&P Waste Mangement
<input checked="" type="checkbox"/> Change Drilling Plan	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Change		
<input type="checkbox"/> Underground Injection Control		
<input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)		
<input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.)		
<input type="checkbox"/> Other		

Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

**GAS CAPTURE**

VENTING AND FLARING:

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

\_\_\_\_\_

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

\_\_\_\_\_

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

\_\_\_\_\_

Total volume of gas vented or flared: \_\_\_\_\_ mcf  estimated  measured

Total duration of emission event: \_\_\_\_\_ hours  consecutive  cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

**GAS CAPTURE PLAN**

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

\_\_\_\_\_

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

**CASING PROGRAM**

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	26	16	ASTM A53B	36.94	0	80	64	80	0
SURF	12+1/4	8+5/8	L80	36	0	1870	610	1870	0
1ST	7+7/8	5+1/2	HCP110	17	0	19230	1985	19230	2000

**POTENTIAL FLOW AND CONFINING FORMATIONS**

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Fox Hills and Shallower	17	17	734	732	501-1000	USGS	Depth from DWR
Confining Layer	Pierre Shale	735	733	940	935			
Groundwater	Upper Pierre Aquifer	941	936	1779	1734	1001-10000	Electric Log Calculation	Controlled by samples
Confining Layer	Pierre Shale	1780	1735	5094	4151			
Hydrocarbon	Sussex	5095	4152	5536	4433			Non-productive
Confining Layer	Pierre Shale	5337	4434	8408	6546			
Hydrocarbon	Niobrara	8410	6547	19240	6615			Base MD/TVD for target formation is BHL per ECMC

**H2S REPORTING**

- Intentional release of H2S gas due to Upset Condition or malfunction.
- Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)

Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**OIL & GAS LOCATION UPDATES**

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

**SITE EQUIPMENT LIST UPDATES**

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____		Vapor Recovery Towers _____	

**OTHER PERMANENT EQUIPMENT UPDATES**

**OTHER TEMPORARY EQUIPMENT UPDATES**

**CULTURAL AND SAFETY SETBACK UPDATES**

**OTHER LOCATION CHANGES AND UPDATES**

Provide a description of other changes or updates to technical information for this Location:

**POTENTIAL OGDP UPDATES**

**PROPOSED CHANGES TO AN APPROVED OGDP**

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- Add Oil and Gas Location(s)
- Add Drilling and Spacing Unit(s)
- Amend Oil and Gas Location(s)
- Amend Drilling and Spacing Unit(s)
- Remove Oil and Gas Location(s)
- Remove Drilling and Spacing Unit(s)
- Oil and Gas Location attachment or plan updates
- Amend the lands subject to the OGDG
- Other

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

### Best Management Practices

**No BMP/COA Type**

**Description**



Operator Comments:

Operator Comment: This well has a bottom-hole location beyond the unit boundary setback. The bottom of the completed interval will be within the unit boundary setback at 2588 FSL and 484' FWL of Section 8. The wellbore beyond the unit boundary setback will be physically isolated and will not be completed.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Christina Hirtler  
 Title: Reuglatory Email: christina\_hirtler@oxy.com Date: 10/25/2024

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: GARRISON, PENNY Date: 10/28/2024

### CONDITIONS OF APPROVAL, IF ANY LIST

**COA Type**

**Description**

	COGCC COA: Operator will insure the wellbore beyond the unit boundary setback is physically isolated and is not completed. In the Operator Comments on the Form 5A the operator will (1) report the footages from the section lines of the bottom of the completed interval (2) describe how the wellbore beyond the unit boundary setback is physically isolated and (3) certify that none of the wellbore beyond the setback was completed.
--	---

1 COA

### General Comments

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval

Total: 0 comment(s)

**ATTACHMENT LIST**

<b>Att Doc Num</b>	<b>Name</b>
403959175	SUNDRY NOTICE APPROVED-LOC-OBJ-DRLG-CSG
403959253	DIRECTIONAL SURVEY
403959256	DIRECTIONAL DATA
403970924	DIRECTIONAL WELL PLAT
403971822	FORM 4 SUBMITTED
Total Attach: 5 Files	