

State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:
403901237

Date Received:
08/26/2024

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>10456</u>	Contact Name <u>Caden Andrews</u>
Name of Operator: <u>CAERUS PICEANCE LLC</u>	Phone: <u>(303) 565-4600</u>
Address: <u>1001 17TH STREET #1600</u>	Fax: <u>()</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>candrews@caerusoilandgas.com</u>

FORM 4 SUBMITTED FOR:

Facility Type: WELL

API Number : 05- 045 10262 00 ID Number: 273574

Name: ALP Number: 19-9 (K19NE)

Location QtrQtr: Lot 3 Section: 19 Township: 6S Range: 92W Meridian: 6

County: GARFIELD Field Name: MAMM CREEK

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
335338	ALP-66S92W 19L3SE

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

☐ Change of Location for Well * ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude Longitude

GPS Quality Value: Type of GPS Quality Value: Measurement Date:

Well Ground Elevation: feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: (Vertical, Directional, Horizontal)

Change of **Surface** Footage From:

Change of **Surface** Footage To:

Current Surface Location From	QtrQtr	<u>Lot 3</u>	Sec	<u>19</u>	Twp	<u>6S</u>	Range	<u>92W</u>	Meridian	<u>6</u>
New Surface Location To	QtrQtr	<u> </u>	Sec	<u> </u>	Twp	<u> </u>	Range	<u> </u>	Meridian	<u> </u>

Change of **Top of Productive Zone** Footage From:

Change of **Top of Productive Zone** Footage To:

Current Top of Productive Zone Location	Sec	<u> </u>	Twp	<u> </u>	Range	<u> </u>
New Top of Productive Zone Location	Sec	<u> </u>	Twp	<u> </u>	Range	<u> </u>

FNL/FSL		FEL/FWL	
<u>1693</u>	<u>FSL</u>	<u>1519</u>	<u>FWL</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u>1980</u>	<u>FSL</u>	<u>660</u>	<u>FEL</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

**

Change of **Base of Productive Zone** Footage **From**:

FSL

FEL

Change of **Base of Productive Zone** Footage **To**:

**

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From**:

1980 FSL

660 FEL

Change of **Bottomhole** Footage **To**:

**

Current **Bottomhole** Location

Sec

Twp

Range

** attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building: Feet
Building Unit: Feet
Public Road: Feet
Above Ground Utility: Feet
Railroad: Feet
Property Line: Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit?

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: Feet

Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

LOCATION CHANGE COMMENTS

CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
ILES	ILES						X	
WILLIAMS FORK	WMFK						X	

OTHER

RULE 502 VARIANCE

Order Number:

Description:	
--------------	--

REMOVE FROM SURFACE BOND Signed surface use agreement is a required attachment

CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGDP

From: Name ALP Number 19-9 (K19NE) Effective Date:

To:	Name	Number
-----	------	--------

ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.

WELL:Abandon Application for Permit-to-Drill (Form2) – Well API Number has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – ECMC Pit Facility ID Number _____ has not been constructed (Permitted and constructed pit requires closure per Rule 911)

☐ **CENTRALIZED E&P WASTE MANAGEMENT FACILITY:** Abandon Centralized E&P Waste Management Facility Permit
(Form 28) – Facility ID Number has not been constructed (Constructed facility requires closure per Rule 907)

OIL & GAS LOCATION ID Number:

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.

REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))

DIGITAL WELL LOG UPLOAD

DOCUMENTS SUBMITTED Purpose of Submission:

COMPLIANCE with CONDITION OF APPROVAL (COA) on Form NO: Document Number:

RECLAMATION

INTERIM RECLAMATION

☐ Interim Reclamation will commence approximately

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.
Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

Field inspection will be conducted to document Rule 1003.e. compliance

FINAL RECLAMATION

☐ Final Reclamation will commence approximately

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

Field inspection will be conducted to document Rule 1004.c. compliance

Comments:

ENGINEERING AND ENVIRONMENTAL WORK

☐ REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

☐ REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned _____

Has Production Equipment been removed from site? _____

Mechanical Integrity Test (MIT) required. Date of last MIT _____

TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ NOTICE OF INTENT/REQUEST FOR APPROVAL Approximate Start Date 08/27/2024

☐ SUBSEQUENT REPORT Date of Activity _____

- | | | |
|---|--|--|
| <input checked="" type="checkbox"/> Bradenhead Plan | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement |
| <input type="checkbox"/> Change Drilling Plan | <input type="checkbox"/> Repair Well | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change | | |
| <input type="checkbox"/> Underground Injection Control | | |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.) | | |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) | | |
| <input type="checkbox"/> Other | | |

☐ Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID _____ Pit Name _____

(No Sample Provided)

☐ Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

· Existing PMP: No
· PMP: PT SCADA Monitoring/SC Tie-In
· Wellname (API): ALP 19-9 (05-045-10262)
· ISCP/FSCP: 152 psi / 0 psi
· IICP/FICP: N/A
· LP: ~102 psi
· Threshold SC/IC: 150 psi / N/A
· Failure: Initial SCP >MAWP
· Diagnostics: Pressure Bleed Down & Build-Up Test / Sampling Conducted 2024 for Tie-In
· Comments: 2 Form 17 tests were conducted that verified the initial pressure and failing status. 6/14/24 Doc ID: 403827145 for annual testing & 8/9/24 Doc ID: 403890237 was performed due to the pressure reading seen during monthly monitoring. In both cases, the initial SCP was greater than the MAWP by 1 & 2 psi. We plan to Tie-In the SC to bleed down to line pressure. We also plan to take PC and SC gas samples to show differing values which will give additional evidence the SC gas is not from producing intervals. PC pressure shows no integrity issues between surface and production strings. We will continue with Pressure Bleed Down & Build-Up Tests for annual BH testing 2025 forward. We believe the SCP is a result of the poorly bonded stringers not covering the SC shoe. TOC: ~3,400'

GAS CAPTURE

VENTING AND FLARING:

Operation type: _____ Operational phase requiring venting/flaring: _____

Reason for venting/flaring: _____

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: _____ mcf ☐ estimated ☐ measured

Total duration of emission event: _____ hours ☐ consecutive ☐ cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: _____

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached. ☐

CASING PROGRAM

(No Casing Provided)

POTENTIAL FLOW AND CONFINING FORMATIONS

H2S REPORTING

☐ Intentional release of H2S gas due to Upset Condition or malfunction.

☐ Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million)

Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID _____ OGDP Name _____

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____		Vapor Recovery Towers _____	

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDP UPDATES

PROPOSED CHANGES TO AN APPROVED OGDP



This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- | | |
|--|--|
| <input type="checkbox"/> Add Oil and Gas Location(s) | <input type="checkbox"/> Add Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Amend Oil and Gas Location(s) | <input type="checkbox"/> Amend Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Remove Oil and Gas Location(s) | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDG |
| <input type="checkbox"/> Other | |

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

Best Management Practices

No BMP/COA Type

Description

--	--

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Lisa Click
Title: PM Email: lisa@fieldinghillllc.com Date: 8/26/2024

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Katz, Aaron Date: 10/28/2024

CONDITIONS OF APPROVAL, IF ANY LIST**COA Type****Description**

	Bradenhead pressure shall not exceed threshold pressure (150 psig).
	<p>1. Operator will implement measures to control venting, to protect health and safety, and to ensure that vapors and odors from well operations do not constitute a nuisance or hazard to public welfare.</p> <p>2. Prior to starting bradenhead abatement, if a sample has not been collected within the last twelve months collect bradenhead and production gas samples for laboratory analysis. Sampling will comply with Operator Guidance - Bradenhead Testing and Reporting Instructions, Appendix A: Liquid and Gas Sampling. Copies of all final laboratory analytical results will be provided to the ECMC within three months of collecting the samples.</p> <p>3. Bradenhead gas is not to be vented to atmosphere; any gas from the Bradenhead will be routed to the specified abatement system. Operator will implement measures to get an initial estimate of the gas flow rate and/or volume from the bradenhead. The abatement program may be used for six consecutive months.</p> <p>4. Operator will submit a Form 42 ("OTHER") stating that "bradenhead abatement program has started."</p> <p>5. At the conclusion of the six months, conduct a new bradenhead test and submit the Form 17 within ten days of the test and submit a Form 4 Sundry that summarizes current well condition. The sundry should include details of the future plans, flow rate information, pressure data and a discussion of the sample analysis.</p> <p>6) At least one check valve is required for annular spaces that are tied to sales line or separator. Maintain equipment for pressure regulation and check valves in good working order.</p> <p>7) At least one valve is required to monitor pressure and sample flow from the bradenhead.</p> <p>8) Within 30 days of completing the work, submit a Form 4 Subsequent Report including a schematic of the bradenhead tie in</p>

2 COAs

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	<p>The deepest water well within 1 mile is 400 ft.</p> <p>Well is located in BHTA with a 150 psi surface casing threshold pressure</p> <p>There are no offset injection wells within 1 mile</p>	10/28/2024

Total: 1 comment(s)

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
403901237	SUNDRY NOTICE APPROVED-OBJ
403972152	FORM 4 SUBMITTED

Total Attach: 2 Files