

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403880369

Date Received:

10/28/2024

FIR RESOLUTION FORM

Overall Status:

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

ECMC Operator Number: 96850

Name of Operator: TEP ROCKY MOUNTAIN LLC

Address: 1058 COUNTY ROAD 215

City: PARACHUTE State: CO Zip: 81635

Contact Name and Telephone:

Name: _____

Phone: () Fax: ()

Email: _____

Additional Operator Contact:

Contact Name

TEP

Phone

970-285-9377

Email

COGCCInspectionReports@terraep.com

ECMC INSPECTION SUMMARY:

FIR Document Number: 707800487

Inspection Date: 07/20/2023

FIR Submit Date: 07/26/2023

FIR Status: _____

Inspected Operator Information:

Company Name: TEP ROCKY MOUNTAIN LLC

Company Number: 96850

Address: 1058 COUNTY ROAD 215

City: PARACHUTE State: CO Zip: 81635

LOCATION - Location ID: 335232

Location Name: DOE-66S95W Number: 26SENW County: _____

Qtrqtr: SENW Sec: 26 Twp: 6S Range: 95W Meridian: 6

Latitude: 39.498429 Longitude: -107.967412

FACILITY - API Number: 05-045-00 Facility ID: 335232

Facility Name: DOE-66S95W Number: 26SENW

Qtrqtr: SENW Sec: 26 Twp: 6S Range: 95W Meridian: 6

Latitude: 39.498429 Longitude: -107.967412

CORRECTIVE ACTIONS:

1 CA# 176576

Corrective Action: Remove old signage and provide proper and ledgible signage

Date: 09/06/2023

Response: CA COMPLETED

Date of Completion: 08/28/2023

Operator Comment: Signage has been replaced. Corrective Action complete.

ECMC Decision: _____

ECMC Representative:			
2	CA# 176577		
Corrective Action:	Evacuate fluids in containments to provide adequate space in case of a spill	Date:	08/05/2023
Response:	CA COMPLETED	Date of Completion:	08/10/2023
Operator Comment:	Fluid in containment has been removed. Corrective Action complete.		
ECMC Decision:			
ECMC Representative:			

OPERATOR COMMENT AND SUBMITTAL	
Comment:	CA #176576: Signage has been replaced. Corrective Action complete. CA #176577: Fluid in containment has been removed. Corrective Action complete.
I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.	
Print Name: Jordan Veith	Signed: _____
Title: TEP Representative	Date: 10/28/2024 12:58:13 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on ECMC website (<http://ecmcweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403880369	FIR RESOLUTION SUBMITTED

Total Attach: 1 Files