

Daily Operations

Well Name	Surface UWI	Primary Job Typ	Start Date	Summary
BOULTER PC G14-24	0512332392	CIBP	1/20/2022	ROAD RIG & EQUIPMENT TO LOCATION. SPOT IN & R/U RANGER #5031. IWP = 600/600#. SURFACE CSG = 0#. CONTROL WELL W/FRESH WATER W/BIO. ROLL CLEAN. STUMP TEST BOP. N/D WELLHEAD TREE. N/U BOP. TOO H & TALLY WHILE S/B IN DERRICK 184 JTS 2 3/8" 4.7# J-55 EUE 8RD TBG. POOH L/D ON TRAILER ADDITIONAL 43 JTS TBG, SN & NC. TOO H FOR TOTAL OF 227 JTS TBG. R/U RANGER WIRELINE. RIH WITH CIBP/CCL. SET CIBP @ 6660.00', CORRELATED DEPTHS WITH ELECTRONIC CBL/CCL/GR LOG. POOH. RIH, DUMP BAIL 2/SXS CMT ONTO CIBP. POOH. R/D WIRELINE. SECURE WELL. SDFD. CREW TO YARD.
BOULTER PC G14-24	0512332392	CIBP	1/21/2022	CREW TO LOCATION. IWP = 0#. SURFACE CSG = 0#. TIH OUT OF DERRICK WITH NC, SN & 184 JTS 2 3/8" 4.7# J-55 EUE 8RD TBG. LAND TBG @ 5668.68' KB. N/D BOP. FLANGE UP WELLHEAD. LOAD TBG & CSG W/FRESH WATER W/BIO. ESTABLISH CIRCULATION. ROLL CLEAN. PRESSURE TEST CIBP/CSG @ 500#, HELD 15/MIN. TEST GOOD. BLEED OFF. SECURE WELL. RDMO.

Daily Operations

Well Name	Surface UWI	Primary Job Typ	Start Date	Summary
BOULTER PC G14-24	0512332392	Abandon Well - Permanent	8/27/2024	<p>CREW TO LOC, JSA, SM, SIP (T - 0, C - 0, S - 0)</p> <p>HELD SAFETY MEETING PRIOR TO BE SPOTTING EQUIPMENT AND RIG UP OPERATIONS. DISCUSSED SIF HAZARDS AND MITIGATIONS, REINFORCED SWA, AND TALKED ABOUT WELL CONTROL ISSUES PER (WSEA 2-A). MI SPOT BEAM, RIG & ANCILLARY EQUIPMENT. RU IRON, STAND UP DERRICK. PRESSURE TEST BOP (5K CLASS 2 BOP, BLIND RAMS BOTTOM, 2-3/8" RAMS TOP) ON STUMP. 250 PSI LOW / 2000 PSI HIGH 5 MINUTES (WSEA 9-A). ALL TEST GOOD. PERFORM ACCUMULATOR TEST AS PER API STANDARD. PERFORM BH TEST. CSG - 0, SC - 0, T -O, CSG, FLOW CHECK (WSEA 10-A). ND, WH, NU BOP (5K CLASS 2 BOP, BLIND RAMS BOTTOM, 2-3/8" RAMS TOP) (WSEA 8-A). PSI TEST BOP FLANGE, LOW 200 - HIGH 2000PSI, (WSEA 9-A) GOOD TEST. SECURE WH & LOCATION, DEBRIEF.</p>
BOULTER PC G14-24	0512332392	Abandon Well - Permanent	8/28/2024	<p>CREW TO LOC, JSA, SM, SIP (T - 0, C - 0, S - 0)</p> <p>TOH SB 76, LD 108 JTS 2 3/8 TBG, LD SN & NC. MI SPOT W/L, JSA SM, RU WL. RIH W/ CIBP, SET @ 4019, POOH W/ SETTING TOOL. RIH W/ DB & 2 SKS, POOH W/ DB. RIH W/ CIBP, SET @ 2336, POOH W/ SETTING TOOL. RIH W/ 6SPF GUN, PRESSURE CSG TO 550 PSI, PERF @ 936', GOOD PSI DROP, POOH W/ SPENT GUNS. BLOWOUT/DRILLPAD W/ RIG CREW AND RANGER WL. CC 150 BBLs FROM WORK TANK, W/ CLEAN GAS FREE RETURNS SD PUMP. TIH W/ 76 JTS 2 3/8 TBG, TAG CIBP. SECURE WH & LOCATION, DEBRIEF.</p>
BOULTER PC G14-24	0512332392	Abandon Well - Permanent	8/29/2024	<p>CREW TRAVELED TO LOCATION REVIEWED THE JSA AND HELD A SAFETY MEETING. DISCUSSED SIF HAZARDS AND MITIGATIONS PER (WSEA 2-A). CHECKED PRESSURES ICP - 0 PSI WELL ON A SLIGHT VAC, IBHP - 0 PSI. MI SPOT RANGER CMT, JSA, SM, SWC, RU & PSI TEST CMT LINES & KICKOUTS. CC 5 BBLs ESTABLISH CC, MIX & PUMP 2 BBLs CMT @ 15.8# (10 SKS G NEAT, 5.0 GPS, 1.15 YIELD) DISP W/ 8.5 BBLs FW, SD WELL STATIC. TOOH LD 19 JNTS OF 2 3/8" TBG, REVERSE CIRCULATE CLEAN AT 1730'. LD REMAINING 56 JNTS OF 2 3/8" 4.7# TBG. PERFORM 30 MINUTE INFLOW TEST (WSEA 10-C), WELL ON A SLIGHT VAC. RD TONGS AND REMOVE EQUIPMENT FROM RIG FLOOR AT THIS TIME. HELD AN ADDITIONAL OPERATIONS SAFETY MEETING DISCUSSED HAZARDS AND MITIGATIONS (WSEA 2-A). CC 5 BBLs ESTABLISH CC, PUMP 10 BBLs MF, 5 BBLs FW SPACER, MIX & PUMP 59 BBLs CMT @ 15.8# (288 SKS G NEAT, 5.0 GPS, 1.15 YIELD W/ 2% CC & FLAKE) CMT RETURNS TO SURFACE W/ 57.7 BBLs AWAY, WAIT 30 MINUTES & TOP OFF W/ 1.3 BBL CMT. WASH UP AND RDMO RANGER CEMENTERS. RD FLOOR, ND WASH UP BOP, RU 4 1/2" COLLAR, 4 1/2" x 2" 5K SWEDGE, 5K BALON W/ 5K NEEDLE VALVE, SI SECURE VALVES W/ GREEN LOCK & PTA TAG. RDMO TO THE USED G02-20.</p>

Daily Operations

Well Name	Surface UWI	Primary Job Typ	Start Date	Summary
BOULTER PC G14-24	0512332392	Slot Recovery	9/16/2024	PRESSURE/BUBBLE TESTED THE WELL FOR 30 MINUTES ON WELLBORE. NO PRESSURE AND NO BUBBLES. PRESSURE/BUBBLE TESTED THE WELL FOR 30 MINUTES ON SURFACE CASING ANNULUS. NO PRESSURE AND NO BUBBLES.
BOULTER PC G14-24	0512332392	Slot Recovery	10/3/2024	CUT AND CAPPED THE WELL 6 FT BELOW GRADE. HAND THE WELL OVER TO RECLAMATION.