

State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



ECMC RECEPTION

Receive Date:

10/14/2024

Document Number:

403955555

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

ECMC Operator Number: 10651 Contact Person: Michael Cugnetti
Company Name: VERDAD RESOURCES LLC Phone: (720) 845-6901
Address: 1125 17TH STREET SUITE 550 Email: mcugnetti@verdadresources.com
City: DENVER State: CO Zip: 80202
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No []

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 459278 Location Type: Production Facilities
Name: Turecek State Battery Number:
County: WELD
Qtr Qtr: NWNW Section: 16 Township: 1N Range: 64W Meridian: 6
Latitude: 40.058465 Longitude: -104.563677

Description of Corrosion Protection

Anode's are installed on steel flowlines. An annual water sampling program to determine corrosive fluids on all locations has been implemented. Poly lines are used wherever possible to prevent corrosion. Flowlines are sampled and truck treated with scale and corrosion inhibitor on an as needed basis. Failures are identified through AVO and annual inspections.

Description of Integrity Management Program

Integrity of flowlines are managed by conducting a 4-hour pressure test with installation of the line. Verdad adheres to rule 1104.j.2 by using a FLIR GF 320 infrared gas detection camera and an RD 7100 Line Locator. The Inspector annually conducts a survey using the camera to inspect for leaks along the entire length of the flowline. Other annual tests include static head tests on below-ground dump lines and function tests on isolation valves. Sites are monitored daily by lease operators trained to use sensory observation to inspect for leaks at the facility.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 476171 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 422875 Location Type: Well Site
Name: Turecek State Number: 16-1H
County: WELD No Location ID
Qtr Qtr: NWNW Section: 16 Township: 1N Range: 64W Meridian: 6
Latitude: 40.057210 Longitude: -104.564890

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Pipe Material: Max Outer Diameter:(Inches)
Bedding Material: Date Construction Completed: 04/01/2012
Maximum Anticipated Operating Pressure (PSI): Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 460060 Flowline Type: Production Line Action Type: Pre-Abandonment Notice

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Meter

Flowline Start Point Location Identification

Location ID: 159800 Location Type: Well Site
Name: BLACKBURN Number: 01N-64W-08
County: WELD No Location ID
Qtr Qtr: NENE Section: 8 Township: 1N Range: 64W Meridian: 6
Latitude: 40.072043 Longitude: -104.566451

Equipment at Start Point Riser: Manifold

Flowline Description and Testing

Type of Fluid Transferred: Natural Gas Pipe Material: Carbon Steel Max Outer Diameter:(Inches)
Bedding Material: Native Materials Date Construction Completed: 03/01/2016
Maximum Anticipated Operating Pressure (PSI): 250 Testing PSI: 270
Test Date: 05/16/2017

OFF LOCATION FLOWLINE Pre-Abandonment Notice

Date: 11/15/2024

Pre-Abandonment 30-day Notice

- Removed per Rule 1105.d.(2)
- Abandoned In Place per Rule 1105.d.(2) Exceptions - select all that apply:
 - A. A surface owner agreement executed by a surface owner allows abandonment in place.
 - B. The line is subject to the jurisdiction of the federal government, and the relevant federal agency directs abandonment in place.
 - C. The flowline or crude oil transfer line is co-located with other active pipelines or utilities or is in a recorded right of way.
 - D. Removal of the line would cause significant damage to natural resources, including wildlife resources, topsoil, or vegetation.
 - E. The flowline or crude oil transfer line is in a restricted surface occupancy area or sensitive wildlife habitat.
 - F. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of a public road, railroad, bike path, public right of way, utility corridor, or active utility or pipeline crossing.
 - G. The flowline or crude oil transfer line or a segment of the line crosses or is within 30 feet of or from under a river, stream, lake, pond, reservoir, wetlands, watercourse, waterway, or spring.
 - H. The operator demonstrates and quantifies that the removal of the flowline will cause significant emissions of air pollutants.
- Abandoned In Place per Rule 1105.d.(3)

Description of Pre-Abandonment Notice:

The flowline will be isolated and permanently removed from the separator at the riser on the facility pad. The flowline will also be permanently removed from the well. The flowline will be evacuated, and cut off at 3 feet BGS and capped. All associated above ground equipment will be removed. The abandonment will be observed by a third-party Professional Engineer registered with the State of Colorado to verify that the flowline was evacuated, depleted to atmospheric pressure, cut and sealed below grade properly. Removal of these lines will damage landowners property. Landowners have requested abandonment in place.

OPERATOR COMMENTS AND SUBMITTAL

Comments

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 10/14/2024 Email: mcugnetti@verdadresources.com

Print Name: Michael Cugnetti Title: Director of EHS&R

Based on the information provided herein, this Flowline Report complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved:  **Director of ECMC** Date: 11/5/2024

CONDITIONS OF APPROVAL, IF ANY LIST

COA Type

Description

--	--

ATTACHMENT LIST

Att Doc Num

Name

403955555	Form44 Submitted
403955571	PROPOSED ABANDONMENT LAYOUT DRAWING
403955572	ABANDONMENT IN PLACE DOCUMENTATION
403955574	ABANDONMENT IN PLACE DOCUMENTATION

Total Attach: 4 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)