

State of Colorado  
Energy & Carbon Management Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:

403908534

Receive Date:

09/05/2024

Report taken by:

Krystal Heibel

## Site Investigation and Remediation Workplan (Supplemental Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECMC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

## OPERATOR INFORMATION

Name of Operator: TIMKA RESOURCES LTD	Operator No: 88370	Phone Numbers Phone: (970) 590-5617 Mobile: ( )
Address: 2077 BAYFRONT DR		
City: WINDSOR	State: CO Zip: 80550	
Contact Person: Todd Pivonka	Email: timkaresources@hotmail.com	

## PROJECT, PURPOSE &amp; SITE INFORMATION

## PROJECT INFORMATION

Remediation Project #: 21572 Initial Form 27 Document #: 402924704

## PURPOSE INFORMATION

- ☒ Rule 913.c.(1): Pit or Cuttings Trench closure.
- ☐ Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- ☒ Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- ☐ Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- ☐ Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- ☐ Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- ☐ Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- ☐ Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- ☒ Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- ☐ Rule 913.g: Changes of Operator.
- ☐ Rule 915.b: Request to leave elevated inorganics in situ.
- ☐ Other: \_\_\_\_\_

## SITE INFORMATION

Yes Multiple Facilities

Facility Type: PIT	Facility ID: 116366	API #: _____	County Name: LOGAN
Facility Name: BARNHART 1	Latitude: 40.638892	Longitude: -103.544120	
** correct Lat/Long if needed: Latitude: _____		Longitude: _____	
QtrQtr: NENE	Sec: 29	Twp: 8N	Range: 55W Meridian: 6 Sensitive Area? Yes

  

Facility Type: WELL	Facility ID: _____	API #: 075-08933	County Name: LOGAN
Facility Name: BARNHART ET AL 1	Latitude: 40.638360	Longitude: -103.545080	
** correct Lat/Long if needed: Latitude: _____		Longitude: _____	
QtrQtr: NENE	Sec: 29	Twp: 8N	Range: 55W Meridian: 6 Sensitive Area? Yes

## SITE CONDITIONS

General soil type - USCS Classifications SM

Most Sensitive Adjacent Land Use Pasture

Is domestic water well within 1/4 mile? Yes

Is surface water within 1/4 mile? Yes

Is groundwater less than 20 feet below ground surface? No

### **Other Potential Receptors within 1/4 mile**

Nearest Domestic well: Approx. 800 feet NE of tank battery (permit 73342). Groundwater recorded at 62 feet bgs in 1974  
Unnamed Surface Water/ Drainage Basin ~ 500 ft south of Wellhead  
Not within any high priority habitats  
Two freshwater ponds within 0.5 mile radius of site (west and east)  
Located within Stoneham-Cushman Complex, 3 to 9 percent slopes

# SITE INVESTIGATION PLAN

## TYPE OF WASTE:

- |                                          |                                                      |                                        |
|------------------------------------------|------------------------------------------------------|----------------------------------------|
| <input type="checkbox"/> E&P Waste       | <input checked="" type="checkbox"/> Other E&P Waste  | <input type="checkbox"/> Non-E&P Waste |
| <input type="checkbox"/> Produced Water  | <input type="checkbox"/> Workover Fluids             |                                        |
| <input type="checkbox"/> Oil             | <input type="checkbox"/> Tank Bottoms                |                                        |
| <input type="checkbox"/> Condensate      | <input type="checkbox"/> Pigging Waste               |                                        |
| <input type="checkbox"/> Drilling Fluids | <input type="checkbox"/> Rig Wash                    |                                        |
| <input type="checkbox"/> Drill Cuttings  | <input type="checkbox"/> Spent Filters               |                                        |
|                                          | <input checked="" type="checkbox"/> Pit Bottoms      |                                        |
|                                          | <input type="checkbox"/> Other (as described by EPA) |                                        |

## DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
Yes	SOILS	pit	analytical samples

## INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

This Form 27-S is being submitted to satisfy the quarterly reporting deadline. Soil samples have been collected from the locations illustrated on the previously submitted soil sample location map. Based on soil samples collected to date, Timka Resources is requesting a reduced analyte suite to include EC, SAR, pH, and Boron.

## PROPOSED SAMPLING PLAN

### Proposed Soil Sampling

☒ Will soil samples be collected as part of this investigation? ( Number, type (grab/composite), analyses, and locations of samples ):

Grab soil samples were collected from the former locations of the oil tanks, produced water storage tank, heater treater, well head, flowline, the earthen berms for the produced water pit, and from within the excavation of the produced water pit.

### Proposed Groundwater Sampling

☐ Will groundwater samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

Groundwater was not encountered during excavation or sampling activities. Depth to groundwater is greater than 60 feet bgs and a confining layer was encountered during excavation activities at approximately 20 feet bgs.

### Proposed Surface Water Sampling

☐ Will surface water samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

## Additional Investigative Actions

☐ Additional alternative investigative actions described in attached Site Investigation Plan ( summary ):

# SITE INVESTIGATION REPORT

## SAMPLE SUMMARY

### Soil

Number of soil samples collected 18

Number of soil samples exceeding 915-1 4

Was the areal and vertical extent of soil contamination delineated? Yes

Approximate areal extent (square feet)

### NA / ND

-- Highest concentration of TPH (mg/kg) 61

-- Highest concentration of SAR 11.5

BTEX > 915-1 No

Vertical Extent > 915-1 (in feet) 12

**Groundwater**

Number of groundwater samples collected 0

Highest concentration of Benzene (µg/l) \_\_\_\_\_

Was extent of groundwater contaminated delineated? No \_\_\_\_\_

Highest concentration of Toluene (µg/l) \_\_\_\_\_

Depth to groundwater (below ground surface, in feet) \_\_\_\_\_

Highest concentration of Ethylbenzene (µg/l) \_\_\_\_\_

Number of groundwater monitoring wells installed \_\_\_\_\_

Highest concentration of Xylene (µg/l) \_\_\_\_\_

Number of groundwater samples exceeding 915-1 \_\_\_\_\_

Highest concentration of Methane (mg/l) \_\_\_\_\_

**Surface Water**

0 Number of surface water samples collected

Number of surface water samples exceeding 915-1 \_\_\_\_\_

If surface water is impacted, other agency notification may be required.

**OTHER INVESTIGATION INFORMATION**☐ Were impacts to adjacent property or offsite impacts identified?☒ Were background samples collected as part of this site investigation?

Three background samples were collected at the locations illustrated on the attached Site Figures and submitted for laboratory analysis of the Table 915-1 soil suitability and metals analytes. Background sample Background02@1' was above the Table 915-1 standards for pH and boron with detected concentrations of 9.02 and 11.0, respectively. Two of the three background samples were above the Table 915-1 residential soil screening standards for arsenic with the third result very near the standard at a detected concentration of 0.668 mg/kg. The background concentrations for pH, boron, and arsenic indicate that those are naturally occurring at the Site.

☒ Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) 3300

Volume of liquid waste (barrels) 0

☒ Is further site investigation required?

Further delineation of SAR, pH, and Boron concentrations is required within the area of the former produced water pit.

**REMEDIAL ACTION PLAN**

Does this Supplemental Form 27A include changes to a previously approved Remedial Action Plan? No \_\_\_\_\_

**SOURCE REMOVAL SUMMARY**

Describe how source is to be removed.

Approximately 3,300 cubic yards of petroleum hydrocarbon impacted soil was removed from the site for disposal at the Pawnee Waste Landfill. Confirmation re-sampling per the COAs provided on the August 31, 2023 Form 27-S approval was performed on October 25, 2023 and the results confirmed that organic petroleum hydrocarbon impacts were successfully mitigated through excavation and disposal remediation methods. Remaining soil impacted by SAR is located within the northern and western earthen berms for the produced water pit and in surface soil at the former location of the produced water storage tank.

**REMEDIATION SUMMARY**

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Petroleum hydrocarbon impacted soil in the produced water pit was removed for disposal and a confining layer was encountered at 20 feet bgs. Soil samples from the excavation extents demonstrate that all petroleum hydrocarbon impacted soil has been removed. Remaining soil impacted by SAR is located within the northern and western earthen berms for the produced water pit and in surface soil at the former location of the produced water storage tank.

**Soil Remediation Summary**☐ In Situ☒ Ex Situ

Bioremediation ( or enhanced bioremediation )

Yes \_\_\_\_\_

Excavate and offsite disposal

Chemical oxidation

If Yes: Estimated Volume (Cubic Yards) 3300

Air sparge / Soil vapor extraction

Name of Licensed Disposal Facility or ECOM Facility ID # \_\_\_\_\_

\_\_\_\_\_ Natural Attenuation  
\_\_\_\_\_ Other \_\_\_\_\_

\_\_\_\_\_ No Excavate and onsite remediation  
\_\_\_\_\_ No Land Treatment  
\_\_\_\_\_ No Bioremediation (or enhanced bioremediation)  
\_\_\_\_\_ No Chemical oxidation  
\_\_\_\_\_ No Other \_\_\_\_\_

**Groundwater Remediation Summary**

\_\_\_\_\_ Bioremediation ( or enhanced bioremediation )  
\_\_\_\_\_ Chemical oxidation  
\_\_\_\_\_ Air sparge / Soil vapor extraction  
\_\_\_\_\_ Natural Attenuation  
\_\_\_\_\_ Other \_\_\_\_\_

**GROUNDWATER MONITORING**

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

## REMEDIATION PROGRESS UPDATE

### PERIODIC REPORTING

#### Approved Reporting Schedule:

☒ Quarterly☐ Semi-Annually☐ Annually☐ Other

#### ☐ Request Alternative Reporting Schedule:

☐ Semi-Annually☐ Annually☐ Other

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

#### Report Type:

☐ Groundwater Monitoring☐ Land Treatment Progress Report☐ O&M Report☒ Other Remediation Report

### Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

Operator carries \$1,000,000.00 of general liability insurance coverage and \$4,000,000.00 in Excess coverage.

Operator anticipates the remaining cost for this project to be: \$ 50000

### WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? Yes

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Petroleum hydrocarbon impacted soil was disposed of at an approved landfill.

Volume of E&P Waste (solid) in cubic yards 3300

E&P waste (solid) description Petroleum Hydrocarbon impacted soil

ECMC Disposal Facility ID #, if applicable:

Non-ECMC Disposal Facility: Pawnee Waste, LLC

Volume of E&P Waste (liquid) in barrels 0

E&P waste (liquid) description

ECMC Disposal Facility ID #, if applicable:

Non-ECMC Disposal Facility:

## REMEDIATION COMPLETION REPORT

### REMEDIATION COMPLETION SUMMARY

Is this a Final Closure Request for this Remediation Project? No

If YES:

☐ Compliant with Rule 913.h.(1).

☐ Compliant with Rule 913.h.(2).

☐ Compliant with Rule 913.h.(3).

Do all soils meet Table 915-1 standards? No

Does the previous reply indicate consideration of background concentrations?

Does Groundwater meet Table 915-1 standards? Yes

Is additional groundwater monitoring to be conducted? \_\_\_\_\_

Operator shall comply with the ECMC 1000-Series Reclamation Requirements for all impacted and disturbed areas.

## RECLAMATION PLAN

### RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

When all impacts are removed. The excavation will be backfilled and compacted with structural fill material to within 3' bgs of the surface and topsoil will be placed on the surface for reseeding and reclamation activities.

Is the described reclamation complete? No

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

☐ Interim

☐ Final

Did the Surface Owner provide the seed mix? \_\_\_\_\_

If YES, does the seed mix comply with local soil conservation district recommendations? \_\_\_\_\_

Did the local soil conservation district provide the seed mix? \_\_\_\_\_

### SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. 04/01/2024

Proposed date of completion of Reclamation. 11/01/2026

## IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

### PRIOR DATES

Date of Surface Owner notification/consultation, if required. 07/14/2022

Actual Spill or Release date, or date of discovery. 07/13/2022

### SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 07/13/2022

Proposed site investigation commencement. 07/13/2022

Proposed completion of site investigation. 09/30/2024

### REMEDIAL ACTION DATES

Proposed start date of Remediation. 07/13/2022

Proposed date of completion of Remediation. 05/23/2023

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

☐ Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

**OPERATOR COMMENT**

Based on soil samples collected to date, Timka Resources is requesting a reduced analyte suite to include EC, SAR, pH, and Boron.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Drezden Kinnaird

Title: Consultant

Submit Date: 09/05/2024

Email: dkinnaird@cgrs.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Krystal Heibel

Date: 11/07/2024

Remediation Project Number: 21572

**COA Type****Description**

	Operator shall collect confirmation soil samples as described in the Rule 915.e.(2) Guidance Document. Operator will analyze soil samples for TPH (C6-C36), Table 915-1 Organic Compounds in Soil, Table 915-1 metals, and Table 915-1 Soil Suitability for Reclamation (Electrical conductivity, Sodium adsorption ratio, and pH by saturated paste method, boron (hot water soluble)).
	Operator shall attach a "Soil Sample Location Map" that illustrates the locations of each sample within the next submittal.
	<p>Per the 900 Series rules 915.e "... Analyses of samples will be performed by laboratories that maintain state or national accreditation programs.." The main accreditation programs are National Environmental Laboratory Accreditation Program (NELAP) and National Environmental Laboratories Accreditation Conference (NELAC). Not only is this accreditation required the lab has to be accredited for each specific analyte.</p> <p>Operator shall prove that eAnalytics satisfies Rule 915.e. requirements. Otherwise, Operator shall resample the facility and get the samples analyzed from a NELAP or NELAC accredited laboratory. Existing samples analyzed from a non-NELAP or -NELAC accredited laboratory shall be used as field screening data.</p> <p>Table 915-1 Soil Suitability for Reclamation analytes (EC, SAR, pH, and Boron) are not required to be analyzed from a NELAP or NELAC accredited laboratory, so the Operator would not need to resample for those analytes.</p>
3 COAs	

**ATTACHMENT LIST**

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

**Att Doc Num****Name**

403908534	FORM 27-SUPPLEMENTAL-SUBMITTED
403908547	ANALYTICAL RESULTS
403908555	ANALYTICAL RESULTS

Total Attach: 3 Files

**General Comments****User Group****Comment****Comment Date**

Environmental	ECMC acknowledges the Operators request but shall not provide a decision at this time.  "Based on soil samples collected to date, Timka Resources is requesting a reduced analyte suite to include EC, SAR, pH, and Boron."	11/07/2024
---------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------

Total: 1 comment(s)