

FORM

2

Rev
05/22

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:

403964895

Date Received:

10/23/2024

APPLICATION FOR PERMIT TO

☒ Drill
 ☐ Deepen
 ☐ Re-enter
 ☐ Recomplete and Operate
Amend ☐TYPE OF WELL OIL ☐ GAS ☐ COALBED ☐ OTHER: Helium WellRefile ☐ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐Sidetrack ☐

Well Name: JACKSON

Well Number: 27 SESW 3054

Name of Operator: BNL (ENTERPRISE) INC

ECMC Operator Number: 10763

Address: 2011 FOREST AVENUE

City: DURANGO State: CO Zip: 81301

Contact Name: Peter Kondrat

Phone: (970)7595370

Fax: ()

Email: pkondrat@bluestarhelium.com

FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

ECMC Financial Assurance

☒ The Operator has provided or will provide Financial Assurance to the ECMC for this Well.

Surety ID Number (if applicable):

Federal Financial Assurance

☐ In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)

Amount of Federal Financial Assurance \$

WELL LOCATION INFORMATION

Surface Location

QtrQtr: SWSE Sec: 27 Twp: 30S Rng: 54W Meridian: 6

Footage at Surface: 931 Feet FNL/FSL FSL 2386 Feet FEL/FWL FEL

Latitude: 37.397895 Longitude: -103.447426

GPS Data: GPS Quality Value: 2.4 Type of GPS Quality Value: PDOP

Date of Measurement: 03/29/2022

Ground Elevation: 5533

Field Name: WILDCAT

Field Number: 99999

Well Plan: is ☐ Directional ☐ Horizontal (highly deviated) ☒ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: Twp: Rng: Footage at TPZ:

Measured Depth of TPZ: True Vertical Depth of TPZ: FNL/FSL FEL/FWL

Base of Productive Zone (BPZ)

Sec: _____ Twp: _____ Rng: _____ Footage at BPZ: _____
Measured Depth of BPZ: _____ True Vertical Depth of BPZ: _____ FNL/FSL _____ FEL/FWL _____

Bottom Hole Location (BHL)

Sec: _____ Twp: _____ Rng: _____ Footage at BHL: _____
FNL/FSL _____ FEL/FWL _____

LOCAL GOVERNMENT PERMITTING INFORMATION

County: LAS ANIMAS Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☐ Yes ☒ No
☐ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: _____ Date of Final Disposition: _____

Comments:

SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Mineral Owner beneath this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Surface Owner Protection Bond (if applicable): _____ Surety ID Number (if applicable): _____

MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- ☒ Fee
☐ State
☐ Federal
☐ Indian
☐ N/A

LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

* If this Well is within a unit, describe a lease that will be developed by the Well.

* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

Date 1/22/2022

Lessor: Everett Jackson, Jr., et ux

Lessee: Las Animas Leasing Inc.

T.30S, R.54W, 6th P.M.

Section 27: SE, N2SW

Acres: 240.00

Total Acres in Described Lease: 240

Described Mineral Lease is: ☒ Fee ☐ State ☐ Federal ☐ Indian

Federal or State Lease # _____

SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 5280 Feet
Building Unit: 5280 Feet
Public Road: 5280 Feet
Above Ground Utility: 5280 Feet
Railroad: 5280 Feet
Property Line: 5280 Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
LYONS	LYNS			

Federal or State Unit Name (if appl): _____ Unit Number: _____

SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? No

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: _____ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: 225 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

SPACING & FORMATIONS COMMENTS

Well is located in an un-spaced area and the OGDG was approved on a leasehold basis.

DRILLING PROGRAM

Proposed Total Measured Depth: 2500 Feet

TVD at Proposed Total Measured Depth 2500 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: _____ Feet ☒ No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? No

Is H₂S gas reasonably expected to be encountered during drilling operations at concentrations greater than

or equal to 100 ppm? No If yes, attach an H₂S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? No

BOP Equipment Type: ☒ Annular Preventor ☐ Double Ram ☐ Rotating Head ☐ None

Beneficial reuse or land application plan submitted? _____

Reuse Facility ID: _____ or Document Number: _____

CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	12+1/4	9+5/8	J-55	36#	0	38	30	38	0
SURF	8+3/4	7	J-55	20#	0	1083	229	1083	0
OPEN HOLE	6+1/8				1083	2500			

☐ Conductor Casing is NOT planned

POTENTIAL FLOW AND CONFINING FORMATIONS

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Confining Layer	Alluvium	0	0	4	4			Boulders, sand, silt, clays
Groundwater	Dakota	4	4	133	133	501-1000	USGS	Sandstones, shale
Confining Layer	Purgatoire	133	133	205	205			Sandstone, limestone, shale
Confining Layer	Morrison	205	205	582	582			Shale, limestone, sandstone
Confining Layer	Entrada	582	582	928	928			Sandstone, shale
Confining Layer	Lykins	928	928	1020	1020			Dolomite, shale
Confining Layer	Blaine	1020	1020	1085	1085			Anhydrite, gypsum, shale, lime
Hydrocarbon	Lyons	1085	1085	1184	1184			Sand with helium, nitrogen, carbon dioxide gases. No hydrocarbons in this formation
Confining Layer	Fountain	1184	1184	2500	2500			Sand, shale, silt

OPERATOR COMMENTS AND SUBMITTAL

Comments BNL ready to drill and rig available in November

This application is in a Comprehensive Area Plan No CAP #: _____

Oil and Gas Development Plan Name Galactica-Pegasus OGDG I OGDG ID#: 487157

Location ID: 488236

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Peter Kondrat

Title: Chief Operating Officer

Date: 10/23/2024

Email: pkondrat@bluestarhelium.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with ECMC Rules, applicable orders, and SB 19-181 and is hereby approved.

ECMC Approved: _____

Director of ECMC

Date: 11/13/2024

Expiration Date: 10/15/2027

API NUMBER

05 071 09944 00

CONDITIONS OF APPROVAL, IF ANY LIST

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

COA Type

Description

Drilling/Completion Operations	1) Submit Form 42 electronically to ECMC 2 business days prior to MIRU (spud notice) for the first well activity with a rig on the pad and provide 2 business day spud notice via Form 42 for all subsequent wells drilled on the pad. 2) Comply with Rule 408.e. (2). Operator will isolate groundwater with fully-cemented surface casing. Verify coverage with a cement bond log.
--------------------------------	---

1 COA

Best Management Practices

No BMP/COA Type

Description

1 Drilling/Completion Operations	The well be logged open hole from TD to 9 5/8 inch casing with a triple combo log suite. Additionally, a GR/CBL/Neutron will run inside 9 5/8 inch casing to surface.
----------------------------------	---

Total: 1 comment(s)

ATTACHMENT LIST

Att Doc Num

Name

403964895	FORM 2 SUBMITTED
403966898	WELL LOCATION PLAT
403966910	WELLBORE DIAGRAM

Total Attach: 3 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Final Review Completed.	11/13/2024
Permit	Per OGD 595-1: "The productive interval of the wellbore of the permitted wells in the Application Lands shall be located no closer than 200 feet from any lease line and not less than 300 feet from any other existing or permitted Well completion in the same common source of supply, except that only one Well completion in each source of supply will be allowed in each governmental quarter-quarter section unless authorized by order of the Commission or an exception under Rule 401.c is obtained."	11/08/2024
Permit	Added open hole logging BMP, per operator.	11/07/2024
OGLA	The Commission approved OGD #487157 on October 16, 2024 for the Oil and Gas Location related to this Form 2. OGLA task passed.	10/31/2024
Engineer	No offset well mitigation required. Well will be air drilled.	10/29/2024

Total: 5 comment(s)