

State of Colorado
Energy & Carbon Management Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:

403937580

Receive Date:

10/08/2024

Report taken by:

Nick Cholas

Site Investigation and Remediation Workplan (Initial Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECMC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP	Operator No: 47120	Phone Numbers
Address: P O BOX 173779		Phone: (970) 515-1727
City: DENVER	State: CO	Zip: 80217-3779
Contact Person: Eve Bugarin	Email: DJRemediation_Forms@oxy.com	Mobile: ()

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 37865 Initial Form 27 Document #: 403937580

PURPOSE INFORMATION

- ☐ Rule 913.c.(1): Pit or Cuttings Trench closure.
- ☐ Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- ☐ Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- ☐ Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- ☐ Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- ☐ Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- ☐ Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- ☐ Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- ☒ Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- ☐ Rule 913.g: Changes of Operator.
- ☐ Rule 915.b: Request to leave elevated inorganics in situ.
- ☐ Other: _____

SITE INFORMATION

No Multiple Facilities

Facility Type: WELL	Facility ID: _____	API #: 123-16650	County Name: WELD
Facility Name: HSR-ENGSTROM 15-34	Latitude: 40.263360	Longitude: -104.761220	
** correct Lat/Long if needed: Latitude: _____		Longitude: _____	
QtrQtr: SWSE	Sec: 34	Twp: 4N	Range: 66W Meridian: 6 Sensitive Area? Yes

SITE CONDITIONS

General soil type - USCS Classifications SM Most Sensitive Adjacent Land Use Surface Water

Is domestic water well within 1/4 mile? Yes Is surface water within 1/4 mile? Yes

Is groundwater less than 20 feet below ground surface? Yes

Other Potential Receptors within 1/4 mile

Evans #2 Ditch 140 feet (ft) east. Livestock 170 ft east, 340 ft northeast, and 1250 ft southeast. Water well 360 ft northeast. Commercial buildings 380 ft southeast. Areas with wetland characteristics are located approximately 520 ft northeast and 1070 ft southeast. Ponds 540 ft northeast, 980 ft southwest, and 990 ft southeast. Occupied building 720 ft southeast. County Road 840 ft south. Agriculture.

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- ☒ E&P Waste ☐ Other E&P Waste ☐ Non-E&P Waste
- ☒ Produced Water ☐ Workover Fluids
- ☒ Oil ☐ Tank Bottoms
- ☒ Condensate ☐ Pigging Waste
- ☐ Drilling Fluids ☐ Rig Wash
- ☐ Drill Cuttings ☐ Spent Filters
- ☐ Pit Bottoms
- ☐ Other (as described by EPA)

DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
UNDETERMINED	GROUNDWATER	TBD	Groundwater Samples/Laboratory Analytical Results
UNDETERMINED	SOILS	TBD	Soil Samples/Laboratory Analytical Results

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures taken to abate, investigate, and/or remediate impacts associated with E&P Waste.

This form has been prepared to provide prior notice of the permanent removal of the flowline associated with the Engstrom 15-34 wellhead. The Engstrom 15-34 wellhead will be plugged and abandoned at a later date. The off-location flowline system pre-removal notice was submitted under Form 44 Document No. 403949430. In accordance with ECOM Rule 911.a., soil and groundwater (if present) samples will be collected and submitted for laboratory analysis of the ECOM full Table 915-1 to determine if soils are in compliance. Visual inspection and field screening of soils along the flowline will be conducted during sampling activities. The topographic Site Location Map showing the geographic setting of the site is provided as Figure 1.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

- ☒ Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

Following flowline removal, soil will be field screened at the wellhead riser, separator riser, and associated flowline locations. If impacted soils are encountered, a waste characterization soil sample will be collected from the areas exhibiting the highest degree of impact based on visual, olfactory, and/or field screening observations and analyzed for all analytes listed in ECOM Table 915-1. In the absence of apparent impacts, a soil sample will be collected adjacent to the wellhead riser, separator riser, and from areas most likely impacted during the operational life of the flowline and analyzed for all analytes listed in ECOM Table 915-1. Soil samples will be submitted to an accredited laboratory for analysis using standard methods appropriate for detecting the target analytes in ECOM Table 915-1. Proposed soil sample and screening locations are provided on Figure 2.

Proposed Groundwater Sampling

- ☐ Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

If groundwater is encountered during flowline removal, a minimum of one grab sample will be collected as soon as practical. Groundwater samples will be submitted to an accredited laboratory for all analytes listed in ECOM Table 915-1 Organic Compounds in Groundwater (benzene, toluene, ethylbenzene, total xylenes (BTEX), naphthalene, 1,2,4-trimethylbenzene (1,2,4 – TMB), and 1,3,5-trimethylbenzene (1,3,5 – TMB)) and Groundwater Inorganic Parameters (total dissolved solids (TDS), chloride, and sulfate) using standard methods appropriate for detecting the target analytes in ECOM Table 915-1.

Proposed Surface Water Sampling

- ☐ Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Additional Investigative Actions

- ☐ Additional alternative investigative actions described in attached Site Investigation Plan (summary):

A waste characterization profile will be developed utilizing the initial sampling results analyzed for full Table 915-1. All detected organic compounds and metals, including boron, and all Soil Suitability for Reclamation analytes above Table 915-1 concentration limits in the initial sampling will be included in the established waste characterization profile and applied to excavation confirmation sampling. Once established, only analytes included in the waste characterization profile will be applied to additional required sampling.

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

Soil

Number of soil samples collected _____ 0
Number of soil samples exceeding 915-1 _____
Was the areal and vertical extent of soil contamination delineated? _____
Approximate areal extent (square feet) _____

NA / ND

_____ Highest concentration of TPH (mg/kg) _____
_____ Highest concentration of SAR _____
_____ BTEX > 915-1 _____
_____ Vertical Extent > 915-1 (in feet) _____

Groundwater

Number of groundwater samples collected _____ 0
Was extent of groundwater contaminated delineated? No _____
Depth to groundwater (below ground surface, in feet) _____
Number of groundwater monitoring wells installed _____
Number of groundwater samples exceeding 915-1 _____

_____ Highest concentration of Benzene (µg/l) _____
_____ Highest concentration of Toluene (µg/l) _____
_____ Highest concentration of Ethylbenzene (µg/l) _____
_____ Highest concentration of Xylene (µg/l) _____
_____ Highest concentration of Methane (mg/l) _____

Surface Water

_____ 0 Number of surface water samples collected
_____ Number of surface water samples exceeding 915-1
If surface water is impacted, other agency notification may be required.

OTHER INVESTIGATION INFORMATION

☐ Were impacts to adjacent property or offsite impacts identified?

☐ Were background samples collected as part of this site investigation?

☐ Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) _____ Volume of liquid waste (barrels) _____

☐ Is further site investigation required?

REMEDIAL ACTION PLAN

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

If a suspected release is identified and confirmed through soil screening and/or laboratory analysis, soils will be removed and transported to a licensed disposal facility. Disposal records will be kept on file and available upon request.

REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Potential impacts that meet the criteria in Rule 912.b. will be reported to the Director in accordance with that Rule and a site-specific soil and/or groundwater remediation plan will be developed and submitted to the ECMC via a supplemental Form 27 in accordance with Rule 913. If reportable impacts are not encountered, a supplemental Form 27 requesting closure will be submitted within 90 days following completion of sampling activities. Field screening and applicable laboratory analytical results will be reported in all submittals. E&P waste records of material transported off-site are kept on file and available upon request.

Soil Remediation Summary

☐ In Situ

☐ Ex Situ

_____ Bioremediation (or enhanced bioremediation)

_____ Excavate and offsite disposal

_____ Chemical oxidation
_____ Air sparge / Soil vapor extraction
_____ Natural Attenuation
_____ Other _____

If Yes: Estimated Volume (Cubic Yards) _____

Name of Licensed Disposal Facility or ECMC Facility ID # _____

_____ Excavate and onsite remediation

_____ Land Treatment
_____ Bioremediation (or enhanced bioremediation)
_____ Chemical oxidation
_____ Other _____

Groundwater Remediation Summary

_____ Bioremediation (or enhanced bioremediation)
_____ Chemical oxidation
_____ Air sparge / Soil vapor extraction
_____ Natural Attenuation
_____ Other _____

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

REMEDIATION PROGRESS UPDATE

PERIODIC REPORTING

Approved Reporting Schedule:

☒ Quarterly☐ Semi-Annually☐ Annually☐ Other

☐ Request Alternative Reporting Schedule:

☐ Semi-Annually☐ Annually☐ Other

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

Report Type:

☐ Groundwater Monitoring☐ Land Treatment Progress Report☐ O&M Report☐ Other

Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

KMOG has sufficient insurance and bonding to fully address the anticipated costs of Remediation, including the remaining estimated costs for this project. KMOG currently has over 40 million in bonds with the Energy and Carbon Management Commission. The cost for remediation is a preliminary estimate only, costs may change upwards or downward based on site-specific information. KMOG makes no representation or guarantees as to the accuracy of the preliminary estimate.

Operator anticipates the remaining cost for this project to be: \$ 10500

WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? ☐

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Volume of E&P Waste (solid) in cubic yards

E&P waste (solid) description

ECMC Disposal Facility ID #, if applicable:

Non-ECMC Disposal Facility:

Volume of E&P Waste (liquid) in barrels

E&P waste (liquid) description

ECMC Disposal Facility ID #, if applicable:

Non-ECMC Disposal Facility:

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

The site will be reclaimed in accordance with ECMC 1000 Series Reclamation Rules.

Is the described reclamation complete? _____

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

☐ Interim ☐ Final

Did the Surface Owner provide the seed mix? _____

If YES, does the seed mix comply with local soil conservation district recommendations? _____

Did the local soil conservation district provide the seed mix? _____

SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. _____

Proposed date of completion of Reclamation. _____

IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

PRIOR DATES

Date of Surface Owner notification/consultation, if required. 08/21/2024

Actual Spill or Release date, or date of discovery. _____

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 10/09/2024

Proposed site investigation commencement. 10/09/2024

Proposed completion of site investigation. _____

REMEDIAL ACTION DATES

Proposed start date of Remediation. _____

Proposed date of completion of Remediation. _____

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

☐ Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

OPERATOR COMMENT

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Eve Bugarin

Title: Environmental Advisor

Submit Date: 10/08/2024

Email: DJRemediation_Forms@oxy.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Nick Cholas

Date: 11/14/2024

Remediation Project Number: 37865

COA Type**Description**

	Operator shall update the implementation schedule in accordance with Rule 913.d on the subsequent Supplemental Form 27.
	Operators will collect and submit for laboratory analysis a soil sample collected from the areas most likely to have been impacted during the operational life of the flowline. These areas include, but are not limited to: where Flowlines connect to the wellhead, surface equipment, risers, valves, or manifolds; where Flowlines bend or were repaired in the past and at joints and hammer unions; where Flowlines connect to Flowlines or equipment of different material; and where Flowlines crossed drainages or surface water or are in contact with shallow groundwater.
2 COAs	

ATTACHMENT LIST

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num**Name**

403937580	INVESTIGATION/REMEDATION WORKPLAN (INITIAL)
403939979	SITE MAP
403939982	SOIL SAMPLE LOCATION MAP
403949634	CORRESPONDENCE
403995010	FORM 27-INITIAL-SUBMITTED

Total Attach: 5 Files

General Comments**User Group****Comment****Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)