

State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 03/24/2024 Document Number: 403692330

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 10633 Contact Person: James Miller Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (720) 984-7460 Address: 555 17TH STREET SUITE 3700 Email: jmiller@civiresources.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No [ ]

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 336441 Location Type: Production Facilities Name: KUGEL-62N67W Number: 18NWNW County: WELD Qtr: NWNW Section: 18 Township: 2N Range: 67W Meridian: 6 Latitude: 40.142055 Longitude: -104.937841

Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466701 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336385 Location Type: Well Site   
Name: KUGEL-62N67W Number: 18SWNW  
County: WELD No Location ID  
Qtr Qtr: SWNW Section: 18 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.140370 Longitude: -104.940070

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 12/08/1999  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 09/03/2023

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

The flowline serving the Kugel 12-18 (05-123-19757) will be removed in its entirety via the open trench method. Once the flowline is removed, the trench will be backfilled and the land surface will be graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 466538 Flowline Type: Wellhead Line Action Type: Abandonment Verification

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336464 Location Type: Well Site   
Name: KUGEL Number: 2N67W/18NWNW  
County: WELD No Location ID  
Qtr Qtr: NWNW Section: 18 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.144080 Longitude: -104.940050

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 06/20/2010  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Abandonment Verification**

Date: 01/30/2024

**Abandonment Verification**

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).  
(No Jurisdiction)

**Description of Abandonment Verification:**

The flowline serving the Wandell 2-8-7 (05-123-31040) was removed in its entirety via the open trench method. The trench was backfilled and the land surface graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 466698 Flowline Type: Wellhead Line Action Type: Abandonment Verification

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336464 Location Type: Well Site   
Name: KUGEL Number: 2N67W/18NWNW  
County: WELD No Location ID  
Qtr Qtr: NWNW Section: 18 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.144080 Longitude: -104.940050

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 09/09/2001  
Maximum Anticipated Operating Pressure (PSI): 440 Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Abandonment Verification**

Date: 01/30/2024

**Abandonment Verification**

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).  
(No Jurisdiction)

**Description of Abandonment Verification:**

The flowline serving the Kugel 11-18 (05-123-20509) was removed in its entirety via the open trench method. The trench was backfilled and the land surface graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 466539 Flowline Type: Wellhead Line Action Type: Abandonment Verification

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336464 Location Type: Well Site

Name: KUGEL

Number: 2N67W/18NWNW

County: WELD

No Location ID

Qtr Qtr: NWNW

Section: 18

Township: 2N

Range: 67W

Meridian: 6

Latitude: 40.144080

Longitude: -104.940050

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: Date Construction Completed: 06/15/2010

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

**OFF LOCATION FLOWLINE Abandonment Verification**

Date: 01/30/2024

**Abandonment Verification**

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).

(No Jurisdiction)

**Description of Abandonment Verification:**

The flowline serving the Wandell 0-6-7 (05-123-31037) was removed in its entirety via the open trench method. The trench was backfilled and the land surface graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 466700 Flowline Type: Wellhead Line Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 333207 Location Type: Well Site

Name: KUGEL-62N67W

Number: 18SEnw

County: WELD

No Location ID

Qtr Qtr: SENW

Section: 18

Township: 2N

Range: 67W

Meridian: 6

Latitude: 40.140280

Longitude: -104.935700

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: Date Construction Completed: 12/20/2001

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: 09/03/2023

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

The flowline serving the Kugel 22-18 (05-123-20526) will be removed in its entirety via the open trench method. Once the flowline is removed, the trench will be backfilled and the land surface will be graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 472699 Flowline Type: Wellhead Line Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336454 Location Type: Well Site   
Name: KUGEL Number: 2N67W/18HNWNE  
County: WELD No Location ID  
Qtr Qtr: NWNE Section: 18 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.144410 Longitude: -104.931470

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 3.000  
Bedding Material: Date Construction Completed: 10/29/2004  
Maximum Anticipated Operating Pressure (PSI): Testing PSI:  
Test Date:

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 466699 Flowline Type: Wellhead Line Action Type: Abandonment Verification

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336453 Location Type: Well Site   
Name: KUGEL-62N67W Number: 18NENW  
County: WELD No Location ID  
Qtr Qtr: NENW Section: 18 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.144100 Longitude: -104.936050

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 12/12/2001  
Maximum Anticipated Operating Pressure (PSI): 250 Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Abandonment Verification**

Date: 01/30/2024

**Abandonment Verification**

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).  
(No Jurisdiction)

**Description of Abandonment Verification:**

The flowline serving the Kugel 21-18 (05-123-20527) was removed in its entirety via the open trench method. The trench was backfilled and the land surface graded.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 466540 Flowline Type: Wellhead Line Action Type: Abandonment Verification

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 336453 Location Type: Well Site   
Name: KUGEL-62N67W Number: 18NENW  
County: WELD No Location ID  
Qtr Qtr: NENW Section: 18 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.144100 Longitude: -104.936050

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: \_\_\_\_\_ Date Construction Completed: 11/03/2004  
Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_  
Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Abandonment Verification**

Date: 01/30/2024

**Abandonment Verification**

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).  
(No Jurisdiction)

**Description of Abandonment Verification:**

The flowline serving the Wandell 24-7 (05-123-22354) was removed in its entirety via the open trench method. The trench was backfilled and the land surface graded.

## OPERATOR COMMENTS AND SUBMITTAL

Comments

Form 44 filed to report POST-ABANDONMENT verification. The following flowline(s) were removed:

12320509\_FL: serviced Kugel 11-18 (05-123-20509)  
12320527\_FL: serviced Kugel 21-18 (05-123-20527)  
12322354\_FL: serviced Wandell 24-7 (05-123-22354)  
12331037\_FL: serviced Wandell 0-6-7 (05-123-31037)  
12331040\_FL: serviced Wandell 2-8-7 (05-123-31040)

Updated GIS data attached.

All other related flowlines will remain as previously reported.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_

Date: 03/24/2024

Email: flowlines@civiresources.com

Print Name: Stephany Olsen

Title: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_

**Director of COGCC**

Date: \_\_\_\_\_

## Conditions of Approval

**COA Type**

**Description**

--	--

## Attachment Check List

**Att Doc Num**

**Name**

403715794	OFF-LOCATION FLOWLINE GIS SHP
-----------	-------------------------------

Total Attach: 1 Files

## General Comments

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval

Total: 0 comment(s)