



Wellbore Schematic Input Report

Well Name: George 03NA

Original Hole [Land]			Well Header						
<div>MD (ftOTH)</div> <div>25.9</div> <div>31.5</div> <div>207.0</div> <div>1,978.0</div> <div>2,017.1</div> <div>3,547.6</div> <div>6,490.8</div> <div>7,424.5</div> <div>7,756.6</div> <div>7,763.1</div> <div>8,004.9</div> <div>8,258.9</div> <div>8,534.1</div> <div>8,807.1</div> <div>9,080.1</div> <div>9,352.0</div> <div>9,625.0</div> <div>9,898.0</div> <div>10,170.9</div> <div>10,442.9</div> <div>10,717.8</div> <div>10,987.9</div> <div>11,256.9</div> <div>11,530.8</div> <div>11,805.1</div> <div>12,077.1</div> <div>12,355.0</div> <div>12,625.0</div> <div>12,898.0</div> <div>13,027.9</div> <div>13,067.9</div> <div>13,199.1</div> <div>13,472.1</div> <div>13,745.1</div> <div>14,018.0</div> <div>14,290.0</div> <div>14,563.0</div> <div>14,836.0</div> <div>15,107.9</div> <div>15,380.9</div> <div>15,653.9</div> <div>15,926.8</div> <div>16,199.1</div> <div>16,472.1</div> <div>16,745.1</div> <div>17,018.0</div> <div>17,290.0</div> <div>17,561.0</div> <div>17,834.0</div> <div>18,108.9</div> <div>18,113.5</div> <div>18,124.3</div> <div>18,135.8</div> <div>18,147.0</div>	<div>Incl (°)</div> <div>0.1</div> <div>0.1</div> <div>0.8</div> <div>31.0</div> <div>30.8</div> <div>33.6</div> <div>32.3</div> <div>45.5</div> <div>75.9</div> <div>76.6</div> <div>90.3</div> <div>89.7</div> <div>89.9</div> <div>89.2</div> <div>89.7</div> <div>89.8</div> <div>89.5</div> <div>89.1</div> <div>89.1</div> <div>89.0</div> <div>89.2</div> <div>89.8</div> <div>89.4</div> <div>89.1</div> <div>89.9</div> <div>89.6</div> <div>89.9</div> <div>89.7</div> <div>89.9</div> <div>90.0</div> <div>90.1</div> <div>90.4</div> <div>90.6</div> <div>90.1</div> <div>90.0</div> <div>89.7</div> <div>89.9</div> <div>90.1</div> <div>89.4</div> <div>90.0</div> <div>89.6</div> <div>89.7</div> <div>90.1</div> <div>90.3</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.1</div> <div>90.</div>								



Wellbore Schematic Input Report

Well Name: George 03NA

Original Hole [Land]			Proposed Other In Hole				
MD (ftOTH)	Incl (°)	Vertical schematic (actual)	Des	Make	OD (in)	Top (ftOTH)	Btm (ftOTH)
			Logs				
			Date	Type	Depth Top (MD) (ftOTH)		Btm (ftOTH)
			Perforation Data				
			Linked Zone	Sum of Entered Shot Total	Top (ftOTH)	Btm (ftOTH)	Date
25.9	0.1	Wellhead, 9 5/8in; 26.6; 25 TVD; 1.51; 25-26.5 TVD; 25-26.6	Niobrara, Original Hole	4			9/28/2024
31.5	0.1	Casing Joints, 16in; 105; 25 TVD; 80.00; 25-105 TVD; 25-105	Niobrara, Original Hole	4			9/28/2024
207.0	0.8	Casing joints, 9 5/8in; 207.1; 31.5 TVD; 175.66; 31.5-207.1 TVD; 31.5-207.1	Niobrara, Original Hole	4			9/28/2024
1,978.0	31.0	Casing Joints, 5 1/2in; 3527.8; 25 TVD; 3,502.84; 25-3175.6 TVD; 25-3527.8	Niobrara, Original Hole	4			9/28/2024
3,547.6	33.6	Float Collar, 9 5/8in; 1978; 1888.2 TVD; 1.38; 1888.2-1889.3 TVD; 1976.7-1978	Niobrara, Original Hole	4			9/28/2024
6,490.8	32.3	Float Shoe, 9 5/8in; 2017.1; 1921.6 TVD; 1.45; 1921.6-1922.8 TVD; 2015.6-2017.1	Niobrara, Original Hole	4			9/28/2024
7,424.5	45.5	Casing Joints, 5 1/2in; 6470.8; 3192.1 TVD; 2,923.23; 3192.1-5628.2 TVD; 3547.6-6470.8	Niobrara, Original Hole	4			9/28/2024
7,756.6	75.9	Casing Joints, 5 1/2in; 8003.4; 5645.4 TVD; 1,512.63; 5645.4-6673 TVD; 6490.8-8003.4	Niobrara, Original Hole	4			9/28/2024
7,763.1	76.6		Niobrara, Original Hole	4			9/28/2024
8,004.9	90.3		Niobrara, Original Hole	4			9/28/2024
8,258.9	89.7		Niobrara, Original Hole	4			9/28/2024
8,534.1	89.9		Niobrara, Original Hole	4			9/28/2024
8,807.1	89.2		Niobrara, Original Hole	4			9/28/2024
9,080.1	89.7		Niobrara, Original Hole	4			9/28/2024
9,352.0	89.8		Niobrara, Original Hole	4			9/28/2024
9,625.0	89.5		Niobrara, Original Hole	4			9/28/2024
9,898.0	89.1		Niobrara, Original Hole	4			9/28/2024
10,170.9	89.1		Niobrara, Original Hole	4			9/28/2024
10,442.9	89.0	Casing Joints, 5 1/2in; 13028; 6673 TVD; 5,022.92; 6673-6711.5 TVD; 8005.1-13028	Niobrara, Original Hole	4			9/28/2024
10,717.8	89.2		Niobrara, Original Hole	4			9/28/2024
10,987.9	89.8		Niobrara, Original Hole	4			9/28/2024
11,256.9	89.4		Niobrara, Original Hole	4			9/27/2024
11,530.8	89.1		Niobrara, Original Hole	4			9/27/2024
11,805.1	89.9		Niobrara, Original Hole	4			9/27/2024
12,077.1	89.6		Niobrara, Original Hole	4			9/27/2024
12,355.0	89.9		Niobrara, Original Hole	4			9/27/2024
12,625.0	89.7		Niobrara, Original Hole	4			9/27/2024
12,898.0	89.9		Niobrara, Original Hole	4			9/27/2024
13,027.9	90.0	Marker Joint A, 5 1/2in; 13067.9; 6711.5 TVD; 19.99; 6711.5-6711.4 TVD; 13047.9-13067.9	Niobrara, Original Hole	4			9/27/2024
13,067.9	90.1		Niobrara, Original Hole	4			9/27/2024
13,199.1	90.4		Niobrara, Original Hole	4			9/27/2024
13,472.1	90.6		Niobrara, Original Hole	4			9/27/2024
13,745.1	90.1		Niobrara, Original Hole	4			9/27/2024
14,018.0	90.0		Niobrara, Original Hole	4			9/27/2024
14,290.0	89.7		Niobrara, Original Hole	4			9/27/2024
14,563.0	89.9		Niobrara, Original Hole	4			9/27/2024
14,836.0	90.1		Niobrara, Original Hole	4			9/27/2024
15,107.9	89.4		Niobrara, Original Hole	4			9/27/2024
15,380.9	90.0		Niobrara, Original Hole	4			9/27/2024
15,653.9	89.6		Niobrara, Original Hole	4			9/27/2024
15,926.8	89.5		Niobrara, Original Hole	4			9/27/2024
16,199.1	89.7		Niobrara, Original Hole	4			9/27/2024
16,472.1	89.7		Niobrara, Original Hole	4			9/27/2024
16,745.1	89.3		Niobrara, Original Hole	4			9/27/2024
17,018.0	89.6		Niobrara, Original Hole	4			9/27/2024
17,290.0	89.7		Niobrara, Original Hole	4			9/27/2024
17,561.0	90.0	Casing Pup Joint, 5 1/2in; 18118.6; 6723.3 TVD; 5.18; 6723.3-6723.3 TVD; 18113.4-18118.6	Niobrara, Original Hole	4			9/27/2024
17,834.0	90.3		Niobrara, Original Hole	4			9/27/2024
18,108.9	90.1	Casing Pup Joint, 5 1/2in; 18134; 6723.2 TVD; 9.55; 6723.2-6723.2 TVD; 18124.4-18134	Niobrara, Original Hole	4			9/27/2024
18,113.5	90.1		Niobrara, Original Hole	4			9/27/2024
18,124.3	90.1	Casing Pup Joint, 5 1/2in; 18145.3; 6723.2 TVD; 9.55; 6723.2-6723.2 TVD; 18135.8-18145.3	Niobrara, Original Hole	4			9/27/2024
18,135.8	90.1		Niobrara, Original Hole	4			9/27/2024
18,147.0	90.1		Niobrara, Original Hole	4			9/27/2024



Wellbore Schematic Input Report

Well Name: George 03NA

Original Hole [Land]			Perforation Data				
MD (ROTH)	Incl (°)	Vertical schematic (actual)	Linked Zone	Sum of Entered Shot Total	Top (ftOTH)	Btm (ftOTH)	Date
25.9	0.1	Wellhead, 9 5/8in; 26.6; 25 TVD; 1.51; 25-26.5 TVD; 25-26.6	Niobrara, Original Hole	4			9/27/2024
31.5	0.1	Casing Joints, 16in; 105; 25 TVD; 80.00; 25-105 TVD; 25-105	Niobrara, Original Hole	4			9/26/2024
207.0	0.8	Casing joints, 9 5/8in; 207.1; 31.5 TVD; 175.66; 31.5-207.1 TVD; 31.5-207.1	Niobrara, Original Hole	4			9/26/2024
1,978.0	31.0	Casing Joints, 5 1/2in; 3527.8; 25 TVD; 3,502.84; 25-3175.6 TVD; 25-3527.8	Niobrara, Original Hole	4			9/26/2024
2,017.1	30.8	Float Collar, 9 5/8in; 1978; 1888.2 TVD; 1.38; 1888.2-1889.3 TVD; 1976.7-1978	Niobrara, Original Hole	4			9/26/2024
3,547.6	33.6	Float Shoe, 9 5/8in; 2017.1; 1921.6 TVD; 1.45; 1921.6-1922.8 TVD; 2015.6-2017.1	Niobrara, Original Hole	4			9/26/2024
6,490.8	32.3	Casing Joints, 5 1/2in; 6470.8; 3192.1 TVD; 2,923.23; 3192.1-5628.2 TVD; 3547.6-6470.8	Niobrara, Original Hole	4			9/26/2024
7,424.5	45.5	Casing Joints, 5 1/2in; 8003.4; 5645.4 TVD; 1,512.63; 5645.4-6673 TVD; 6490.8-8003.4	Niobrara, Original Hole	4			9/26/2024
7,756.6	75.9		Niobrara, Original Hole	4			9/26/2024
7,763.1	76.6		Niobrara, Original Hole	4			9/26/2024
8,004.9	90.3		Niobrara, Original Hole	4			9/26/2024
8,258.9	89.7		Niobrara, Original Hole	4			9/26/2024
8,534.1	89.9		Niobrara, Original Hole	4			9/26/2024
8,807.1	89.2		Niobrara, Original Hole	4			9/26/2024
9,080.1	89.7		Niobrara, Original Hole	4			9/26/2024
9,352.0	89.8		Niobrara, Original Hole	4			9/26/2024
9,625.0	89.5		Niobrara, Original Hole	4			9/26/2024
9,898.0	89.1		Niobrara, Original Hole	4			9/26/2024
10,170.9	89.1		Niobrara, Original Hole	4			9/26/2024
10,442.9	89.0	Casing Joints, 5 1/2in; 13028; 6673 TVD; 5,022.92; 6673-6711.5 TVD; 8005.1-13028	Niobrara, Original Hole	4			9/26/2024
10,717.8	89.2		Niobrara, Original Hole	4			9/26/2024
10,987.9	89.8		Niobrara, Original Hole	4			9/26/2024
11,256.9	89.4		Niobrara, Original Hole	4			9/26/2024
11,530.8	89.1		Niobrara, Original Hole	4			9/26/2024
11,805.1	89.9		Niobrara, Original Hole	4			9/26/2024
12,077.1	89.6		Niobrara, Original Hole	4			9/26/2024
12,355.0	89.9		Niobrara, Original Hole	4			9/26/2024
12,625.0	89.7		Niobrara, Original Hole	4			9/26/2024
12,898.0	89.9		Niobrara, Original Hole	4			9/25/2024
13,027.9	90.0	Marker Joint A, 5 1/2in; 13067.9; 6711.5 TVD; 19.99; 6711.5-6711.4 TVD; 13047.9-13067.9	Niobrara, Original Hole	4			9/25/2024
13,067.9	90.1		Niobrara, Original Hole	4			9/25/2024
13,199.1	90.4		Niobrara, Original Hole	4			9/25/2024
13,472.1	90.6		Niobrara, Original Hole	4			9/25/2024
13,745.1	90.1		Niobrara, Original Hole	4			9/25/2024
14,018.0	90.0		Niobrara, Original Hole	4			9/25/2024
14,290.0	89.7		Niobrara, Original Hole	4			9/25/2024
14,563.0	89.9		Niobrara, Original Hole	4			9/25/2024
14,836.0	90.1		Niobrara, Original Hole	4			9/25/2024
15,107.9	89.4		Niobrara, Original Hole	4			9/25/2024
15,380.9	90.0		Niobrara, Original Hole	4			9/25/2024
15,653.9	89.6		Niobrara, Original Hole	4			9/25/2024
15,926.8	89.5		Niobrara, Original Hole	4			9/25/2024
16,199.1	89.7		Niobrara, Original Hole	4			9/25/2024
16,472.1	89.7		Niobrara, Original Hole	4			9/25/2024
16,745.1	89.3		Niobrara, Original Hole	4			9/25/2024
17,018.0	89.6		Niobrara, Original Hole	4			9/25/2024
17,290.0	89.7		Niobrara, Original Hole	4			9/25/2024
17,561.0	90.0	Casing Pup Joint, 5 1/2in; 18118.6; 6723.3 TVD; 5.18; 6723.3-6723.3 TVD; 18113.4-18118.6	Niobrara, Original Hole	4			9/25/2024
17,834.0	90.3	Casing Pup Joint, 5 1/2in; 18134; 6723.2 TVD; 9.55; 6723.2-6723.2 TVD; 18124.4-18134	Niobrara, Original Hole	4			9/24/2024
18,108.9	90.1	Casing Pup Joint, 5 1/2in; 18145.3; 6723.2 TVD; 9.55; 6723.2-6723.2 TVD; 18135.8-18145.3	Niobrara, Original Hole	4			9/24/2024
18,113.5	90.1		Niobrara, Original Hole	4			9/24/2024
18,124.3	90.1		Niobrara, Original Hole	4			9/24/2024
18,135.8	90.1		Niobrara, Original Hole	4			9/24/2024
18,147.0	90.1		Niobrara, Original Hole	4			9/24/2024



Wellbore Schematic Input Report

Well Name: George 03NA

Original Hole [Land]			Perforation Data				
MD (ROTH)	Incl (°)	Vertical schematic (actual)	Linked Zone	Sum of Entered Shot Total	Top (ftOTH)	Btm (ftOTH)	Date
25.9	0.1	Wellhead, 9 5/8in; 26.6; 25 TVD; 1.51; 25-26.5 TVD; 25-26.6	Niobrara, Original Hole	4			9/24/2024
31.5	0.1	Casing Joints, 16in; 105; 25 TVD; 80.00; 25-105 TVD; 25-105	Niobrara, Original Hole	4			9/23/2024
207.0	0.8	Casing joints, 9 5/8in; 207.1; 31.5 TVD; 175.66; 31.5-207.1 TVD; 31.5-207.1	Niobrara, Original Hole	4			9/23/2024
1,978.0	31.0	Casing Joints, 5 1/2in; 3527.8; 25 TVD; 3,502.84; 25-3175.6 TVD; 25-3527.8	Niobrara, Original Hole	4			9/23/2024
2,017.1	30.8	Float Collar, 9 5/8in; 1978; 1888.2 TVD; 1.38; 1888.2-1889.3 TVD; 1976.7-1978	Niobrara, Original Hole	4			9/23/2024
3,547.6	33.6	Float Shoe, 9 5/8in; 2017.1; 1921.6 TVD; 1.45; 1921.6-1922.8 TVD; 2015.6-2017.1	Niobrara, Original Hole	4			9/23/2024
6,490.8	32.3	Casing Joints, 5 1/2in; 6470.8; 3192.1 TVD; 2,923.23; 3192.1-5628.2 TVD; 3547.6-6470.8	Niobrara, Original Hole	4			9/23/2024
7,424.5	45.5	Casing Joints, 5 1/2in; 8003.4; 5645.4 TVD; 1,512.63; 5645.4-6673 TVD; 6490.8-8003.4	Niobrara, Original Hole	4			9/23/2024
7,756.6	75.9		Niobrara, Original Hole	4			9/23/2024
7,763.1	76.6		Niobrara, Original Hole	4			9/23/2024
8,004.9	90.3		Niobrara, Original Hole	4			9/23/2024
8,258.9	89.7		Niobrara, Original Hole	4			9/23/2024
8,534.1	89.9		Niobrara, Original Hole	4			9/23/2024
8,807.1	89.2		Niobrara, Original Hole	4			9/23/2024
9,080.1	89.7		Niobrara, Original Hole	4			9/23/2024
9,352.0	89.8		Niobrara, Original Hole	4			9/23/2024
9,625.0	89.5		Niobrara, Original Hole	4			9/23/2024
9,898.0	89.1		Niobrara, Original Hole	4			9/22/2024
10,170.9	89.1		Niobrara, Original Hole	4			9/22/2024
10,442.9	89.0	Casing Joints, 5 1/2in; 13028; 6673 TVD; 5,022.92; 6673-6711.5 TVD; 8005.1-13028	Niobrara, Original Hole	4			9/22/2024
10,717.8	89.2		Niobrara, Original Hole	4			9/22/2024
10,987.9	89.8		Niobrara, Original Hole	4			9/22/2024
11,256.9	89.4		Niobrara, Original Hole	4			9/22/2024
11,530.8	89.1		Niobrara, Original Hole	4			9/22/2024
11,805.1	89.9		Niobrara, Original Hole	4			9/22/2024
12,077.1	89.6		Niobrara, Original Hole	4			9/22/2024
12,355.0	89.9		Niobrara, Original Hole	4			9/22/2024
12,625.0	89.7		Niobrara, Original Hole	4			9/22/2024
12,898.0	89.9		Niobrara, Original Hole	4			9/22/2024
13,027.9	90.0	Marker Joint A, 5 1/2in; 13067.9; 6711.5 TVD; 19.99; 6711.5-6711.4 TVD; 13047.9-13067.9	Niobrara, Original Hole	4			9/22/2024
13,067.9	90.1		Niobrara, Original Hole	4			9/22/2024
13,199.1	90.4		Niobrara, Original Hole	4			9/22/2024
13,472.1	90.6		Niobrara, Original Hole	4			9/22/2024
13,745.1	90.1		Niobrara, Original Hole	4			9/22/2024
14,018.0	90.0		Niobrara, Original Hole	4			9/22/2024
14,290.0	89.7		Niobrara, Original Hole	4			9/22/2024
14,563.0	89.9		Niobrara, Original Hole	4			9/22/2024
14,836.0	90.1		Niobrara, Original Hole	4			9/22/2024
15,107.9	89.4		Niobrara, Original Hole	4			9/22/2024
15,380.9	90.0		Niobrara, Original Hole	4			9/21/2024
15,653.9	89.6		Niobrara, Original Hole	4			9/21/2024
15,926.8	89.5		Niobrara, Original Hole	4			9/21/2024
16,199.1	89.7		Niobrara, Original Hole	4			9/21/2024
16,472.1	89.7		Niobrara, Original Hole	4			9/21/2024
16,745.1	89.3		Niobrara, Original Hole	4			9/21/2024
17,018.0	89.6		Niobrara, Original Hole	4			9/21/2024
17,290.0	89.7		Niobrara, Original Hole	4			9/21/2024
17,561.0	90.0	Casing Pup Joint, 5 1/2in; 18118.6; 6723.3 TVD; 5.18; 6723.3-6723.3 TVD; 18113.4-18118.6	Niobrara, Original Hole	4			9/21/2024
17,834.0	90.3	Casing Pup Joint, 5 1/2in; 18134; 6723.2 TVD; 9.55; 6723.2-6723.2 TVD; 18124.4-18134	Niobrara, Original Hole	4			9/21/2024
18,108.9	90.1	Casing Pup Joint, 5 1/2in; 18145.3; 6723.2 TVD; 9.55; 6723.2-6723.2 TVD; 18135.8-18145.3	Niobrara, Original Hole	4			9/21/2024
18,113.5	90.1		Niobrara, Original Hole	4			9/21/2024
18,124.3	90.1		Niobrara, Original Hole	4			9/21/2024
18,135.8	90.1		Niobrara, Original Hole	4			9/21/2024
18,147.0	90.1		Niobrara, Original Hole	4			9/21/2024



Wellbore Schematic Input Report

Well Name: George 03NA

Original Hole [Land]			Perforation Data				
MD (ROTH)	Incl (°)	Vertical schematic (actual)	Linked Zone	Sum of Entered Shot Total	Top (ftOTH)	Btm (ftOTH)	Date
25.9	0.1	Wellhead, 9 5/8in; 26.6; 25 TVD; 1.51; 25-26.5 TVD; 25-26.6	Niobrara, Original Hole	4			9/21/2024
31.5	0.1	Casing Joints, 16in; 105; 25 TVD; 80.00; 25-105 TVD; 25-105	Niobrara, Original Hole	4			9/21/2024
207.0	0.8	Casing joints, 9 5/8in; 207.1; 31.5 TVD; 175.66; 31.5-207.1 TVD; 31.5-207.1	Niobrara, Original Hole	4			9/21/2024
1,978.0	31.0	Casing Joints, 5 1/2in; 3527.8; 25 TVD; 3,502.84; 25-3175.6 TVD; 25-3527.8	Niobrara, Original Hole	4			9/21/2024
2,017.1	30.8	Float Collar, 9 5/8in; 1978; 1888.2 TVD; 1.38; 1888.2-1889.3 TVD; 1976.7-1978	Niobrara, Original Hole	4			9/21/2024
3,547.6	33.6	Float Shoe, 9 5/8in; 2017.1; 1921.6 TVD; 1.45; 1921.6-1922.8 TVD; 2015.6-2017.1	Niobrara, Original Hole	4			9/21/2024
6,490.8	32.3	Casing Joints, 5 1/2in; 6470.8; 3192.1 TVD; 2,923.23; 3192.1-5628.2 TVD; 3547.6-6470.8	Niobrara, Original Hole	4			9/21/2024
7,424.5	45.5	Casing Joints, 5 1/2in; 8003.4; 5645.4 TVD; 1,512.63; 5645.4-6673 TVD; 6490.8-8003.4	Niobrara, Original Hole	4			9/20/2024
7,756.6	75.9		Niobrara, Original Hole	4			9/20/2024
7,763.1	76.6		Niobrara, Original Hole	4			9/20/2024
8,004.9	90.3		Niobrara, Original Hole	4			9/20/2024
8,258.9	89.7		Niobrara, Original Hole	4			9/20/2024
8,534.1	89.9		Niobrara, Original Hole	4			9/20/2024
8,807.1	89.2		Niobrara, Original Hole	4			9/20/2024
9,080.1	89.7		Niobrara, Original Hole	4			9/20/2024
9,352.0	89.8		Niobrara, Original Hole	4			9/20/2024
9,625.0	89.5		Niobrara, Original Hole	4			9/20/2024
9,898.0	89.1		Niobrara, Original Hole	4			9/20/2024
10,170.9	89.1		Niobrara, Original Hole	4			9/20/2024
10,442.9	89.0	Casing Joints, 5 1/2in; 13028; 6673 TVD; 5,022.92; 6673-6711.5 TVD; 8005.1-13028	Niobrara, Original Hole	4			9/20/2024
10,717.8	89.2		Niobrara, Original Hole	4			9/20/2024
10,987.9	89.8		Niobrara, Original Hole	4			9/20/2024
11,256.9	89.4		Niobrara, Original Hole	4			9/20/2024
11,530.8	89.1		Niobrara, Original Hole	4			9/20/2024
11,805.1	89.9		Niobrara, Original Hole	4			9/20/2024
12,077.1	89.6		Niobrara, Original Hole	4			9/20/2024
12,355.0	89.9		Niobrara, Original Hole	4			9/20/2024
12,625.0	89.7		Niobrara, Original Hole	4			9/20/2024
12,898.0	89.9		Niobrara, Original Hole	4			9/20/2024
13,027.9	90.0	Marker Joint A, 5 1/2in; 13067.9; 6711.5 TVD; 19.99; 6711.5-6711.4 TVD; 13047.9-13067.9	Niobrara, Original Hole	4			9/20/2024
13,067.9	90.1		Niobrara, Original Hole	4			9/20/2024
13,199.1	90.4		Niobrara, Original Hole	4			9/20/2024
13,472.1	90.6		Niobrara, Original Hole	4			9/20/2024
13,745.1	90.1		Niobrara, Original Hole	4			9/19/2024
14,018.0	90.0		Niobrara, Original Hole	4			9/19/2024
14,290.0	89.7		Niobrara, Original Hole	4			9/19/2024
14,563.0	89.9		Niobrara, Original Hole	4			9/19/2024
14,836.0	90.1		Niobrara, Original Hole	4			9/19/2024
15,107.9	89.4		Niobrara, Original Hole	4			9/19/2024
15,380.9	90.0		Niobrara, Original Hole	4			9/19/2024
15,653.9	89.6		Niobrara, Original Hole	4			9/19/2024
15,926.8	89.5		Niobrara, Original Hole	4			9/19/2024
16,199.1	89.7		Niobrara, Original Hole	4			9/19/2024
16,472.1	89.7		Niobrara, Original Hole	4			9/19/2024
16,745.1	89.3		Niobrara, Original Hole	4			9/19/2024
17,018.0	89.6		Niobrara, Original Hole	12			8/4/2024
17,290.0	89.7		Total	900			
17,561.0	90.0	Casing Pup Joint, 5 1/2in; 18118.6; 6723.3 TVD; 5.18; 6723.3-6723.3 TVD; 18113.4-18118.6	Job Supply Amounts				
17,834.0	90.3		Supply Item Des	Job Supply Type	Uni...	Job Category	Total... Total... Total...
18,108.9	90.1		Daily Cost Breakdown by Category				
18,113.5	90.1	Casing Pup Joint, 5 1/2in; 18134; 6723.2 TVD; 9.55; 6723.2-6723.2 TVD; 18124.4-18134	Field Est (Cost)	Description	Note		
18,124.3	90.1						
18,135.8	90.1	Casing Pup Joint, 5 1/2in; 18145.3; 6723.2 TVD; 9.55; 6723.2-6723.2 TVD; 18135.8-18145.3					
18,147.0	90.1						