



# Wellbore Schematic Input Report

Well Name: George 04N

Original Hole [Land]			Well Header						
MD (ftOTH)	Incl (°)	Vertical schematic (actual)	Surface UWI 0512351777		Asset Team 10004134		Production Tree Location Land		
			Original RKB Elevation (ft) 4,742.00		Original KB to Ground (ft) 25.00		Original Spud Date 3/14/2024		Abandon Date
25.9	0.1	Wellhead, 9 5/8in; 26.5; 25 TVD; 1.51; 25-26.5 TVD; 25-26.5	Range 64W			Well Sub-Status PR		High Press...	
31.5	0.1	Casing Joints, 16in; 105; 25 TVD; 80.00; 25-105 TVD; 25-105	Directions To Well WCR 42-53 East 6/10 North into. ALL traffic must arrive from and leave to the West via CR 53				Latitude (°) 40° 18' 0.792" N		Longitude (°) 104° 33' 17.262" W
105.0	0.5	Casing joints, 9 5/8in; 104.1; 31.5 TVD; 72.67; 31.5-104.1 TVD; 31.5 -104.1	Comment						
1.9744	28.3		Congressional Location						
2.0138	28.1	Casing joints, 9 5/8in; 1974.4; 250.9 TVD; 1,723.47; 250.9- 1873.2 TVD; 250.9-1974.4	Quarter 3 SW	Quarter 4 NE	Section 21	Township 4	Twntshp N/S Dir N	Range 64	Range E/W Dir W
3.5010	31.1	Casing Joints, 5 1/2in; 3501; 25 TVD; 3,476.01; 25-3187.1 TVD; 25-3501	Rig Operator						
6.4465	30.4		Rig/Unit Supervisor Shawn Johnson						
7.3720	44.9	Casing joints, 9 5/8in; 2013.6; 1874.4 TVD; 37.83; 1874.4- 1907.8 TVD; 1975.8-2013.6	Daily Cost Summary						
7.7369	73.9	Casing Joints, 5 1/2in; 6446.4; 3204.8 TVD; 2,924.76; 3204.8- 5721.1 TVD; 3521.7-6446.4	Sum of Field Est (Cost) 0						
7.7441	74.3	Casing Joints, 5 1/2in; 7949.8; 5729.5 TVD; 1,493.53; 5729.5- 6788.3 TVD; 6456.2-7949.8	Wellbore Plug Back Total Depths						
7.8100	78.8		Date	PBTD (ftOTH)	Method		Com		
7.9514	88.4		3/17/2024						
8.0820	89.3		Wellbore Sections						
8.3550	90.1		Section Des		Hole Size (in)	Top Depth (ftOTH)		Btm Depth (ftOTH)	
8.6270	89.9		Conductor		16				
8.8999	90.7		Surface		13 1/2				
9.1719	90.4		Production		8 1/2				
9.4449	90.2		Zone Statuses						
9.7178	89.8		Zone Name		Status Date		Status		
9.9902	89.0		Niobrara		11/14/2024		Open		
10.2598	89.9		Casing Strings						
10.5351	89.6		Conductor, Actual, <DepthBtm>ftOTH						
10.8130	89.7		Casing Description	Run Date	OD (in)	Wt/Len (l...	Grade	Top Depth...	Set Depth...
11.0810	89.1		Conductor	2/6/2024	16	84.00	J-55		
11.3530	89.7		Surface, Actual, <DepthBtm>ftOTH						
11.6289	89.9		Casing Description	Run Date	OD (in)	Wt/Len (l...	Grade	Top Depth...	Set Depth...
11.8940	90.3		Surface	3/2/2024	9 5/8	36.00	J-55		
12.1709	89.5		Production, Actual, <DepthBtm>ftOTH						
12.4439	89.5		Casing Description	Run Date	OD (in)	Wt/Len (l...	Grade	Top Depth...	Set Depth...
12.7159	89.5		Production	3/17/2024	5 1/2	20.00	P-110		
12.8363	89.7	Marker Joint A, 5 1/2in; 12856.3; 6810.2 TVD; 20.03; 6810.2- 6810.3 TVD; 12836.2-12856.3	Cement						
12.9600	89.3		Des		Start Date		Top (ftOTH)	Btm (ftOTH)	
13.2329	88.8		Conductor Cement		2/6/2024				
13.5049	89.9		Surface		3/3/2024				
13.7779	89.9		Production Casing Cement		3/17/2024				
14.0509	89.5		Proposed Cement						
14.3232	89.3		Des					Top (ftOTH)	Btm (ftOTH)
14.5961	89.5								
14.8681	89.7		Tubing Strings						
15.1411	89.8		Tubing Description	Run Date	String...	ID (in)	Wt (lb/ft)	Grade	Len (ft)
15.4140	89.5		Tubing - Production	11/5/2024	2 3/8	1.995	4.70	L-80	7,719.82
15.6860	89.3		Tubing Components						
15.9590	89.9		Item Des	OD (in)	Wt (lb/ft)	Grade	Jts	Len (ft)	Btm (ftOTH)
16.2310	89.6		Tubing Hanger	5			1	0.85	
16.5010	89.5		Tubing	2 3/8	4.70	L-80	222	7,346.25	
16.7779	89.7		X-Nipple	2 3/8	4.70	L-80	1	0.95	
17.0489	89.9		Tubing	2 3/8	4.70	L-80	11	363.99	
17.3219	89.7		XN - Nipple	2 3/8	4.70	L-80	1	1.03	
17.5942	89.7	Casing Pup Joint, 5 1/2in; 17906.1; 6839.8 TVD; 5.17; 6839.8-6839.8 TVD; 17901- 17906.1	Tubing Pup Joint	2 3/8	4.70	L-80	1	6.05	
17.8671	89.7		Ceramic disc sub	2 3/8	4.70	L-80	1	0.70	
17.8980	89.7	Casing Pup Joint, 5 1/2in; 17922; 6839.8 TVD; 10.00; 6839.8- 6839.9 TVD; 17912-17922	Other In Hole						
17.9062	89.7	Casing Pup Joint, 5 1/2in; 17933.3; 6839.9 TVD; 9.52; 6839.9-6839.9 TVD; 17923.8- 17933.3	Run Date	Des			Make	OD (in)	Top (ftOTH)
17.9219	89.7								Btm (ftOTH)
17.9334	89.7								



# Wellbore Schematic Input Report

Well Name: George 04N

Original Hole [Land]			Proposed Other In Hole				
MD (ftOTH)	Incl (°)	Vertical schematic (actual)	Des	Make	OD (in)	Top (ftOTH)	Btm (ftOTH)
			Logs				
			Date	Type	Depth Top (MD) (ftOTH)		Btm (ftOTH)
			Perforation Data				
			Linked Zone	Sum of Entered Shot Total	Top (ftOTH)	Btm (ftOTH)	Date
25.9	0.1	Wellhead, 9 5/8in; 26.5; 25 TVD; 1.51; 25-26.5 TVD; 25-26.5	Niobrara, Original Hole	4			9/28/2024
31.5	0.1	Casing Joints, 16in; 105; 25 TVD; 80.00; 25-105 TVD; 25-105	Niobrara, Original Hole	4			9/28/2024
105.0	0.5	Casing joints, 9 5/8in; 104.1; 31.5 TVD; 72.67; 31.5-104.1 TVD; 31.5 -104.1	Niobrara, Original Hole	4			9/28/2024
1974.4	28.3		Niobrara, Original Hole	4			9/28/2024
2013.8	28.1	Casing joints, 9 5/8in; 1974.4; 250.9 TVD; 1,723.47; 250.9-1873.2 TVD; 250.9-1974.4	Niobrara, Original Hole	4			9/28/2024
3501.0	31.1	Casing Joints, 5 1/2in; 3501; 25 TVD; 3,476.01; 25-3187.1 TVD; 25-3501	Niobrara, Original Hole	4			9/28/2024
6446.5	30.4		Niobrara, Original Hole	4			9/28/2024
7372.0	44.9	Casing joints, 9 5/8in; 2013.6; 1874.4 TVD; 37.83; 1874.4-1907.8 TVD; 1975.8-2013.6	Niobrara, Original Hole	4			9/28/2024
7736.9	73.9		Niobrara, Original Hole	4			9/28/2024
7744.1	74.3	Casing Joints, 5 1/2in; 6446.4; 3204.8 TVD; 2,924.76; 3204.8-5721.1 TVD; 3521.7-6446.4	Niobrara, Original Hole	4			9/28/2024
7810.0	78.8		Niobrara, Original Hole	4			9/28/2024
7951.4	88.4	Casing Joints, 5 1/2in; 7949.8; 5729.5 TVD; 1,493.53; 5729.5-6788.3 TVD; 6456.2-7949.8	Niobrara, Original Hole	4			9/28/2024
8082.0	89.3		Niobrara, Original Hole	4			9/28/2024
8355.0	90.1		Niobrara, Original Hole	4			9/28/2024
8627.0	89.9		Niobrara, Original Hole	4			9/28/2024
8899.9	90.7		Niobrara, Original Hole	4			9/28/2024
9171.9	90.4		Niobrara, Original Hole	4			9/28/2024
9444.9	90.2		Niobrara, Original Hole	4			9/28/2024
9717.8	89.8		Niobrara, Original Hole	4			9/28/2024
9990.2	89.0		Niobrara, Original Hole	4			9/28/2024
10259.8	89.9	Casing Joints, 5 1/2in; 12816.6; 6788.4 TVD; 4,865.18; 6788.4-6810.2 TVD; 7951.4-12816.6	Niobrara, Original Hole	4			9/28/2024
10535.1	89.6		Niobrara, Original Hole	4			9/28/2024
10813.0	89.7		Niobrara, Original Hole	4			9/28/2024
11081.0	89.1		Niobrara, Original Hole	4			9/28/2024
11353.0	89.7		Niobrara, Original Hole	4			9/28/2024
11628.9	89.9		Niobrara, Original Hole	4			9/28/2024
11894.0	90.3		Niobrara, Original Hole	4			9/28/2024
12170.9	89.5		Niobrara, Original Hole	4			9/28/2024
12443.9	89.5		Niobrara, Original Hole	4			9/27/2024
12715.9	89.5		Niobrara, Original Hole	4			9/27/2024
12836.3	89.7	Marker Joint A, 5 1/2in; 12856.3; 6810.2 TVD; 20.03; 6810.2-6810.3 TVD; 12836.2-12856.3	Niobrara, Original Hole	4			9/27/2024
12960.0	89.3		Niobrara, Original Hole	4			9/27/2024
13232.9	88.8		Niobrara, Original Hole	4			9/27/2024
13504.9	89.9		Niobrara, Original Hole	4			9/27/2024
13777.9	89.9		Niobrara, Original Hole	4			9/27/2024
14050.9	89.5		Niobrara, Original Hole	4			9/27/2024
14323.2	89.3		Niobrara, Original Hole	4			9/27/2024
14596.1	89.5		Niobrara, Original Hole	4			9/27/2024
14868.1	89.7		Niobrara, Original Hole	4			9/27/2024
15141.1	89.8		Niobrara, Original Hole	4			9/27/2024
15414.0	89.5		Niobrara, Original Hole	4			9/27/2024
15686.0	89.3		Niobrara, Original Hole	4			9/27/2024
15959.0	89.9		Niobrara, Original Hole	4			9/27/2024
16231.0	89.6		Niobrara, Original Hole	4			9/27/2024
16501.0	89.5		Niobrara, Original Hole	4			9/27/2024
16777.9	89.7		Niobrara, Original Hole	4			9/27/2024
17048.9	89.9		Niobrara, Original Hole	4			9/27/2024
17321.9	89.7		Niobrara, Original Hole	4			9/27/2024
17594.2	89.7	Casing Pup Joint, 5 1/2in; 17906.1; 6839.8 TVD; 5.17; 6839.8-6839.8 TVD; 17901-17906.1	Niobrara, Original Hole	4			9/27/2024
17867.1	89.7		Niobrara, Original Hole	4			9/27/2024
17898.0	89.7	Casing Pup Joint, 5 1/2in; 17922; 6839.8 TVD; 10.00; 6839.8-6839.9 TVD; 17912-17922	Niobrara, Original Hole	4			9/27/2024
17906.2	89.7		Niobrara, Original Hole	4			9/27/2024
17921.9	89.7	Casing Pup Joint, 5 1/2in; 17933.3; 6839.9 TVD; 9.52; 6839.9-6839.9 TVD; 17923.8-17933.3	Niobrara, Original Hole	4			9/27/2024
17933.4	89.7		Niobrara, Original Hole	4			9/27/2024



# Wellbore Schematic Input Report

Well Name: George 04N

Original Hole [Land]			Perforation Data				
MD (fROTH)	Incl (°)	Vertical schematic (actual)	Linked Zone	Sum of Entered Shot Total	Top (fROTH)	Btm (fROTH)	Date
25.9	0.1	Wellhead, 9 5/8in; 26.5; 25 TVD; 1.51; 25-26.5 TVD; 25-26.5	Niobrara, Original Hole	4			9/27/2024
31.5	0.1	Casing Joints, 16in; 105; 25 TVD; 80.00; 25-105 TVD; 25-105	Niobrara, Original Hole	4			9/26/2024
105.0	0.5	Casing joints, 9 5/8in; 104.1; 31.5 TVD; 72.67; 31.5-104.1 TVD; 31.5 -104.1	Niobrara, Original Hole	4			9/26/2024
1,974.4	28.3		Niobrara, Original Hole	4			9/26/2024
2,013.8	28.1	Casing joints, 9 5/8in; 1974.4; 250.9 TVD; 1,723.47; 250.9-1873.2 TVD; 250.9-1974.4	Niobrara, Original Hole	4			9/26/2024
3,501.0	31.1		Niobrara, Original Hole	4			9/26/2024
6,446.5	30.4	Casing Joints, 5 1/2in; 3501; 25 TVD; 3,476.01; 25-3187.1 TVD; 25-3501	Niobrara, Original Hole	4			9/26/2024
7,372.0	44.9		Niobrara, Original Hole	4			9/26/2024
7,736.9	73.9	Casing joints, 9 5/8in; 2013.6; 1874.4 TVD; 37.83; 1874.4-1907.8 TVD; 1975.8-2013.6	Niobrara, Original Hole	4			9/26/2024
7,744.1	74.3		Niobrara, Original Hole	4			9/26/2024
7,810.0	78.8	Casing Joints, 5 1/2in; 6446.4; 3204.8 TVD; 2,924.76; 3204.8-5721.1 TVD; 3521.7-6446.4	Niobrara, Original Hole	4			9/26/2024
7,951.4	88.4		Niobrara, Original Hole	4			9/26/2024
8,082.0	89.3	Casing Joints, 5 1/2in; 7949.8; 5729.5 TVD; 1,493.53; 5729.5-6788.3 TVD; 6456.2-7949.8	Niobrara, Original Hole	4			9/26/2024
8,355.0	90.1		Niobrara, Original Hole	4			9/26/2024
8,627.0	89.9		Niobrara, Original Hole	4			9/26/2024
8,899.9	90.7		Niobrara, Original Hole	4			9/26/2024
9,171.9	90.4		Niobrara, Original Hole	4			9/26/2024
9,444.9	90.2		Niobrara, Original Hole	4			9/26/2024
9,717.8	89.8		Niobrara, Original Hole	4			9/26/2024
9,990.2	89.0		Niobrara, Original Hole	4			9/26/2024
10,259.8	89.9	Casing Joints, 5 1/2in; 12816.6; 6788.4 TVD; 4,865.18; 6788.4-6810.2 TVD; 7951.4-12816.6	Niobrara, Original Hole	4			9/26/2024
10,535.1	89.6		Niobrara, Original Hole	4			9/26/2024
10,813.0	89.7		Niobrara, Original Hole	8			9/26/2024
11,081.0	89.1		Niobrara, Original Hole	8			9/26/2024
11,353.0	89.7		Niobrara, Original Hole	8			9/26/2024
11,628.9	89.9		Niobrara, Original Hole	8			9/26/2024
11,894.0	90.3		Niobrara, Original Hole	8			9/26/2024
12,170.9	89.5		Niobrara, Original Hole	8			9/26/2024
12,443.9	89.5		Niobrara, Original Hole	4			9/25/2024
12,715.9	89.5		Niobrara, Original Hole	4			9/25/2024
12,836.3	89.7	Marker Joint A, 5 1/2in; 12856.3; 6810.2 TVD; 20.03; 6810.2-6810.3 TVD; 12836.2-12856.3	Niobrara, Original Hole	4			9/25/2024
12,960.0	89.3		Niobrara, Original Hole	4			9/25/2024
13,232.9	88.8		Niobrara, Original Hole	4			9/25/2024
13,504.9	89.9		Niobrara, Original Hole	4			9/25/2024
13,777.9	89.9		Niobrara, Original Hole	4			9/25/2024
14,050.9	89.5		Niobrara, Original Hole	4			9/25/2024
14,323.2	89.3		Niobrara, Original Hole	4			9/25/2024
14,596.1	89.5		Niobrara, Original Hole	4			9/25/2024
14,868.1	89.7		Niobrara, Original Hole	4			9/25/2024
15,141.1	89.8		Niobrara, Original Hole	12			9/25/2024
15,414.0	89.5		Niobrara, Original Hole	12			9/25/2024
15,686.0	89.3		Niobrara, Original Hole	12			9/25/2024
15,959.0	89.9		Niobrara, Original Hole	12			9/25/2024
16,231.0	89.6		Niobrara, Original Hole	12			9/25/2024
16,501.0	89.5		Niobrara, Original Hole	4			9/25/2024
16,777.9	89.7		Niobrara, Original Hole	4			9/25/2024
17,048.9	89.9		Niobrara, Original Hole	4			9/25/2024
17,321.9	89.7		Niobrara, Original Hole	4			9/25/2024
17,594.2	89.7	Casing Pup Joint, 5 1/2in; 17906.1; 6839.8 TVD; 5.17; 6839.8-6839.8 TVD; 17901-17906.1	Niobrara, Original Hole	4			9/25/2024
17,867.1	89.7		Niobrara, Original Hole	4			9/25/2024
17,898.0	89.7	Casing Pup Joint, 5 1/2in; 17922; 6839.8 TVD; 10.00; 6839.8-6839.9 TVD; 17912-17922	Niobrara, Original Hole	4			9/24/2024
17,906.2	89.7		Niobrara, Original Hole	4			9/24/2024
17,921.9	89.7	Casing Pup Joint, 5 1/2in; 17933.3; 6839.9 TVD; 9.52; 6839.9-6839.9 TVD; 17923.8-17933.3	Niobrara, Original Hole	4			9/24/2024
17,933.4	89.7		Niobrara, Original Hole	4			9/24/2024



# Wellbore Schematic Input Report

Well Name: George 04N

Original Hole [Land]			Perforation Data				
MD (fROTH)	Incl (°)	Vertical schematic (actual)	Linked Zone	Sum of Entered Shot Total	Top (fROTH)	Btm (fROTH)	Date
25.9	0.1	Wellhead, 9 5/8in; 26.5; 25 TVD; 1.51; 25-26.5 TVD; 25-26.5	Niobrara, Original Hole	4			9/24/2024
31.5	0.1	Casing Joints, 16in; 105; 25 TVD; 80.00; 25-105 TVD; 25-105	Niobrara, Original Hole	4			9/24/2024
105.0	0.5	Casing joints, 9 5/8in; 104.1; 31.5 TVD; 72.67; 31.5-104.1 TVD; 31.5 -104.1	Niobrara, Original Hole	4			9/24/2024
1,974.4	28.3		Niobrara, Original Hole	4			9/24/2024
2,013.8	28.1	Casing joints, 9 5/8in; 1974.4; 250.9 TVD; 1,723.47; 250.9-1873.2 TVD; 250.9-1974.4	Niobrara, Original Hole	4			9/24/2024
3,501.0	31.1		Niobrara, Original Hole	4			9/24/2024
6,446.5	30.4	Casing Joints, 5 1/2in; 3501; 25 TVD; 3,476.01; 25-3187.1 TVD; 25-3501	Niobrara, Original Hole	4			9/23/2024
7,372.0	44.9		Niobrara, Original Hole	4			9/23/2024
7,736.9	73.9	Casing joints, 9 5/8in; 2013.6; 1874.4 TVD; 37.83; 1874.4-1907.8 TVD; 1975.8-2013.6	Niobrara, Original Hole	4			9/23/2024
7,744.1	74.3		Niobrara, Original Hole	4			9/23/2024
7,810.0	78.8	Casing Joints, 5 1/2in; 6446.4; 3204.8 TVD; 2,924.76; 3204.8-5721.1 TVD; 3521.7-6446.4	Niobrara, Original Hole	4			9/23/2024
7,951.4	88.4		Niobrara, Original Hole	4			9/23/2024
8,082.0	89.3	Casing Joints, 5 1/2in; 7949.8; 5729.5 TVD; 1,493.53; 5729.5-6788.3 TVD; 6456.2-7949.8	Niobrara, Original Hole	4			9/23/2024
8,355.0	90.1		Niobrara, Original Hole	4			9/23/2024
8,627.0	89.9		Niobrara, Original Hole	4			9/23/2024
8,899.9	90.7		Niobrara, Original Hole	4			9/23/2024
9,171.9	90.4		Niobrara, Original Hole	4			9/23/2024
9,444.9	90.2		Niobrara, Original Hole	4			9/22/2024
9,717.8	89.8		Niobrara, Original Hole	4			9/22/2024
9,990.2	89.0		Niobrara, Original Hole	4			9/22/2024
10,259.8	89.9	Casing Joints, 5 1/2in; 12816.6; 6788.4 TVD; 4,865.18; 6788.4-6810.2 TVD; 7951.4-12816.6	Niobrara, Original Hole	4			9/22/2024
10,535.1	89.6		Niobrara, Original Hole	4			9/22/2024
10,813.0	89.7		Niobrara, Original Hole	4			9/22/2024
11,081.0	89.1		Niobrara, Original Hole	4			9/22/2024
11,353.0	89.7		Niobrara, Original Hole	4			9/22/2024
11,628.9	89.9		Niobrara, Original Hole	4			9/22/2024
11,894.0	90.3		Niobrara, Original Hole	4			9/22/2024
12,170.9	89.5		Niobrara, Original Hole	4			9/22/2024
12,443.9	89.5		Niobrara, Original Hole	4			9/22/2024
12,715.9	89.5		Niobrara, Original Hole	4			9/22/2024
12,836.3	89.7	Marker Joint A, 5 1/2in; 12856.3; 6810.2 TVD; 20.03; 6810.2-6810.3 TVD; 12836.2-12856.3	Niobrara, Original Hole	4			9/22/2024
12,960.0	89.3		Niobrara, Original Hole	4			9/22/2024
13,232.9	88.8		Niobrara, Original Hole	4			9/22/2024
13,504.9	89.9		Niobrara, Original Hole	4			9/22/2024
13,777.9	89.9		Niobrara, Original Hole	4			9/22/2024
14,050.9	89.5		Niobrara, Original Hole	4			9/22/2024
14,323.2	89.3		Niobrara, Original Hole	4			9/22/2024
14,596.1	89.5		Niobrara, Original Hole	4			9/22/2024
14,868.1	89.7		Niobrara, Original Hole	4			9/22/2024
15,141.1	89.8		Niobrara, Original Hole	4			9/22/2024
15,414.0	89.5		Niobrara, Original Hole	4			9/22/2024
15,686.0	89.3		Niobrara, Original Hole	4			9/22/2024
15,959.0	89.9		Niobrara, Original Hole	4			9/22/2024
16,231.0	89.6		Niobrara, Original Hole	4			9/22/2024
16,501.0	89.5		Niobrara, Original Hole	4			9/21/2024
16,777.9	89.7		Niobrara, Original Hole	4			9/21/2024
17,048.9	89.9		Niobrara, Original Hole	4			9/21/2024
17,321.9	89.7		Niobrara, Original Hole	4			9/21/2024
17,594.2	89.7	Casing Pup Joint, 5 1/2in; 17906.1; 6839.8 TVD; 5.17; 6839.8-6839.8 TVD; 17901-17906.1	Niobrara, Original Hole	4			9/21/2024
17,867.1	89.7		Niobrara, Original Hole	4			9/21/2024
17,898.0	89.7	Casing Pup Joint, 5 1/2in; 17922; 6839.8 TVD; 10.00; 6839.8-6839.9 TVD; 17912-17922	Niobrara, Original Hole	4			9/21/2024
17,906.2	89.7		Niobrara, Original Hole	4			9/21/2024
17,921.9	89.7	Casing Pup Joint, 5 1/2in; 17933.3; 6839.9 TVD; 9.52; 6839.9-6839.9 TVD; 17923.8-17933.3	Niobrara, Original Hole	4			9/21/2024
17,933.4	89.7		Niobrara, Original Hole	4			9/21/2024





# Wellbore Schematic Input Report

Well Name: George 04N

Original Hole [Land]			Perforation Data				
MD (ftOTH)	Incl (°)	Vertical schematic (actual)	Linked Zone	Sum of Entered Shot Total	Top (ftOTH)	Btm (ftOTH)	Date
25.9	0.1	Wellhead, 9 5/8in; 26.5; 25 TVD; 1.51; 25-26.5 TVD; 25-26.5	Niobrara, Original Hole	4			9/21/2024
31.5	0.1	Casing Joints, 16in; 105; 25 TVD; 80.00; 25-105 TVD; 25-105	Niobrara, Original Hole	4			9/21/2024
105.0	0.5	Casing joints, 9 5/8in; 104.1; 31.5 TVD; 72.67; 31.5-104.1 TVD; 31.5 -104.1	Niobrara, Original Hole	4			9/21/2024
1,974.4	28.3		Niobrara, Original Hole	4			9/21/2024
2,013.8	28.1	Casing joints, 9 5/8in; 1974.4; 250.9 TVD; 1,723.47; 250.9-1873.2 TVD; 250.9-1974.4	Niobrara, Original Hole	4			9/21/2024
3,501.0	31.1		Niobrara, Original Hole	4			9/21/2024
6,446.5	30.4	Casing Joints, 5 1/2in; 3501; 25 TVD; 3,476.01; 25-3187.1 TVD; 25-3501	Niobrara, Original Hole	4			9/21/2024
7,372.0	44.9		Niobrara, Original Hole	4			9/21/2024
7,736.9	73.9	Casing joints, 9 5/8in; 2013.6; 1874.4 TVD; 37.83; 1874.4-1907.8 TVD; 1975.8-2013.6	Niobrara, Original Hole	4			9/21/2024
7,744.1	74.3		Niobrara, Original Hole	4			9/21/2024
7,810.0	78.8	Casing Joints, 5 1/2in; 6446.4; 3204.8 TVD; 2,924.76; 3204.8-5721.1 TVD; 3521.7-6446.4	Niobrara, Original Hole	4			9/21/2024
7,951.4	88.4		Niobrara, Original Hole	4			9/21/2024
8,082.0	89.3	Casing Joints, 5 1/2in; 7949.8; 5729.5 TVD; 1,493.53; 5729.5-6788.3 TVD; 6456.2-7949.8	Niobrara, Original Hole	4			9/21/2024
8,355.0	90.1		Niobrara, Original Hole	4			9/21/2024
8,627.0	89.9		Niobrara, Original Hole	4			9/21/2024
8,899.9	90.7		Niobrara, Original Hole	4			9/21/2024
9,171.9	90.4		Niobrara, Original Hole	4			9/21/2024
9,444.9	90.2		Niobrara, Original Hole	4			9/20/2024
9,717.8	89.8		Niobrara, Original Hole	4			9/20/2024
9,990.2	89.0		Niobrara, Original Hole	4			9/20/2024
10,259.8	89.9	Casing Joints, 5 1/2in; 12816.6; 6788.4 TVD; 4,865.18; 6788.4-6810.2 TVD; 7951.4-12816.6	Niobrara, Original Hole	4			9/20/2024
10,535.1	89.6		Niobrara, Original Hole	4			9/20/2024
10,813.0	89.7		Niobrara, Original Hole	4			9/20/2024
11,081.0	89.1		Niobrara, Original Hole	4			9/20/2024
11,353.0	89.7		Niobrara, Original Hole	4			9/20/2024
11,628.9	89.9		Niobrara, Original Hole	4			9/20/2024
11,894.0	90.3		Niobrara, Original Hole	4			9/20/2024
12,170.9	89.5		Niobrara, Original Hole	4			9/20/2024
12,443.9	89.5		Niobrara, Original Hole	4			9/20/2024
12,715.9	89.5		Niobrara, Original Hole	4			9/20/2024
12,836.3	89.7	Marker Joint A, 5 1/2in; 12856.3; 6810.2 TVD; 20.03; 6810.2-6810.3 TVD; 12836.2-12856.3	Niobrara, Original Hole	4			9/20/2024
12,960.0	89.3		Niobrara, Original Hole	4			9/20/2024
13,232.9	88.8		Niobrara, Original Hole	4			9/20/2024
13,504.9	89.9		Niobrara, Original Hole	4			9/20/2024
13,777.9	89.9		Niobrara, Original Hole	4			9/20/2024
14,050.9	89.5		Niobrara, Original Hole	4			9/20/2024
14,323.2	89.3		Niobrara, Original Hole	4			9/20/2024
14,596.1	89.5		Niobrara, Original Hole	4			9/20/2024
14,868.1	89.7		Niobrara, Original Hole	4			9/20/2024
15,141.1	89.8		Niobrara, Original Hole	4			9/19/2024
15,414.0	89.5		Niobrara, Original Hole	4			9/19/2024
15,686.0	89.3		Niobrara, Original Hole	4			9/19/2024
15,959.0	89.9		Niobrara, Original Hole	4			9/19/2024
16,231.0	89.6		Niobrara, Original Hole	4			9/19/2024
16,501.0	89.5		Niobrara, Original Hole	4			9/19/2024
16,777.9	89.7		Niobrara, Original Hole	12			8/4/2024
17,048.9	89.9		Total	972			
17,321.9	89.7		Job Supply Amounts				
17,594.2	89.7	Casing Pup Joint, 5 1/2in; 17906.1; 6839.8 TVD; 5.17; 6839.8-6839.8 TVD; 17901-17906.1	Supply Item Des	Job Supply Type	Uni...	Job Category	Total... Total... Total...
17,867.1	89.7		Daily Cost Breakdown by Category				
17,898.0	89.7	Casing Pup Joint, 5 1/2in; 17922; 6839.8 TVD; 10.00; 6839.8-6839.9 TVD; 17912-17922	Field Est (Cost)	Description	Note		
17,906.2	89.7						
17,921.9	89.7	Casing Pup Joint, 5 1/2in; 17933.3; 6839.9 TVD; 9.52; 6839.9-6839.9 TVD; 17923.8-17933.3					
17,933.4	89.7						