

TABLE 1
DEHAAN V27-10, 15
SOIL SAMPLE FIELD DATA SUMMARY TABLE
KERR-McGEE OIL AND GAS ONSHORE LP

Sample Location	Date	Approximate Depth (feet bgs)	PID (ppm-v)	Visual Observation	Olfactory Observation	Latitude, Longitude	Submitted for Lab Analysis (Y/N)
Tank Battery Soil Samples							
AST-B01 @ 3"	7/30/2024	0.25	3.4	N/S	N/O	40.1090838410739, -104.87241891616	Y
AST-B02 @ 3"	7/30/2024	0.25	2.3	N/S	N/O	40.109080897196, -104.872447939109	N
AST-B03 @ 3"	7/30/2024	0.25	0.6	N/S	N/O	40.1090521102829, -104.872410053992	Y
AST-B04 @ 3"	7/30/2024	0.25	0.1	N/S	N/O	40.1090519475635, -104.872438960609	N
DL-B01 @ 4'	7/30/2024	4	2.7	N/S	N/O	40.1089994624446, -104.872423306681	N
MH-B01 @ 6"	7/30/2024	0.5	1.0	N/S	N/O	40.1087933943698, -104.872456598836	N
ECD-B01 @ 6"	7/31/2024	0.5	0.5	N/S	N/O	40.1086770982933, -104.872354137307	N
DL-B02 @ 4'	7/31/2024	4	2.1	Slight HC Staining	HC Odor	40.1088082980478, -104.872413604813	N
SEP-B01 @ 4'	7/31/2024	4	2420	Slight HC Staining	HC Odor	40.1087886497926, -104.872387363442	Y
SEP-B02 @ 4'	7/31/2024	4	7.6	Slight HC Staining	HC Odor	40.1087643914596, -104.872371631624	Y
SEP-B03 @ 4'	7/31/2024	4	4077	Slight HC Staining	HC Odor	40.1087902601565, -104.872363422589	Y
SEP-B04 @ 4'	7/31/2024	4	25.6	Slight HC Staining	HC Odor	40.1087637853375, -104.872356697251	Y
AST-B03-01 @ 3"	9/4/2024	0.25	1.3	N/S	N/O	40.1090583720706, -104.872401762338	Y
SEP-B05 @ 6'	9/17/2024	6	1.6	N/S	N/O	40.108777397247, -104.872355413307	Y
SEP-N01 @ 4'	9/17/2024	4	2.0	N/S	N/O	40.10881497590686, -104.872366595724	Y
SEP-E01 @ 4'	9/17/2024	4	1.4	N/S	N/O	40.10877540524519, -104.87232810157	Y
SEP-S01 @ 4'	9/17/2024	4	2.0	N/S	N/O	40.108748319158686, -104.872341032075	Y
SEP-W01 @ 4'	9/17/2024	4	1.2	N/S	N/O	40.10877295049061, -104.872408521664	Y
Produced Water Vault Soil Samples							
PW-B01 @ 5'	7/30/2024	5	2.2	N/S	N/O	40.1090120273118, -104.87241140438	Y
PW-N01 @ 4'	7/30/2024	4	1.4	N/S	N/O	40.1090322849508, -104.872405369408	N
PW-S01 @ 4'	7/30/2024	4	3.3	N/S	N/O	40.1089989495917, -104.872406710516	N
PW-E01 @ 4'	7/30/2024	4	2.7	N/S	N/O	40.1090151044209, -104.872396652233	N
PW-W01 @ 4'	7/30/2024	4	1.9	N/S	N/O	40.1090181815329, -104.872423474317	Y
PW-W01-01 @ 4'	9/4/2024	4	0.0	N/S	N/O	40.1090330822306, -104.872433567946	Y
Background Soil Samples							
AST-BG01 @ 6"	7/30/2024	0.5	1.2	N/S	N/O	40.109221014321, -104.872801778374	Y
AST-BG02 @ 6"	7/30/2024	0.5	1.8	N/S	N/O	40.1092217472742, -104.872618715872	Y
AST-BG03 @ 6"	7/30/2024	0.5	1.7	N/S	N/O	40.1092341237408, -104.872291983275	Y
PW-BG01 @ 3'	7/30/2024	3	0.5	N/S	N/O	40.1086405491691, -104.872567546017	Y
PW-BG01 @ 6'	7/30/2024	6	0.9	N/S	N/O	40.1086405491691, -104.872567546017	Y
PW-BG02 @ 3'	7/30/2024	3	1.2	N/S	N/O	40.108755660599, -104.872600949745	Y
PW-BG02 @ 6'	7/30/2024	6	1.3	N/S	N/O	40.108755660599, -104.872600949745	Y
PW-BG03 @ 3'	7/30/2024	3	4.1	N/S	N/O	40.1088772337259, -104.872698876598	Y
PW-BG03 @ 6'	7/30/2024	6	4.9	N/S	N/O	40.1088772337259, -104.872698876598	Y
PW-BG04 @ 3'	7/30/2024	3	5.1	N/S	N/O	40.1089320788849, -104.872741264464	Y
PW-BG04 @ 6'	7/30/2024	6	6.2	N/S	N/O	40.1089320788849, -104.872741264464	Y

Notes:

bgs = below ground surface
PID = photoionization detector
ppm-v = parts per million by volume

N/S = No Staining
N/O = No Odor
HC = hydrocarbon

TABLE 2
DEHAAN V27-10, 15
SOIL SAMPLE RESULTS SUMMARY TABLE - VOCs
KERR-McGEE OIL AND GAS ONSHORE LP

Sample Location	Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	TPH-GRO (mg/kg)	TPH-DRO (mg/kg)	TPH-ORO (mg/kg)	Naphthalene (mg/kg)	1,2,4-TMB (mg/kg)	1,3,5-TMB (mg/kg)
ECMC standards for soil (mg/kg) ⁽¹⁾		0.0026	0.69	0.78	9.9	500			0.0038	0.0081	0.0087
ECMC standards for soil (mg/kg) ⁽²⁾		1.2	490	5.8	58	500			2	30	27
Tank Battery Soil Samples											
AST-B01 @ 3"	7/30/2024	<0.00200	<0.00200	<0.00200	<0.00200	<0.200	<25.0	<100	<0.002	<0.00200	<0.00200
AST-B03 @ 3"	7/30/2024	<0.00200	<0.00200	<0.00200	<0.00200	<0.200	<25.0	<100	<0.002	<0.00200	<0.00200
SEP-B01 @ 4'	7/31/2024	0.243	0.750	0.268	2.82	91.6	611	269	0.189	1.67	0.558
SEP-B02 @ 4'	7/31/2024	0.00314	0.0111	<0.00200	0.0154	0.269	<25.0	<100	0.003	0.00612	0.00206
SEP-B03 @ 4'	7/31/2024	0.00362	0.0143	0.00228	0.0320	0.961	31.0	<100	0.007	0.0204	0.00656
SEP-B04 @ 4'	7/31/2024	<0.00200	0.00378	<0.00200	0.00560	0.274	<25.0	<100	<0.002	0.00524	<0.00200
SEP-B05 @ 6'	9/17/2024	<0.00200	<0.00200	<0.00200	<0.00200	<0.200	<25.0	<100	<0.002	<0.00200	<0.00200
SEP-N01 @ 4'	9/17/2024	<0.00200	<0.00200	<0.00200	<0.00200	<0.200	<25.0	<100	<0.002	<0.00200	<0.00200
SEP-E01 @ 4'	9/17/2024	<0.00200	<0.00200	<0.00200	<0.00200	<0.200	<25.0	<100	<0.002	<0.00200	<0.00200
SEP-S01 @ 4'	9/17/2024	<0.00200	<0.00200	<0.00200	<0.00200	<0.200	<25.0	<100	<0.002	<0.00200	<0.00200
SEP-W01 @ 4'	9/17/2024	<0.00200	<0.00200	<0.00200	<0.00200	<0.200	<25.0	<100	<0.002	<0.00200	<0.00200
Produced Water Vault Soil Samples											
PW-B01 @ 5'	7/30/2024	<0.00200	<0.00200	<0.00200	<0.00200	<0.200	<25.0	<100	<0.002	<0.00200	<0.00200
PW-W01 @ 4'	7/30/2024	<0.00200	<0.00200	<0.00200	<0.00200	<0.200	<25.0	<100	<0.002	<0.00200	<0.00200

Notes:

⁽¹⁾ ECMC Table 915-1: Protection of Groundwater Soil Screening Level Concentrations, effective January 15, 2021

⁽²⁾ ECMC Table 915-1: Residential Soil Screening Level Concentrations, effective January 15, 2021

ECMC = Energy & Carbon Management Commission

< = Analytical result is less than the laboratory reporting limit

mg/kg = milligrams per kilogram

Values presented in **BOLD** contained concentrations exceeding ECMC Table 915-1 Cleanup Concentrations

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

TPH-DRO = Total petroleum hydrocarbons - diesel range organics

TPH-ORO = Total petroleum hydrocarbons - oil range organics

TMB = Trimethylbenzene

TABLE 3
DEHAAN V27-10, 15
SOIL SAMPLE RESULTS SUMMARY TABLE - SOIL SUITABILITY FOR RECLAMATION
KERR-McGEE OIL AND GAS ONSHORE LP

Sample Location	Date	Depth (ft. bgs)	pH	SAR	EC (mmhos/cm)	Boron (mg/L)
<i>ECMC standards for soil (mg/kg) ⁽¹⁾</i>			6 - 8.3	<6	<4	2
<i>Site-Specific Background Limits</i>			(@6') 8.58	(@3') 13.8	(@6') 7.69	(@6') 3.76
Tank Battery Soil Samples						
AST-B01 @ 3"	7/30/2024	0.25	8.09	0.773	1.41	0.196
AST-B03 @ 3"	7/30/2024	0.25	8.44	0.666	0.229	<0.100
AST-B03-01 @ 3"	9/4/2024	0.25	8.12	NA	NA	NA
SEP-B01 @ 4'	7/31/2024	4	7.83	0.182	2.27	0.523
SEP-B02 @ 4'	7/31/2024	4	8.13	1.33	2.49	0.912
SEP-B03 @ 4'	7/31/2024	4	8.17	1.55	2.68	1.22
SEP-B04 @ 4'	7/31/2024	4	8.27	3.04	2.24	0.710
SEP-B05 @ 6'	9/17/2024	6	NA	NA	NA	1.73
SEP-N01 @ 4'	9/17/2024	4	NA	NA	NA	0.738
SEP-E01 @ 4'	9/17/2024	4	NA	NA	NA	0.536
SEP-S01 @ 4'	9/17/2024	4	NA	NA	NA	0.597
SEP-W01 @ 4'	9/17/2024	4	NA	NA	NA	0.612
Produced Water Vault Soil Samples						
PW-B01 @ 5'	7/30/2024	5	7.87	0.748	2.47	0.631
PW-W01 @ 4'	7/30/2024	4	8.44	0.390	0.615	0.175
PW-W01-01 @ 4'	9/4/2024	4	8.19	NA	NA	NA
Background Soil Samples						
AST-BG01 @ 6"	7/30/2024	0.5	8.28	0.265	0.994	0.831
AST-BG02 @ 6"	7/30/2024	0.5	7.36	0.316	1.68	1.05
AST-BG03 @ 6"	7/30/2024	0.5	7.71	0.325	1.48	1.02
PW-BG01 @ 3'	7/30/2024	3	7.98	10.5	6.30	1.31
PW-BG01 @ 6'	7/30/2024	6	8.28	13.1	3.16	0.946
PW-BG02 @ 3'	7/30/2024	3	8.19	12.9	3.05	1.55
PW-BG02 @ 6'	7/30/2024	6	8.13	10.2	4.09	1.06
PW-BG03 @ 3'	7/30/2024	3	7.96	10.3	6.21	1.62
PW-BG03 @ 6'	7/30/2024	6	8.02	10.1	6.04	1.67
PW-BG04 @ 3'	7/30/2024	3	8.32	13.8	5.24	2.43
PW-BG04 @ 6'	7/30/2024	6	8.11	11.1	7.69	2.14
Wellhead Background Soil Samples (Dehaan V 27-10)						
WH-BG01 @ 3'	8/1/2024	3	8.24	8.18	7.38	2.60
WH-BG01 @ 6'	8/1/2024	6	8.44	9.96	3.32	3.76
WH-BG02 @ 3'	8/1/2024	3	8.20	6.73	5.07	1.89
WH-BG02 @ 6'	8/1/2024	6	8.46	8.82	2.40	1.28
WH-BG03 @ 3'	8/1/2024	3	8.33	7.95	5.61	2.70
WH-BG03 @ 6'	8/1/2024	6	8.32	8.99	3.35	2.47

TABLE 3
DEHAAN V27-10, 15
SOIL SAMPLE RESULTS SUMMARY TABLE - SOIL SUITABILITY FOR RECLAMATION
KERR-McGEE OIL AND GAS ONSHORE LP

Sample Location	Date	Depth (ft. bgs)	pH	SAR	EC (mmhos/cm)	Boron (mg/L)
<i>ECMC standards for soil (mg/kg)</i> ⁽¹⁾			6 - 8.3	<6	<4	2
<i>Site-Specific Background Limits</i>			(@6') 8.58	(@3') 13.8	(@6') 7.69	(@6') 3.76
WH-BG04 @ 3'	8/1/2024	3	8.54	0.994	0.423	0.364
WH-BG04 @ 6'	8/1/2024	6	8.58	1.14	0.548	0.568

Notes:

⁽¹⁾ Standards for soil are taken from ECMC Table 915-1, effective January 15, 2021

ECMC = Energy & Carbon Management Commission

(<) = Analytical result is less than the indicated laboratory reporting limit

ft. bgs = Feet below ground surface

mmhos/cm = Millimhos per centimeter

mg/L = Milligrams per liter

SAR = Sodium Absorption Ratio

EC = Electrical Conductivity

NA = Not Analyzed

Values presented in **BOLD** contained concentrations exceeding ECMC Table 915-1 Cleanup Concentrations

TABLE 4
DEHAAN V27-10, 15
SOIL SAMPLE RESULTS SUMMARY TABLE - PAHs
KERR-McGEE OIL AND GAS ONSHORE LP

Sample Location	Date	1-Methyl-naphthalene (mg/kg)	2-Methyl-naphthalene (mg/kg)	Acenaphthene (mg/kg)	Anthracene (mg/kg)	Benzo(a)-anthracene (mg/kg)	Benzo(a)-pyrene (mg/kg)	Benzo(b)-fluoranthene (mg/kg)	Benzo(k)-fluoranthene (mg/kg)	Chrysene (mg/kg)	Dibenzo(a,h)-anthracene (mg/kg)	Fluoranthene (mg/kg)	Fluorene (mg/kg)	Ideno(1,2,3-cd)-pyrene (mg/kg)	Pyrene (mg/kg)
ECMC standards for soil (mg/kg) ⁽¹⁾		0.006	0.019	0.55	5.8	0.011	0.24	0.3	2.9	9	0.096	8.9	0.54	0.98	1.3
ECMC standards for soil (mg/kg) ⁽²⁾		18	24	360	1,800	1.1	0.11	1.1	11	110	0.11	240	240	1.1	180
Tank Battery Soil Samples															
AST-B01 @ 3"	7/30/2024	<0.002	<0.002	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
AST-B03 @ 3"	7/30/2024	<0.002	<0.002	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
SEP-B01 @ 4'	7/31/2024	0.389	0.890	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	0.095	<0.020	<0.020
SEP-B02 @ 4'	7/31/2024	0.011	0.021	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
SEP-B03 @ 4'	7/31/2024	0.025	0.051	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
SEP-B04 @ 4'	7/31/2024	0.008	0.013	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
SEP-B05 @ 6"	9/17/2024	<0.002	<0.002	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.020	NA	NA
SEP-N01 @ 4'	9/17/2024	<0.002	<0.002	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.020	NA	NA
SEP-E01 @ 4'	9/17/2024	<0.002	<0.002	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.020	NA	NA
SEP-S01 @ 4'	9/17/2024	<0.002	<0.002	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.020	NA	NA
SEP-W01 @ 4'	9/17/2024	<0.002	<0.002	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.020	NA	NA
Produced Water Vault Soil Samples															
PW-B01 @ 5'	7/30/2024	<0.002	<0.002	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020
PW-W01 @ 4'	7/30/2024	<0.002	<0.002	<0.020	<0.020	<0.005	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020	<0.020

Notes:

⁽¹⁾ Standards are taken from ECMC Table 915-1: Protection of Groundwater Soil Screening Level Concentrations, effective January 15, 2021

⁽²⁾ Standards for soil are taken from ECMC Table 915-1: Residential Soil Screening Level Concentrations, effective January 15, 2021

ECMC = Energy & Carbon Management Commission

(<) = Analytical result is less than the indicated laboratory reporting limit

mg/kg = milligrams per kilogram

PAH = Polycyclic Aromatic Hydrocarbons

Values presented in **BOLD** contained concentrations exceeding ECMC Table 915-1 Cleanup Concentrations

TABLE 5
DEHAAN V27-10, 15
SOIL SAMPLE RESULTS SUMMARY TABLE - METALS
KERR-McGEE OIL AND GAS ONSHORE LP

Sample Location	Date	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
ECMC standards for soil (mg/kg) ⁽¹⁾		0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
ECMC standards for soil (mg/kg) ⁽²⁾		0.68	15,000	71	0.3	3,100	400	1,500	390	390	23,000
Site-Specific Background Limits (1.25x buffer applied)		(@6"): 6.51 (@3'): 7.81	(@6"): 392 (@6'): 398	(@6"): 0.566 (@3'): 0.870	N/A	34.1	(@6"): 25.3 (@6'): 31.1	(@3') 40.2	(@6"): 0.683 (@3'): 1.42	N/A	165
Tank Battery Soil Samples											
AST-B01 @ 3"	7/30/2024	4.71*	129*	0.187	<0.254	14.8	11.9	16.3	0.280*	<0.0840	47.1
AST-B03 @ 3"	7/30/2024	4.33*	51.3	0.100	<0.441	9.82	5.95	8.97	0.307*	<0.0864	<32.0
SEP-B01 @ 4'	7/31/2024	4.35*	121*	0.151	0.202	12.2	10.3	11.7	0.258	<0.0851	44.3
SEP-B02 @ 4'	7/31/2024	5.56*	160*	0.230	<0.366	17.6	14.2*	18.0	0.484*	<0.0850	70.3
SEP-B03 @ 4'	7/31/2024	4.36*	231*	0.167	<0.390	14.2	12.5	12.8	0.765*	<0.0960	49.8
SEP-B04 @ 4'	7/31/2024	5.44*	210*	0.221	<0.247	16.1	14.1*	16.2	0.403*	<0.0910	62.8
SEP-B05 @ 6'	9/17/2024	3.18*	57.8	0.108	<0.5	14.9	11.1	7.98	<0.236	NA	<33.6
SEP-N01 @ 4'	9/17/2024	3.64*	214*	0.207	<0.5	13.3	12.5	12.4	0.366*	NA	44.0
SEP-E01 @ 4'	9/17/2024	3.21*	124*	0.181	<0.5	10.7	10.2	10.1	0.491*	NA	<36.3
SEP-S01 @ 4'	9/17/2024	3.01*	130*	0.162	<0.5	9.85	8.26	9.83	0.248	NA	<32.5
SEP-W01 @ 4'	9/17/2024	1.12*	49.8	0.121	<0.5	14.0	26.7	12.6	<0.220	NA	39.1
Produced Water Vault Soil Samples											
PW-B01 @ 5'	7/30/2024	2.27*	72.9	0.156	<0.460	<9.86	8.24	7.89	<0.256	<0.0986	<36.5
PW-W01 @ 4'	7/30/2024	3.64*	79.1	0.112	<0.363	<9.12	6.81	8.25	<0.237	<0.0912	<33.7
Background Soil Samples											
AST-BG01 @ 6"	7/30/2024	5.21	314	0.287	<0.430	16.5	16.7	16.1	0.370	<0.0956	60.8
AST-BG02 @ 6"	7/30/2024	3.67	99.7	0.143	<0.328	13.2	9.35	10.5	0.547	<0.0911	49.3
AST-BG03 @ 6"	7/30/2024	4.56	164	0.453	<0.440	20.6	20.3	16.4	0.257	<0.0898	121
PW-BG01 @ 3'	7/30/2024	4.62	98.5	0.568	<0.417	21.4	19.0	27.7	1.14	<0.0963	132
PW-BG01 @ 6'	7/30/2024	1.98	81.0	0.489	<0.455	20.6	24.9	15.5	<0.253	<0.0975	45.3
PW-BG02 @ 3'	7/30/2024	5.98	98.7	0.696	<0.392	24.3	22.8	22.9	0.501	<0.0944	115
PW-BG02 @ 6'	7/30/2024	3.71	134	0.338	<0.396	20.7	19.3	13.4	0.328	<0.0909	54.2
PW-BG03 @ 3'	7/30/2024	4.86	116	0.394	<0.380	16.7	21.9	22.5	0.249	<0.0944	71.3
PW-BG03 @ 6'	7/30/2024	5.94	64.2	0.381	<0.349	21.9	19.8	18.7	<0.249	<0.0957	79.8
PW-BG04 @ 3'	7/30/2024	4.75	104	0.521	<0.366	16.0	13.9	15.5	0.511	<0.0901	63.2
PW-BG04 @ 6'	7/30/2024	3.66	126	0.440	<0.402	15.2	14.7	15.3	0.241	<0.0849	51.1
Wellhead Background Soil Samples (Dehaan V 27-10)											
WH-BG01 @ 3'	8/1/2024	6.25	81.0	0.314	<0.454	17.6	19.0	27.1	0.397	<0.0901	112
WH-BG01 @ 6'	8/1/2024	29.6	319	0.198	<0.431	23.0	18.2	18.7	0.357	<0.0901	63.2

TABLE 5
DEHAAN V27-10, 15
SOIL SAMPLE RESULTS SUMMARY TABLE - METALS
KERR-McGEE OIL AND GAS ONSHORE LP

Sample Location	Date	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
<i>ECMC standards for soil (mg/kg) ⁽¹⁾</i>		0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
<i>ECMC standards for soil (mg/kg) ⁽²⁾</i>		0.68	15,000	71	0.3	3,100	400	1,500	390	390	23,000
<i>Site-Specific Background Limits (1.25x buffer applied)</i>		(@6") : 6.51 (@3') : 7.81	(@6") : 392 (@6') : 398	(@6") : 0.566 (@3') : 0.870	N/A	34.1	(@6") : 25.3 (@6') : 31.1	(@3') 40.2	(@6") : 0.683 (@3') : 1.42	N/A	165
WH-BG02 @ 3'	8/1/2024	5.03	70.2	0.417	<0.416	19.4	20.6	32.2	0.693	<0.0867	112
WH-BG02 @ 6'	8/1/2024	5.23	218	0.459	<0.434	19.3	20.1	26.7	0.332	<0.0994	78.9
WH-BG03 @ 3'	8/1/2024	3.44	123	0.351	<0.449	27.3	23.2	18.1	<0.236	<0.0908	67.9
WH-BG03 @ 6'	8/1/2024	2.77	180	0.339	<0.375	16.3	20.1	13.1	0.243	<0.0892	35.1
WH-BG04 @ 3'	8/1/2024	4.45	104	0.175	<0.344	10.6	9.76	12.6	0.379	<0.0938	40.8
WH-BG04 @ 6'	8/1/2024	5.21	130	0.220	<0.418	11.8	10.4	14.7	0.581	<0.0874	42.2

Notes:

⁽¹⁾ Standards are taken from ECMC Table 915-1:Protection of Groundwater Soil Screening Level Concentrations, effective January 15, 2021

ECMC = Energy & Carbon Management Commission

(<) = Analytical result is less than the indicated laboratory reporting limit

mg/kg = milligrams per kilogram

NA = Not Analyzed

Values presented in **BOLD*** contained concentrations exceeding ECMC Table 915-1 Cleanup Concentrations, but are within site-specific background limits.