

AMOCO-61S65W 17N2S2SE (320283): Wellhead Cut/Cap and Equipment Removal

39.960580, -104.682950

N2S2SE Sec. 17 T1S, R65W, 6th PM

Adams County, Colorado

Extraction Oil & Gas (10459)



Legend
Site Investigation Points

- ✓ Visual Inspection Point
- ✗ Visual Inspection and Soil Sample
- - - On-Location Flowline Corridor

Equipment to be Removed		
Legend	Equipment On-Site	# Pieces of Equipment
1	Oil Tank	1
2	Produced Water Vault	1
3	Separator	1
4	AMOCO 44-17 (05-001-08859) 39.96058, -104.68295	1

Equipment to Remain Active		
Legend	Equipment On-Site	# Pieces of Equipment
5	Landowner Equipment	2

AMOCO 44-17 (00108859FL): Off-Location Flowline Decommission


39.960580, -104.682950

N2S2SE Sec. 17 T1S, R65W, 6th PM

Adams County, Colorado

Extraction Oil & Gas (10459)

Flowline Unique OperFeatID	Line Type	Start Location	Start Location Latitude/Longitude	End Location	End Location Latitude, Longitude (Cut Point)	Approx. Length to Decommission (ft)
00108859FL	Multiphase	Wellhead	39.960580, -104.682950	Separator	39.960428, -104.683446	85



Site Investigation Points

✘ Visual Inspection and Soil Sample

Potholes will be dug every 250 feet along the flowline path. These observation points will be photographed and field screened. Additional soil samples will be collected when flowline repairs are observed, changes in flow direction, or when there is a change in the flowline material type.

AMOCO-61S65W 17N2S2SE (320283): ¼ Mile Buffer - Wildlife and Hydrology Map

39.960580, -104.682950

N2S2SE Sec. 17 T1S, R65W, 6th PM

Adams County, Colorado

Extraction Oil & Gas (10459)

Legend

- Well (API Spot)
- Water Well
- ✕ Flowline Start/End Points

Receptor	DWR Receipt (Permit)	Distance (ft)	Direction	Well Depth(ft)	Static Water Level (ft)
Residential Well	0542106 (265959-)	535	NW	415	140
Residential Well	0531524 (261212-)	805	SE	416	95
Residential Well	3667070 (296636-)	1050	NE	380	120

NO HPH WITHIN ¼ MILE

