

Civitas - CO

Sample Delivery Group: L1768157
Samples Received: 08/15/2024
Project Number: 24410
Description: Kiyota 3-35

Report To: Sam Vogt / Jacob Evans
6855 W. 118th Ave
Broomfield, CO 80020

Entire Report Reviewed By:



Chris Ward
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
WH-B01 @ 6' L1768157-01	5
SP-CS01 L1768157-02	7
FL-B01 @ 4' L1768157-03	9
Qc: Quality Control Summary	11
Wet Chemistry by Method 7199	11
Wet Chemistry by Method 9045D	13
Wet Chemistry by Method 9050AMod	15
Metals (ICP) by Method 6010B	17
Metals (ICP) by Method 6010B-NE493 Ch 2	18
Metals (ICPMS) by Method 6020	20
Volatile Organic Compounds (GC) by Method 8015D/GRO	21
Volatile Organic Compounds (GC/MS) by Method 8260B	22
Semi-Volatile Organic Compounds (GC) by Method 8015M	23
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	24
Gl: Glossary of Terms	26
Al: Accreditations & Locations	27
Sc: Sample Chain of Custody	28

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

SAMPLE SUMMARY

WH-B01 @ 6' L1768157-01 Solid

Collected by Daniel Hensel Collected date/time 08/13/24 09:30 Received date/time 08/15/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG2347549	1	08/22/24 22:49	08/22/24 22:49	MAP	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG2345247	1	08/22/24 16:16	08/23/24 15:57	EKB	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG2349089	1	08/23/24 10:53	08/23/24 12:10	KA	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG2349082	1	08/23/24 10:52	08/23/24 16:32	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2345159	1	08/20/24 09:30	08/20/24 22:04	MAP	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2347559	1	08/23/24 00:17	08/23/24 14:40	JTM	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG2347367	1	08/19/24 15:39	08/21/24 18:26	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2347001	1.01	08/19/24 15:39	08/21/24 11:56	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG2348926	1	08/23/24 09:28	08/25/24 19:42	NH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2348312	1	08/22/24 18:31	08/23/24 06:44	JCH	Mt. Juliet, TN



SP-CS01 L1768157-02 Solid

Collected by Daniel Hensel Collected date/time 08/13/24 09:55 Received date/time 08/15/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG2347549	1	08/22/24 22:50	08/22/24 22:50	MAP	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG2345246	1	08/21/24 18:45	08/22/24 16:14	SET	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG2349089	1	08/23/24 10:53	08/23/24 12:10	KA	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG2349082	1	08/23/24 10:52	08/23/24 16:32	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2345159	1	08/20/24 09:30	08/20/24 22:06	MAP	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2347559	1	08/23/24 00:17	08/23/24 14:43	JTM	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG2347367	1	08/19/24 15:39	08/21/24 18:45	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2347001	1	08/19/24 15:39	08/21/24 12:16	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG2348926	1	08/23/24 09:28	08/25/24 19:29	NH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2348312	1	08/22/24 18:31	08/23/24 07:02	JCH	Mt. Juliet, TN

FL-B01 @ 4' L1768157-03 Solid

Collected by Daniel Hensel Collected date/time 08/13/24 10:00 Received date/time 08/15/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG2347565	1	08/22/24 21:48	08/22/24 21:48	MAP	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG2345246	1	08/21/24 18:45	08/22/24 16:24	SET	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG2348805	1	08/22/24 22:05	08/23/24 12:16	KA	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG2348812	1	08/23/24 11:20	08/23/24 16:04	ARD	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2345159	1	08/20/24 09:30	08/20/24 22:08	MAP	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2347571	1	08/22/24 13:48	08/23/24 21:35	MAP	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2354143	5	09/02/24 12:57	09/04/24 00:23	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG2347367	1	08/19/24 15:39	08/21/24 19:05	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2347001	1.01	08/19/24 15:39	08/21/24 12:35	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG2348926	1	08/23/24 09:28	08/25/24 19:16	NH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2348312	1	08/22/24 18:31	08/23/24 07:55	JCH	Mt. Juliet, TN

CASE NARRATIVE


All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward
Project Manager

Project Narrative

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.



Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	0.753		1	08/22/2024 22:49	WG2347549

Wet Chemistry by Method 7199

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		0.300	1	08/23/2024 15:57	WG2345247

Wet Chemistry by Method 9045D

Analyte	Result su	Qualifier	Dilution	Analysis date / time	Batch
pH	7.98	<u>T8</u>	1	08/23/2024 12:10	WG2349089

Sample Narrative:

L1768157-01 WG2349089: 7.98 at 22.2C

Wet Chemistry by Method 9050AMod

Analyte	Result umhos/cm	Qualifier	RL umhos/cm	Dilution	Analysis date / time	Batch
Specific Conductance	428		10.0	1	08/23/2024 16:32	WG2349082

Sample Narrative:

L1768157-01 WG2349082: at 25C

Metals (ICP) by Method 6010B


Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Arsenic	2.24		0.518	1	08/20/2024 22:04	WG2345159
Barium	96.3		0.400	1	08/20/2024 22:04	WG2345159
Cadmium	0.243	<u>J</u>	0.200	1	08/20/2024 22:04	WG2345159
Copper	11.4		0.400	1	08/20/2024 22:04	WG2345159
Lead	20.8		0.208	1	08/20/2024 22:04	WG2345159
Nickel	7.35		0.400	1	08/20/2024 22:04	WG2345159
Selenium	1.03	<u>J</u>	0.764	1	08/20/2024 22:04	WG2345159
Silver	0.202	<u>J</u>	0.127	1	08/20/2024 22:04	WG2345159
Zinc	61.1		0.832	1	08/20/2024 22:04	WG2345159

Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result mg/l	Qualifier	RL mg/l	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	ND		2.00	1	08/23/2024 14:40	WG2347559

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	ND		0.500	1	08/21/2024 18:26	WG2347367
(S) a,a,a-Trifluorotoluene(FID)	79.8		77.0-120	08/21/2024 18:26	WG2347367	



Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Benzene	ND		0.00200	1.01	08/21/2024 11:56	WG2347001
Toluene	ND		0.00500	1.01	08/21/2024 11:56	WG2347001
Ethylbenzene	ND		0.00500	1.01	08/21/2024 11:56	WG2347001
Xylenes, Total	ND		0.0100	1.01	08/21/2024 11:56	WG2347001
1,2,4-Trimethylbenzene	ND		0.00500	1.01	08/21/2024 11:56	WG2347001
1,3,5-Trimethylbenzene	ND		0.00500	1.01	08/21/2024 11:56	WG2347001
(S) Toluene-d8	97.5			75.0-131	08/21/2024 11:56	WG2347001
(S) 4-Bromofluorobenzene	94.6			67.0-138	08/21/2024 11:56	WG2347001
(S) 1,2-Dichloroethane-d4	83.8			70.0-130	08/21/2024 11:56	WG2347001

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	ND		50.0	1	08/25/2024 19:42	WG2348926
C28-C36 Motor Oil Range	ND		50.0	1	08/25/2024 19:42	WG2348926
(S) o-Terphenyl	68.2			18.0-148	08/25/2024 19:42	WG2348926

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Acenaphthene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Anthracene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Benzo(a)anthracene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Benzo(b)fluoranthene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Benzo(k)fluoranthene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Benzo(a)pyrene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Chrysene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Dibenz(a,h)anthracene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Fluoranthene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Fluorene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Indeno(1,2,3-cd)pyrene	ND		0.00500	1	08/23/2024 06:44	WG2348312
1-Methylnaphthalene	ND		0.00500	1	08/23/2024 06:44	WG2348312
2-Methylnaphthalene	ND		0.00500	1	08/23/2024 06:44	WG2348312
Naphthalene	ND		0.00408	1	08/23/2024 06:44	WG2348312
Pyrene	ND		0.00500	1	08/23/2024 06:44	WG2348312
(S) p-Terphenyl-d14	65.2			23.0-120	08/23/2024 06:44	WG2348312
(S) Nitrobenzene-d5	54.7			14.0-149	08/23/2024 06:44	WG2348312
(S) 2-Fluorobiphenyl	59.1			34.0-125	08/23/2024 06:44	WG2348312

Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	1.84		1	08/22/2024 22:50	WG2347549

Wet Chemistry by Method 7199

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		0.300	1	08/22/2024 16:14	WG2345246

Wet Chemistry by Method 9045D

Analyte	Result su	Qualifier	Dilution	Analysis date / time	Batch
pH	7.97	<u>T8</u>	1	08/23/2024 12:10	WG2349089

Sample Narrative:

L1768157-02 WG2349089: 7.97 at 22.5C

Wet Chemistry by Method 9050AMod

Analyte	Result umhos/cm	Qualifier	RL umhos/cm	Dilution	Analysis date / time	Batch
Specific Conductance	430		10.0	1	08/23/2024 16:32	WG2349082

Sample Narrative:

L1768157-02 WG2349082: at 25C

Metals (ICP) by Method 6010B


Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Arsenic	2.03		0.518	1	08/20/2024 22:06	WG2345159
Barium	144		0.400	1	08/20/2024 22:06	WG2345159
Cadmium	ND		0.200	1	08/20/2024 22:06	WG2345159
Copper	7.18		0.400	1	08/20/2024 22:06	WG2345159
Lead	23.1		0.208	1	08/20/2024 22:06	WG2345159
Nickel	5.50		0.400	1	08/20/2024 22:06	WG2345159
Selenium	1.64	<u>J</u>	0.764	1	08/20/2024 22:06	WG2345159
Silver	ND		0.127	1	08/20/2024 22:06	WG2345159
Zinc	39.0		0.832	1	08/20/2024 22:06	WG2345159

Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result mg/l	Qualifier	RL mg/l	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	ND		2.00	1	08/23/2024 14:43	WG2347559

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	ND		0.500	1	08/21/2024 18:45	WG2347367
(S) a,a,a-Trifluorotoluene(FID)	83.1			77.0-120	08/21/2024 18:45	WG2347367



Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Benzene	ND		0.00200	1	08/21/2024 12:16	WG2347001
Toluene	ND		0.00500	1	08/21/2024 12:16	WG2347001
Ethylbenzene	ND		0.00500	1	08/21/2024 12:16	WG2347001
Xylenes, Total	ND		0.0100	1	08/21/2024 12:16	WG2347001
1,2,4-Trimethylbenzene	ND		0.00500	1	08/21/2024 12:16	WG2347001
1,3,5-Trimethylbenzene	ND		0.00500	1	08/21/2024 12:16	WG2347001
(S) Toluene-d8	96.3			75.0-131	08/21/2024 12:16	WG2347001
(S) 4-Bromofluorobenzene	94.3			67.0-138	08/21/2024 12:16	WG2347001
(S) 1,2-Dichloroethane-d4	85.2			70.0-130	08/21/2024 12:16	WG2347001

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	ND		50.0	1	08/25/2024 19:29	WG2348926
C28-C36 Motor Oil Range	ND		50.0	1	08/25/2024 19:29	WG2348926
(S) o-Terphenyl	71.1			18.0-148	08/25/2024 19:29	WG2348926

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Acenaphthene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Anthracene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Benzo(a)anthracene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Benzo(b)fluoranthene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Benzo(k)fluoranthene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Benzo(a)pyrene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Chrysene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Dibenz(a,h)anthracene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Fluoranthene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Fluorene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Indeno(1,2,3-cd)pyrene	ND		0.00500	1	08/23/2024 07:02	WG2348312
1-Methylnaphthalene	ND		0.00500	1	08/23/2024 07:02	WG2348312
2-Methylnaphthalene	ND		0.00500	1	08/23/2024 07:02	WG2348312
Naphthalene	ND		0.00408	1	08/23/2024 07:02	WG2348312
Pyrene	ND		0.00500	1	08/23/2024 07:02	WG2348312
(S) p-Terphenyl-d14	73.2			23.0-120	08/23/2024 07:02	WG2348312
(S) Nitrobenzene-d5	63.1			14.0-149	08/23/2024 07:02	WG2348312
(S) 2-Fluorobiphenyl	66.8			34.0-125	08/23/2024 07:02	WG2348312

Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	0.799		1	08/22/2024 21:48	WG2347565

Wet Chemistry by Method 7199

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		0.300	1	08/22/2024 16:24	WG2345246

Wet Chemistry by Method 9045D

Analyte	Result su	Qualifier	Dilution	Analysis date / time	Batch
pH	7.77	<u>T8</u>	1	08/23/2024 12:16	WG2348805

Sample Narrative:

L1768157-03 WG2348805: 7.77 at 21.5C

Wet Chemistry by Method 9050AMod

Analyte	Result umhos/cm	Qualifier	RL umhos/cm	Dilution	Analysis date / time	Batch
Specific Conductance	510		10.0	1	08/23/2024 16:04	WG2348812

Sample Narrative:

L1768157-03 WG2348812: at 25C

Metals (ICP) by Method 6010B

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Arsenic	1.49	<u>J</u>	0.518	1	08/20/2024 22:08	WG2345159
Barium	84.6		0.400	1	08/20/2024 22:08	WG2345159
Cadmium	ND		0.200	1	08/20/2024 22:08	WG2345159
Copper	11.2		0.400	1	08/20/2024 22:08	WG2345159
Lead	16.1		0.208	1	08/20/2024 22:08	WG2345159
Nickel	6.56		0.400	1	08/20/2024 22:08	WG2345159
Selenium	ND		0.764	1	08/20/2024 22:08	WG2345159
Silver	ND		0.127	1	08/20/2024 22:08	WG2345159
Zinc	34.3		0.832	1	08/20/2024 22:08	WG2345159

Metals (ICP) by Method 6010B-NE493 Ch 2


Analyte	Result mg/l	Qualifier	RL mg/l	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	ND		2.00	1	08/23/2024 21:35	WG2347571

Metals (ICPMS) by Method 6020

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Selenium	0.421	<u>J</u>	0.260	5	09/04/2024 00:23	WG2354143

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	ND		0.500	1	08/21/2024 19:05	WG2347367
(S) a,a,a-Trifluorotoluene(FID)	80.5			77.0-120	08/21/2024 19:05	WG2347367



Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Benzene	ND		0.00200	1.01	08/21/2024 12:35	WG2347001
Toluene	ND		0.00500	1.01	08/21/2024 12:35	WG2347001
Ethylbenzene	ND		0.00500	1.01	08/21/2024 12:35	WG2347001
Xylenes, Total	ND		0.0100	1.01	08/21/2024 12:35	WG2347001
1,2,4-Trimethylbenzene	ND		0.00500	1.01	08/21/2024 12:35	WG2347001
1,3,5-Trimethylbenzene	ND		0.00500	1.01	08/21/2024 12:35	WG2347001
(S) Toluene-d8	101			75.0-131	08/21/2024 12:35	WG2347001
(S) 4-Bromofluorobenzene	97.5			67.0-138	08/21/2024 12:35	WG2347001
(S) 1,2-Dichloroethane-d4	88.4			70.0-130	08/21/2024 12:35	WG2347001

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	ND		50.0	1	08/25/2024 19:16	WG2348926
C28-C36 Motor Oil Range	ND		50.0	1	08/25/2024 19:16	WG2348926
(S) o-Terphenyl	69.7			18.0-148	08/25/2024 19:16	WG2348926

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	RL mg/kg	Dilution	Analysis date / time	Batch
Acenaphthene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Anthracene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Benzo(a)anthracene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Benzo(b)fluoranthene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Benzo(k)fluoranthene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Benzo(a)pyrene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Chrysene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Dibenz(a,h)anthracene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Fluoranthene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Fluorene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Indeno(1,2,3-cd)pyrene	ND		0.00500	1	08/23/2024 07:55	WG2348312
1-Methylnaphthalene	ND		0.00500	1	08/23/2024 07:55	WG2348312
2-Methylnaphthalene	ND		0.00500	1	08/23/2024 07:55	WG2348312
Naphthalene	ND		0.00408	1	08/23/2024 07:55	WG2348312
Pyrene	ND		0.00500	1	08/23/2024 07:55	WG2348312
(S) p-Terphenyl-d14	64.0			23.0-120	08/23/2024 07:55	WG2348312
(S) Nitrobenzene-d5	56.2			14.0-149	08/23/2024 07:55	WG2348312
(S) 2-Fluorobiphenyl	61.3			34.0-125	08/23/2024 07:55	WG2348312

Method Blank (MB)

(MB) R4110606-1 08/22/24 11:01

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Hexavalent Chromium	ND		0.255	1.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1768142-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1768142-12 08/22/24 14:19 • (DUP) R4110606-7 08/22/24 14:30

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Hexavalent Chromium	ND	ND	1	0.000		20

L1768142-17 Original Sample (OS) • Duplicate (DUP)

(OS) L1768142-17 08/22/24 15:43 • (DUP) R4110606-8 08/22/24 15:53

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Hexavalent Chromium	ND	ND	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R4110606-2 08/22/24 11:11

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Hexavalent Chromium	10.0	9.77	97.7	80.0-120	

L1768142-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1768142-09 08/22/24 13:06 • (MS) R4110606-3 08/22/24 13:17 • (MSD) R4110606-4 08/22/24 13:27

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Hexavalent Chromium	20.0	ND	19.7	20.8	98.6	104	1	75.0-125			5.38	20

L1768142-09 Original Sample (OS) • Matrix Spike (MS)

(OS) L1768142-09 08/22/24 13:06 • (MS) R4110606-9 08/22/24 13:38

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Hexavalent Chromium	631	ND	11.1	1.76	1	75.0-125	J6

Method Blank (MB)

(MB) R4110970-1 08/23/24 09:15

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Hexavalent Chromium	ND		0.255	1.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1767924-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1767924-03 08/23/24 10:03 • (DUP) R4110970-3 08/23/24 10:16

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Hexavalent Chromium	ND	ND	1	0.000		20

L1768113-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1768113-05 08/23/24 13:07 • (DUP) R4110970-4 08/23/24 13:20

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Hexavalent Chromium	ND	ND	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R4110970-2 08/23/24 09:25

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Hexavalent Chromium	10.0	10.2	102	80.0-120	

L1768113-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1768113-07 08/23/24 13:47 • (MS) R4110970-5 08/23/24 14:28 • (MSD) R4110970-6 08/23/24 14:40

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Hexavalent Chromium	20.0	ND	19.0	19.6	94.9	98.0	1	75.0-125			3.20	20

L1768113-07 Original Sample (OS) • Matrix Spike (MS)

(OS) L1768113-07 08/23/24 13:47 • (MS) R4110970-7 08/23/24 14:54

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Hexavalent Chromium	636	ND	703	111	50	75.0-125	

L1768142-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1768142-02 08/23/24 12:16 • (DUP) R4110879-2 08/23/24 12:16

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	su	su		%		%
pH	8.03	8.04	1	0.124		1

Sample Narrative:

OS: 8.03 at 21.9C
 DUP: 8.04 at 21.9C

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1768149-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1768149-02 08/23/24 12:16 • (DUP) R4110879-3 08/23/24 12:16

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	su	su		%		%
pH	8.30	8.31	1	0.120		1

Sample Narrative:

OS: 8.3 at 21.3C
 DUP: 8.31 at 21.6C

Laboratory Control Sample (LCS)

(LCS) R4110879-1 08/23/24 12:16

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	su	su	%	%	
pH	10.0	10.0	100	99.0-101	

Sample Narrative:

LCS: 10.01 at 21.6C

L1768142-23 Original Sample (OS) • Duplicate (DUP)

(OS) L1768142-23 08/23/24 12:10 • (DUP) R4110931-2 08/23/24 12:10

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	su	su		%		%
pH	7.88	7.85	1	0.381		1

Sample Narrative:

OS: 7.88 at 22.8C
DUP: 7.85 at 22.5C

L1768327-22 Original Sample (OS) • Duplicate (DUP)

(OS) L1768327-22 08/23/24 12:10 • (DUP) R4110931-3 08/23/24 12:10

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	su	su		%		%
pH	8.00	8.04	1	0.499		1

Sample Narrative:

OS: 8 at 22.6C
DUP: 8.04 at 22.5C


Laboratory Control Sample (LCS)

(LCS) R4110931-1 08/23/24 12:10

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	su	su	%	%	
pH	10.0	10.0	100	99.0-101	

Sample Narrative:

LCS: 10.01 at 21.6C



Method Blank (MB)

(MB) R4110940-1 08/23/24 16:04

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Specific Conductance	ND		10.0	10.0

Sample Narrative:

BLANK: at 25C

L1768142-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1768142-07 08/23/24 16:04 • (DUP) R4110940-3 08/23/24 16:04

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Specific Conductance	3810	3740	1	1.85		20

Sample Narrative:

OS: at 25C

DUP: at 25C

L1768142-39 Original Sample (OS) • Duplicate (DUP)

(OS) L1768142-39 08/23/24 16:04 • (DUP) R4110940-4 08/23/24 16:04

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Specific Conductance	2600	2580	1	0.965		20

Sample Narrative:

OS: at 25C

DUP: at 25C

Laboratory Control Sample (LCS)

(LCS) R4110940-2 08/23/24 16:04

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Specific Conductance	733	721	98.4	85.0-115	

Sample Narrative:

LCS: at 25C



Method Blank (MB)

(MB) R4110963-1 08/23/24 16:32

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Specific Conductance	ND		10.0	10.0

Sample Narrative:

BLANK: at 25C

L1763494-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1763494-03 08/23/24 16:32 • (DUP) R4110963-3 08/23/24 16:32

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Specific Conductance	591	581	1	1.71		20

Sample Narrative:

OS: at 25C
DUP: at 25C

L1768327-18 Original Sample (OS) • Duplicate (DUP)

(OS) L1768327-18 08/23/24 16:32 • (DUP) R4110963-4 08/23/24 16:32

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Specific Conductance	1460	1430	1	2.00		20

Sample Narrative:

OS: at 25C
DUP: at 25C

Laboratory Control Sample (LCS)

(LCS) R4110963-2 08/23/24 16:32

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Specific Conductance	733	723	98.6	85.0-115	

Sample Narrative:

LCS: at 25C

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R4109475-1 08/20/24 21:17

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Arsenic	ND		0.518	2.00
Barium	ND		0.0852	0.500
Cadmium	ND		0.0471	0.500
Copper	ND		0.400	2.00
Lead	ND		0.208	0.500
Nickel	ND		0.132	2.00
Selenium	ND		0.764	2.00
Silver	ND		0.127	1.00
Zinc	ND		0.832	5.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

Laboratory Control Sample (LCS)

(LCS) R4109475-7 08/21/24 00:44

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	100	95.7	95.7	80.0-120	
Barium	100	94.9	94.9	80.0-120	
Cadmium	100	95.6	95.6	80.0-120	
Copper	100	97.7	97.7	80.0-120	
Lead	100	95.0	95.0	80.0-120	
Nickel	100	94.5	94.5	80.0-120	
Selenium	100	101	101	80.0-120	
Silver	20.0	19.8	98.8	80.0-120	
Zinc	100	96.7	96.7	80.0-120	

⁷Gl

⁸Al

⁹Sc

L1767512-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1767512-01 08/20/24 21:21 • (MS) R4109475-5 08/20/24 21:26 • (MSD) R4109475-6 08/20/24 21:28

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	100	14.5	107	95.3	92.4	80.8	1	75.0-125			11.5	20
Barium	100	70.3	139	147	68.9	76.2	1	75.0-125	J6		5.09	20
Cadmium	100	ND	75.6	77.0	75.5	76.9	1	75.0-125			1.84	20
Copper	100	9.95	85.5	90.3	75.6	80.3	1	75.0-125			5.42	20
Lead	100	19.9	105	103	85.0	83.4	1	75.0-125			1.52	20
Nickel	100	21.6	98.0	102	76.4	80.2	1	75.0-125			3.79	20
Selenium	100	3.00	86.4	87.6	83.4	84.6	1	75.0-125			1.36	20
Silver	20.0	0.143	16.2	16.4	80.1	81.5	1	75.0-125			1.75	20
Zinc	100	29.6	108	110	78.3	80.3	1	75.0-125			1.86	20

Method Blank (MB)

(MB) R4110956-1 08/23/24 14:06

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Hot Water Sol. Boron	ND		0.0167	0.200

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4110956-2 08/23/24 14:09 • (LCSD) R4110956-3 08/23/24 14:11

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Hot Water Sol. Boron	1.00	1.01	1.01	101	101	80.0-120			0.498	20

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R4111067-1 08/23/24 20:19

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Hot Water Sol. Boron	ND		0.0167	0.200

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4111067-2 08/23/24 20:22 • (LCSD) R4111067-3 08/23/24 20:25

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Hot Water Sol. Boron	1.00	1.00	1.02	100	102	80.0-120			2.12	20

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R4115066-1 09/03/24 22:57

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Selenium	ND		0.180	2.50

Laboratory Control Sample (LCS)

(LCS) R4115066-2 09/03/24 23:00

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Selenium	100	104	104	80.0-120	

L1768142-23 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1768142-23 09/03/24 23:03 • (MS) R4115066-5 09/03/24 23:13 • (MSD) R4115066-6 09/03/24 23:16

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Selenium	100	0.573	112	97.8	111	97.2	5	75.0-125			13.2	20

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4109988-2 08/21/24 11:58

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	ND		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	83.8			77.0-120

Laboratory Control Sample (LCS)

(LCS) R4109988-1 08/21/24 11:20

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.00	4.03	80.6	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			92.0	77.0-120	

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R4110127-2 08/21/24 06:40

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	ND		0.000467	0.00100
Toluene	ND		0.00130	0.00500
Ethylbenzene	ND		0.000737	0.00250
Xylenes, Total	ND		0.000880	0.00650
1,2,4-Trimethylbenzene	ND		0.00158	0.00500
1,3,5-Trimethylbenzene	ND		0.00200	0.00500
(S) Toluene-d8	96.9			75.0-131
(S) 4-Bromofluorobenzene	91.4			67.0-138
(S) 1,2-Dichloroethane-d4	94.6			70.0-130

Laboratory Control Sample (LCS)

(LCS) R4110127-1 08/21/24 05:42

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.116	92.8	70.0-123	
Toluene	0.125	0.122	97.6	75.0-121	
Ethylbenzene	0.125	0.122	97.6	74.0-126	
Xylenes, Total	0.375	0.366	97.6	72.0-127	
1,2,4-Trimethylbenzene	0.125	0.116	92.8	70.0-126	
1,3,5-Trimethylbenzene	0.125	0.116	92.8	73.0-127	
(S) Toluene-d8			98.1	75.0-131	
(S) 4-Bromofluorobenzene			94.1	67.0-138	
(S) 1,2-Dichloroethane-d4			94.5	70.0-130	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R4111492-1 08/25/24 17:19

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	ND		1.61	4.00
C28-C36 Motor Oil Range	ND		0.274	4.00
(S) o-Terphenyl	74.8			18.0-148

Laboratory Control Sample (LCS)

(LCS) R4111492-2 08/25/24 17:32

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	36.7	73.4	50.0-150	
(S) o-Terphenyl			75.1	18.0-148	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4110787-2 08/23/24 02:19

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Acenaphthene	ND		0.00209	0.00600
Anthracene	ND		0.00230	0.00600
Benzo(a)anthracene	ND		0.00173	0.00600
Benzo(b)fluoranthene	ND		0.00153	0.00600
Benzo(k)fluoranthene	ND		0.00215	0.00600
Benzo(a)pyrene	ND		0.00179	0.00600
Chrysene	ND		0.00232	0.00600
Dibenz(a,h)anthracene	ND		0.00172	0.00600
Fluoranthene	ND		0.00227	0.00600
Fluorene	ND		0.00205	0.00600
Indeno(1,2,3-cd)pyrene	ND		0.00181	0.00600
1-Methylnaphthalene	ND		0.00449	0.0200
2-Methylnaphthalene	ND		0.00427	0.0200
Naphthalene	ND		0.00408	0.0200
Pyrene	ND		0.00200	0.00600
(S) p-Terphenyl-d14	86.6			23.0-120
(S) Nitrobenzene-d5	69.5			14.0-149
(S) 2-Fluorobiphenyl	74.6			34.0-125

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R4110787-1 08/23/24 02:01

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Acenaphthene	0.0800	0.0554	69.3	50.0-120	
Anthracene	0.0800	0.0585	73.1	50.0-126	
Benzo(a)anthracene	0.0800	0.0558	69.8	45.0-120	
Benzo(b)fluoranthene	0.0800	0.0562	70.3	42.0-121	
Benzo(k)fluoranthene	0.0800	0.0586	73.3	49.0-125	
Benzo(a)pyrene	0.0800	0.0461	57.6	42.0-120	
Chrysene	0.0800	0.0630	78.8	49.0-122	
Dibenz(a,h)anthracene	0.0800	0.0540	67.5	47.0-125	
Fluoranthene	0.0800	0.0658	82.3	49.0-129	
Fluorene	0.0800	0.0635	79.4	49.0-120	
Indeno(1,2,3-cd)pyrene	0.0800	0.0509	63.6	46.0-125	
1-Methylnaphthalene	0.0800	0.0633	79.1	51.0-121	
2-Methylnaphthalene	0.0800	0.0610	76.3	50.0-120	
Naphthalene	0.0800	0.0558	69.8	50.0-120	
Pyrene	0.0800	0.0586	73.3	43.0-123	

Laboratory Control Sample (LCS)

(LCS) R4110787-1 08/23/24 02:01

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
(S) p-Terphenyl-d14			85.4	23.0-120	
(S) Nitrobenzene-d5			60.8	14.0-149	
(S) 2-Fluorobiphenyl			65.1	34.0-125	

L1768157-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1768157-03 08/23/24 07:55 • (MS) R4110787-3 08/23/24 08:13 • (MSD) R4110787-4 08/23/24 08:31

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Acenaphthene	0.0772	ND	0.0476	0.0417	61.7	54.3	1	14.0-127			13.2	27
Anthracene	0.0772	ND	0.0450	0.0389	58.3	50.7	1	10.0-145			14.5	30
Benzo(a)anthracene	0.0772	ND	0.0435	0.0379	56.3	49.3	1	10.0-139			13.8	30
Benzo(b)fluoranthene	0.0772	ND	0.0436	0.0391	56.5	50.9	1	10.0-140			10.9	36
Benzo(k)fluoranthene	0.0772	ND	0.0405	0.0356	52.5	46.4	1	10.0-137			12.9	31
Benzo(a)pyrene	0.0772	ND	0.0406	0.0351	52.6	45.7	1	10.0-141			14.5	31
Chrysene	0.0772	ND	0.0475	0.0423	61.5	55.1	1	10.0-145			11.6	30
Dibenz(a,h)anthracene	0.0772	ND	0.0444	0.0403	57.5	52.5	1	10.0-132			9.68	31
Fluoranthene	0.0772	ND	0.0533	0.0464	69.0	60.4	1	10.0-153			13.8	33
Fluorene	0.0772	ND	0.0453	0.0482	58.7	62.8	1	11.0-130			6.20	29
Indeno(1,2,3-cd)pyrene	0.0772	ND	0.0381	0.0356	49.4	46.4	1	10.0-137			6.78	32
1-Methylnaphthalene	0.0772	ND	0.0551	0.0432	71.4	56.3	1	10.0-142			24.2	28
2-Methylnaphthalene	0.0772	ND	0.0522	0.0416	67.6	54.2	1	10.0-137			22.6	28
Naphthalene	0.0772	ND	0.0507	0.0428	65.7	55.7	1	10.0-135			16.9	27
Pyrene	0.0772	ND	0.0445	0.0412	57.6	53.6	1	10.0-148			7.70	35
(S) p-Terphenyl-d14					67.1	58.9		23.0-120				
(S) Nitrobenzene-d5					48.3	54.4		14.0-149				
(S) 2-Fluorobiphenyl					55.9	59.3		34.0-125				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
T8	Sample(s) received past/too close to holding time expiration.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Company Name/Address: Civitas/Tasman - CO 6855 W. 118th Ave Broomfield, CO 80020		Billing Information: Accounts Payable 650 Southgate Dr. Windsor, CO 80550		Pres Chk	Analysis / Container / Preservative						Chain of Custody Page 1 of 1	
--	--	--	--	-------------	-------------------------------------	--	--	--	--	--	------------------------------	--

Project Manager: Sam Vogt / Jacob Evans		Email: svogt@tasman-geo.com; jevans@civitasresources.com		Project Name: Kiyota 3-35		Please Circle: PT <input checked="" type="radio"/> MT <input type="radio"/> CT <input type="radio"/> ET							
---	--	---	--	-------------------------------------	--	--	--	--	--	--	--	--	--

Phone: 610-405-9078	Lab Project #:	AFE# or C/C: 24410									
Collected by (print): Daniel Hensel	Site/Facility ID #:	Billing Code #: 4523.198									
Collected by (signature): <i>[Signature]</i>	Rush? (Lab MUST Be Notified) Same Day <input type="checkbox"/> Five Day <input type="checkbox"/> Next Day <input type="checkbox"/> 5 Day (Rad Only) <input type="checkbox"/> Two Day <input type="checkbox"/> 10 Day (Rad Only) <input type="checkbox"/> Three Day <input type="checkbox"/>	Quote #									
Immediately Packed on Ice N <input type="checkbox"/> Y <input checked="" type="checkbox"/>		Date Results Needed	# of Containers								

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	# of Containers	Full TABLE915 8ozClr-NoPres	Background TABLE915 8ozClr-NoPres	V8260 (GW TABLE915) 40mL Amb-HCl	Chloride, Sulfate 125mL HDPE-NoPres	TDS 1L-HDPE-NoPres	Remarks	Sample # (lab only)
WH-Bø1e Co'	Grab	SS	6	8/13/24	930	2	X						-01
SP-CSø1	Comp	J	—	J	955	J	J						-02
FL-Bø1e4'	Grab	J	4	J	1000	J	J						-03

Pace
PEOPLE ADVANCING SCIENCE

MT JULIET, TN
12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubfs/pac-standard-terms.pdf>

SDG # **47760107**
L-135

Acctnum: **CIVTASBU**
Template: **T250702**
Prelogin: **P1068185**
PM: **824 - Chris Ward**
PB:

Shipped Via: **FedEX Ground**

* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____	Remarks: pH, EC, SAR by saturated paste preparation method Boron by hot water soluble preparation method Table 915-1 Metals - As, Ba, Cd, Cu, Pb, Ni, Se, Ag, Zn, Cr VI	pH _____ Temp _____ Flow _____ Other _____	Sample Receipt Checklist COC Seal Present/Intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N COC Signed/Accurate: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Bottles arrive intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Correct bottles used: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Sufficient volume sent: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N If Applicable VOA Zero Headspace: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Preservation Correct/Checked: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Samples returned via: UPS <input type="checkbox"/> FedEX <input type="checkbox"/> Courier _____	Tracking # 4047 5439 9010		

Relinquished by: (Signature) <i>[Signature]</i>	Date: 8/13/24	Time: 1406	Received by: (Signature) <i>[Signature]</i>	Trip Blank Received: Yes/No HCL / MeOH TBR	Temp: 50.0 Bottles Received: 3	If preservation required by Login: Date/Time
Relinquished by: (Signature) <i>[Signature]</i>	Date: 8/14/24	Time: 1800	Received by: (Signature) FedEx			
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) CHODUP	Date: 08-15-24	Time: 0900	Hold: Condition: NCF / OK