

FORM
2

Rev
05/22

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403927164

(SUBMITTED)

Date Received:

12/19/2024

APPLICATION FOR PERMIT TO

Drill Deepen Re-enter Recomplete and Operate

Amend

TYPE OF WELL OIL GAS COALBED OTHER: _____

Refile

ZONE TYPE SINGLE ZONE MULTIPLE ZONES COMMINGLE ZONES

Sidetrack

Well Name: GRIMM MOTOCROSS 4-65 Well Number: 23 1B2BUH
 Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLC ECMC Operator Number: 10633
 Address: 555 17TH STREET SUITE 3700
 City: DENVER State: CO Zip: 80202
 Contact Name: Jeff Annable Phone: (303)3128529 Fax: ()
 Email: dlockiespermitting@civiresources.com

FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

ECMC Financial Assurance

The Operator has provided or will provide Financial Assurance to the ECMC for this Well.

Surety ID Number (if applicable): 20160104

Federal Financial Assurance

In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)

Amount of Federal Financial Assurance \$ _____

WELL LOCATION INFORMATION

Surface Location

QtrQtr: SWNW Sec: 26 Twp: 4S Rng: 65W Meridian: 6

Footage at Surface: 1885 Feet FNL 525 Feet FWL

Latitude: 39.676795 Longitude: -104.639043

GPS Data: GPS Quality Value: 1.3 Type of GPS Quality Value: PDOP Date of Measurement: 04/21/2021

Ground Elevation: 5800

Field Name: DJ HORIZONTAL NIOBRARA Field Number: 16950

Well Plan: is Directional Horizontal (highly deviated) Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 23 Twp: 4S Rng: 65W Footage at TPZ: 2160 FSL 360 FWL

Measured Depth of TPZ: 9146 True Vertical Depth of TPZ: 8000 FNL/FSL FEL/FWL

Base of Productive Zone (BPZ)

Sec: 23 Twp: 4S Rng: 65W Footage at BPZ: 2160 FSL 2360 FWL
Measured Depth of BPZ: 15070 True Vertical Depth of BPZ: 7975 FNL/FSL FEL/FWL

Bottom Hole Location (BHL)

Sec: 23 Twp: 4S Rng: 65W Footage at BHL: 2160 FSL 2360 FWL
FNL/FSL FEL/FWL

LOCAL GOVERNMENT PERMITTING INFORMATION

County: ARAPAHOE Municipality: Aurora

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? [X] Yes [] No

[X] If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: Approved Date of Final Disposition: 09/08/2021

Comments: The City of Aurora has approved the local application.

SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location: [X] Fee [] State [] Federal [] Indian

Mineral Owner beneath this Well's Oil and Gas Location: [X] Fee [] State [] Federal [] Indian

Surface Owner Protection Bond (if applicable): Surety ID Number (if applicable):

MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- [X] Fee [] State [X] Federal [] Indian [] N/A

LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

* If this Well is within a unit, describe a lease that will be developed by the Well. * If this Well is not subject to a unit, describe the lease that will be produced by the Well. (Attach a Lease Map or Lease Description or Lease if necessary.)

Township 4 South Range 65 West Section 24: NE4

Total Acres in Described Lease: 160 Described Mineral Lease is: [X] Fee [] State [] Federal [] Indian

Federal or State Lease #

SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 2158 Feet
 Building Unit: 2158 Feet
 Public Road: 1878 Feet
 Above Ground Utility: 1940 Feet
 Railroad: 5280 Feet
 Property Line: 525 Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR	535-1479	1221	T4S, R65W: Sec 23: All except a part of the E2, Section 24: All

Federal or State Unit Name (if appl): _____ Unit Number: _____

SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 360 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 150 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

SPACING & FORMATIONS COMMENTS

DRILLING PROGRAM

Proposed Total Measured Depth: 15070 Feet

TVD at Proposed Total Measured Depth 7975 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: _____ Feet No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H₂S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No If yes, attach an H₂S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? Yes

BOP Equipment Type: Annular Preventor Double Ram Rotating Head None

Beneficial reuse or land application plan submitted? No

Reuse Facility ID: _____ or Document Number: _____



CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	26	16	A53B	36.95	0	80	105	80	0
SURF	13+1/2	9+5/8	J55	36	0	3538	1440	3538	0
1ST	8+1/2	5+1/2	P110	20	0	15070	2412	15070	0

Conductor Casing is NOT planned

POTENTIAL FLOW AND CONFINING FORMATIONS

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Denver Aquifer	24	24	984	970	0-500	Groundwater Atlas	USGS HA-646 (Robson & Romero, 1981)
Groundwater	Arapahoe Aquifer	984	970	1595	1530	0-500	Groundwater Atlas	USGS HA-647 (Robson et al, 1981)
Groundwater	Laramie-Fox Hills Form	1595	1530	2214	2080	0-500	Field Scout Card	USGS HA-650 (Robson et al, 1981)
Confining Layer	Pierre Formation	2214	2080	2820	2620			
Groundwater	Upper Pierre Formation	2820	2620	3495	3220	501-1000	Electric Log Calculation	King Ranch 1 (05-001-06312-0000)
Confining Layer	Base of Upper Pierre	3495	3220	4618	4220			
Hydrocarbon	Larimer ("Parkman") Sand	4618	4220	4776	4360			Not productive in this area
Confining Layer	Pierre Formation	4776	4360	5967	5420			
Hydrocarbon	Terry ("Sussex") Sandston	5967	5420	6192	5620			Not productive in this area
Confining Layer	Pierre Formation	6192	5620	6978	6320			
Confining Layer	Hygiene ("Shannon") Sand	6978	6320	7203	6520			
Confining Layer	Pierre Formation	7203	6520	8600	7760			
Subsurface Hazard	Sharon Springs Mem.	8600	7760	8736	7860			Sloughing shales
Hydrocarbon	Niobrara	8736	7860	15070	7975			

OPERATOR COMMENTS AND SUBMITTAL

Comments

The distance to the completed portion of the nearest well in the same unit on the "Spacing & Formations" tab is measured to the proposed GRIMM MOTOCROSS 4-65 23 2A3AUH. The GRIMM MOTOCROSS 4-65 23 1B2BUH will not be completed at the following interval in order to maintain 150': 12,299' - 12,968'. This distance was measured in 3-dimensional space.

There are no wells belonging to another operator within 1500' of the proposed wellbore.

Attached as OTHER, is the anti-collision analysis which shows the 150' separation at the proposed MDs.

Well is a part of the Box Elder CAP, Docket No. 21070016, Order No. 535-1396.

This application is in a Comprehensive Area Plan Yes CAP #: 210700116

Oil and Gas Development Plan Name Chico North OGDP OGDP ID#: 487713

Location ID: 455198

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Jeff Annable

Title: Manager, Permitting Date: 12/19/2024 Email: drockiespermitting@civiresourc

Based on the information provided herein, this Application for Permit-to-Drill complies with ECMC Rules, applicable orders, and SB 19-181 and is hereby approved.

ECMC Approved: _____ Director of ECMC Date: _____
 Expiration Date: _____

API NUMBER
05

CONDITIONS OF APPROVAL, IF ANY LIST

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

<u>COA Type</u>	<u>Description</u>
0 COA	

Best Management Practices

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	Drilling/Completion Operations	One of the first wells drilled on the pad during the first rig occupation will be logged with open-hole resistivity log with gamma-ray log from the kick-off point into the surface casing for one of the stratigraphically deepest wells on the pad. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs will state "Alternative Logging Program - No open-hole logs were run" and will clearly identify the type of log and the well (by API#) in which open-hole logs were run.`
2	Drilling/Completion Operations	Anti-collision: Operator will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within 150 feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators prior to drilling.`
3	Drilling/Completion Operations	The distance to the completed portion of the nearest well in the same unit on the "Spacing & Formations" tab is measured to the proposed GRIMM MOTOCROSS 4-65 23 2A3AUH. The GRIMM MOTOCROSS 4-65 23 1B2BUH will not be completed at the following interval in order to maintain 150': 12,299' - 12,968'. This distance was measured in 3-dimensional space.`

Total: 3 comment(s)

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
403927168	WELL LOCATION PLAT
404011442	OffsetWellEvaluations Data

404033654	OTHER
404035349	DEVIATED DRILLING PLAN
404035355	DIRECTIONAL DATA

Total Attach: 5 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

