

<b>FORM</b>  <b>6</b>  Rev 11/20	<b>State of Colorado</b> <b>Energy &amp; Carbon Management Commission</b> 1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109		 		DE	ET	OE	ES
	<b>WELL ABANDONMENT REPORT</b>  This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.				Document Number:  <div style="text-align: center;">404007847</div>  Date Received:			

  

ECMC Operator Number: <u>46290</u>	Contact Name: <u>Lily Clark</u>
Name of Operator: <u>KP KAUFFMAN COMPANY INC</u>	Phone: <u>(303) 8254822</u>
Address: <u>1700 LINCOLN ST STE 4550</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80203</u>	Email: <u>lclark@kpk.com</u>
<b>For "Intent" 24 hour notice required,</b> Name: <u>Revas, Robbie</u> Tel: <u>(720) 661-7242</u> Email: <u>robbie.revas@state.co.us</u>	
<b>ECMC contact:</b> _____	

  

Type of Well Abandonment Report:    ☒ **Notice of Intent to Abandon**    ☐ **Subsequent Report of Abandonment**

  

API Number <u>05-123-09025-00</u>	
Well Name: <u>DITLEV-SIMONSEN C</u>	Well Number: <u>3</u>
Location: QtrQtr: <u>SESW</u> Section: <u>31</u> Township: <u>2N</u> Range: <u>67W</u> Meridian: <u>6</u>	
County: <u>WELD</u>	Federal, Indian or State Lease Number: _____
Field Name: <u>SPINDLE</u>	Field Number: <u>77900</u>

  

*Only Complete the Following Background Information for Intent to Abandon*

Latitude: <u>40.089920</u>	Longitude: <u>-104.935990</u>
GPS Data: GPS Quality Value: <u>1.6</u>	Type of GPS Quality Value: _____ Date of Measurement: <u>07/27/2007</u>
Reason for Abandonment: <input type="checkbox"/> Dry <input type="checkbox"/> Production Sub-economic <input type="checkbox"/> Mechanical Problems <input checked="" type="checkbox"/> Other <u>Developer Agreement</u>	
Casing to be pulled: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Estimated Depth: _____
Fish in Hole: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes, explain details below
Wellbore has Uncemented Casing leaks: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If yes, explain details below
Details: _____	

  

**Current and Previously Abandoned Zones**

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
SHANNON	5076	5100			
SUSSEX	4696	4736			
Total: 2 zone(s)					

  

**Casing History**

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
SURF	12+1/4	8+5/8	J-55	24	0	640	475	640	0	VISU
1ST	7+7/8	4+1/2	J-55	10.5	0	5218	350	5218	3451	CALC

## Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 5026 with 2 sacks cmt on top. CIBP #2: Depth 4646 with 2 sacks cmt on top.  
CIBP #3: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top. CIBP #4: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
CIBP #5: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 8 sks cmt from 3501 ft. to 3401 ft. Plug Type: CASING Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐

Perforate and squeeze at 690 ft. with 204 sacks. Leave at least 100 ft. in casing 640 CICR Depth  
Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth  
Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth

(Cast Iron Cement Retainer Depth)

Set \_\_\_\_\_ sacks half in. half out surface casing from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Tagged: ☐

Set \_\_\_\_\_ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☐ No

Set \_\_\_\_\_ sacks in rat hole Set \_\_\_\_\_ sacks in mouse hole

### Additional Plugging Information for Subsequent Report Only

Casing Recovered: \_\_\_\_\_ ft. of \_\_\_\_\_ inch casing Number of Days from Setting Surface Plug to Capping or Sealing the Well: \_\_\_\_\_  
Surface Plug Setting Date: \_\_\_\_\_ Cut and Cap Date: \_\_\_\_\_

\*Wireline Contractor: \_\_\_\_\_ \*Cementing Contractor: \_\_\_\_\_

Type of Cement and Additives Used: \_\_\_\_\_

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☐ No

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Lily Clark

Title: Director of Engineering Date: \_\_\_\_\_ Email: lclark@kpk.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

### CONDITIONS OF APPROVAL, IF ANY LIST

Expiration Date: \_\_\_\_\_

COA Type	Description
----------	-------------

0 COA	
-------	--

**ATTACHMENT LIST**

**Att Doc Num**

**Name**

404007859	WELLBORE DIAGRAM
404007864	WELLBORE DIAGRAM

Total Attach: 2 Files

**General Comments**

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)