

October 10, 2024

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Tasman Geosciences- Broomfield, CO

Sample Delivery Group: L1785224
Samples Received: 10/04/2024
Project Number: 1917
Description: Booth 11, 12, 21, 221, 31U, 31

Report To: David Moore
6855 W. 119th Avenue
Broomfield, CO 80020

Entire Report Reviewed By:



Chris Ward
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

ACCOUNT:

Tasman Geosciences- Broomfield, CO

PROJECT:

1917

SDG:

L1785224

DATE/TIME:

10/10/24 13:02

PAGE:

1 of 10

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	³ Ss
V001 L1785224-01	5	⁴ Cn
Qc: Quality Control Summary	6	⁵ Sr
Volatile Organic Compounds (MS) by Method TO-15	6	
Gl: Glossary of Terms	8	⁶ Qc
Al: Accreditations & Locations	9	⁷ Gl
Sc: Sample Chain of Custody	10	⁸ Al
		⁹ Sc

SAMPLE SUMMARY

V001 L1785224-01 Air

Collected by
Drew Semivan

Collected date/time
10/01/24 16:24

Received date/time
10/04/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (MS) by Method TO-15	WG2376959	1	10/06/24 20:58	10/06/24 20:58	GH	Mt. Juliet, TN
Volatile Organic Compounds (MS) by Method TO-15	WG2378700	10	10/09/24 23:32	10/09/24 23:32	MNP	Mt. Juliet, TN

¹Cp ${}^2\text{Tc}$ 3S_S ${}^4\text{Cn}$ ${}^5\text{Sr}$

6 Qc

 ${}^7\text{Gf}$ ${}^8\text{Al}$ ${}^9\text{Sc}$

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward
Project Manager



Volatile Organic Compounds (MS) by Method TO-15

Analyte	CAS #	Mol. Wt.	RDL1 ppbv	RDL2 ug/m3	Result ppbv	Result ug/m3	Qualifier	Dilution	Batch
TPH (GC/MS) Low Fraction	8006-61-9	101	2000	8260	15900	65700		10	WG2378700
Benzene	71-43-2	78.10	0.200	0.639	48.0	153		1	WG2376959
Ethylbenzene	100-41-4	106	0.200	0.867	4.68	20.3		1	WG2376959
MTBE	1634-04-4	88.10	0.200	0.721	ND	ND		1	WG2376959
Naphthalene	91-20-3	128	0.630	3.30	ND	ND		1	WG2376959
2-Propanol	67-63-0	60.10	1.25	3.07	ND	ND		1	WG2376959
Toluene	108-88-3	92.10	0.500	1.88	44.8	169		1	WG2376959
Xylenes, Total	1330-20-7	106.16	0.600	2.61	53.6	233		1	WG2376959
m&p-Xylene	179601-23-1	106	0.400	1.73	31.5	137		1	WG2376959
o-Xylene	95-47-6	106	0.200	0.867	22.1	95.8		1	WG2376959
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		173		J1		WG2376959
(S) 1,4-Bromofluorobenzene	460-00-4	175	60.0-140		95.8				WG2378700

Sample Narrative:

L1785224-01 WG2376959: Surrogate failure due to matrix interference

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4130099-2 10/06/24 09:56

Analyte	MB Result ppbv	MB Qualifier	MB MDL ppbv	MB RDL ppbv
Benzene	U		0.0715	0.200
Ethylbenzene	U		0.0835	0.200
MTBE	U		0.0647	0.200
Naphthalene	U		0.350	0.630
2-Propanol	U		0.264	1.25
Toluene	U		0.0870	0.500
Xylenes, Total	U		0.135	0.600
m&p-Xylene	U		0.135	0.400
o-Xylene	U		0.0828	0.200
(S) 1,4-Bromofluorobenzene	99.4			60.0-140

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4130099-1 10/06/24 09:28 • (LCSD) R4130099-3 10/06/24 11:38

Analyte	Spike Amount ppbv	LCS Result ppbv	LCSD Result ppbv	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	3.75	4.19	4.32	112	115	70.0-130			3.06	25
Ethylbenzene	3.75	4.12	4.26	110	114	70.0-130			3.34	25
MTBE	3.75	4.17	4.33	111	115	70.0-130			3.76	25
Naphthalene	3.75	4.11	4.40	110	117	70.0-159			6.82	25
2-Propanol	3.75	4.58	4.75	122	127	70.0-139			3.64	25
Toluene	3.75	4.18	4.30	111	115	70.0-130			2.83	25
Xylenes, Total	11.3	12.3	12.6	109	112	70.0-130			2.41	25
m&p-Xylene	7.50	8.17	8.40	109	112	70.0-130			2.78	25
o-Xylene	3.75	4.17	4.24	111	113	70.0-130			1.66	25
(S) 1,4-Bromofluorobenzene				98.3	99.7	60.0-140				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4130408-3 10/09/24 10:24

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ppbv		ppbv	ppbv
TPH (GC/MS) Low Fraction	U		39.7	200
(S) 1,4-Bromofluorobenzene	93.2			60.0-140

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4130408-1 10/09/24 08:47 • (LCSD) R4130408-2 10/09/24 09:37

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ppbv	ppbv	ppbv	%	%	%			%	%
TPH (GC/MS) Low Fraction	188	216	205	115	109	70.0-130			5.23	25
(S) 1,4-Bromofluorobenzene				94.5	92.1	60.0-140				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.
----	----------------------------------------------------------------------------------------

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Pace

Pace* Location Requested (City/State):
 Air CHAIN-OF-CUSTODY Analytical Request Document
 Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name:
 Tasman Geosciences- Broomfield, CO
 Street Address:
 6855 W. 119th Avenue
 Broomfield, CO 80020
 City, State Zip:
 Customer Project #:
 Project Name:
 Booth 11, 12, 21, 221, 31U, 31
 Site Collection Info/Facility ID (as applicable):
 TASGEOACO-BOOTH
 Time Zone Collected:
 Data Deliverables:
 [] Level II
 [] Level III
 [] Level IV
 [] EQUIS
 [] Other
 Regulatory Program (CAA, RCRA, etc.) as applicable:
 Rush (Pre-approval required):
 2 Day
 3 day
 5 day
 Other
 Date Results Requested:
 Permit # as applicable:
 Units for Reporting:
 ug/m³
 PPBV
 mg/m³
 PPMV
 * Matrix Codes (Insert in Matrix box below): Ambient (A), Indoor (I), Soil Vapor (SV), Other (O)

Contact/Report To:
 David Moore
 Phone #:
 303-487-1228
 E-Mail:
 QA-QC@tasman-geo.com
 Cc E-Mail:
 Invoice to:
 Invoice
 E-Mail:
 Purchase Order # (if applicable):
 Quote #:
 State origin of sample(s):

Sample Receipt Checklist
 COC Seal Present/Intact:
 COC Signed/Accurate:
 Bottles arrive intact:
 Correct bottles used:
 Unused:
 Sample Size:
 1
 1L
 6L
 1.4L
 Tubs:
 1
 6
 12
 24
 48
 96
 192
 384
 768
 1536
 3072
 6144
 12288
 24576
 49152
 98304
 196608
 393216
 786432
 1572864
 3145728
 6291456
 12582912
 25165824
 50331648
 100663296
 201326592
 402653184
 805306368
 1610612736
 3221225472
 6442450944
 12884901888
 25769803776
 51539607552
 103079215104
 206158430208
 412316860416
 824633720832
 1649267441664
 3298534883328
 6597069766656
 13194139533312
 26388279066624
 52776558133248
 105553116266496
 211106232532992
 422212465065984
 844424930131968
 1688849860263936
 3377699720527872
 6755399441055744
 13510798882111488
 27021597764222976
 54043195528445952
 108086391056891904
 216172782113783808
 432345564227567616
 864691128455135232
 1729382256910270464
 3458764513820540928
 6917529027641081856
 13835058055282163712
 27670116110564327424
 55340232221128654848
 110680464442257309696
 221360928884514619392
 442721857769029238784
 885443715538058477568
 1770887431076116955136
 3541774862152233910272
 7083549724304467820544
 14167099448608935641088
 28334198897217871282176
 56668397794435742564352
 113336795588871485128704
 226673591177742970257408
 453347182355485940514816
 906694364710971881029632
 1813388729421943762059264
 3626777458843887524118528
 7253554917687775048237056
 14507109835375550096474112
 29014219670751100192948224
 58028439341502200385896448
 116056878683004400771792896
 232113757366008801543585792
 464227514732017603087171584
 928455029464035206174343168
 1856910058928070412348686336
 3713820117856140824697372672
 7427640235712281649394745344
 14855280471424563298789490688
 29710560942849126597578981376
 59421121885698253195157962752
 118842243771396506390315925504
 237684487542793012780631851008
 475368975085586025561263702016
 950737950171172051122527404032
 1901475900342344102245054808064
 3802951800684688204490109616128
 7605903601369376408980219232256
 15211807202738752817960438464512
 30423614405477505635920876929024
 60847228810955011271841753858048
 121694457621910022543683507716096
 243388915243820045087367015432192
 486777830487640090174734030864384
 973555660975280180349468061728768
 1947111321950560360698936123457536
 3894222643901120721397872246915072
 7788445287802241442795744493830144
 15576890575604482885591488987660288
 31153781151208965771182977975320576
 62307562302417931542365955950641152
 124615124604835863084731911901282304
 249230249209671726169463823802564608
 498460498419343452338927647605129216
 996920996838686904677855295210258432
 1993841993677373809355710590420516864
 3987683987354747618711421180841033728
 7975367974709495237422842361682067456
 15950735949418990474845684723364134912
 31901471898837980949691369446728269824
 63802943797675961899382738893456539648
 127605887595351923798765477786913079296
 255211775190703847597530955573826158592
 510423550381407695195061911147652317184
 1020847100762815390390123822295304634368
 2041694201525630780780247644590609268736
 4083388403051261561560495289181218537472
 8166776806102523123120990578362437074944
 16333553612205046246241981156724874149888
 32667107224410092492483962313449748299776
 65334214448820184984967924626899496599552
 130668428897640369969935849253798993199104
 261336857795280739939871698507597986398208
 522673715590561479879743397015195972796416
 1045347431181122959759486794030391945592832
 2090694862362245919518973588060783891185664
 41813897247244918390379471761215677823712
 83627794494489836780758