

Summit Scientific

4653 Table Mountain Drive, Golden, Colorado 80403

303.277.9310

October 02, 2024

Justin Onwiler

ERM

555 17th St


Denver, CO 80202

RE: Chevron RBU - Nix #1

Work Order #2409419

Enclosed are the results of analyses for samples received by Summit Scientific on 09/26/24 13:13. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Jacob Wood". The signature is written in a cursive style with a large initial "J" and a distinct "W".

Jacob Wood For Paul Shrewsbury
President



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294

Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

ANALYTICAL REPORT FOR SAMPLES

| Sample ID | Laboratory ID | Matrix | Date Sampled | Date Received |
|--------------------------|---------------|--------|----------------|----------------|
| 23426-BG-01-2-20240926 | 2409419-01 | Soil | 09/26/24 10:20 | 09/26/24 13:13 |
| 23426-BG-02-2-20240926 | 2409419-02 | Soil | 09/26/24 10:30 | 09/26/24 13:13 |
| 23426-BG-03-2-20240926 | 2409419-03 | Soil | 09/26/24 10:30 | 09/26/24 13:13 |
| 23426-BG-04-2-20240926 | 2409419-04 | Soil | 09/26/24 10:30 | 09/26/24 13:13 |
| 23426-FL-01-N-1-20240926 | 2409419-05 | Soil | 09/26/24 09:54 | 09/26/24 13:13 |
| 23426-FL-01-N-2-20240926 | 2409419-06 | Soil | 09/26/24 09:57 | 09/26/24 13:13 |
| 23426-FL-01-N-4-20240926 | 2409419-07 | Soil | 09/26/24 10:02 | 09/26/24 13:13 |
| 23426-FL-01-E-1-20240926 | 2409419-08 | Soil | 09/26/24 10:10 | 09/26/24 13:13 |
| 23426-FL-01-E-2-20240926 | 2409419-09 | Soil | 09/26/24 10:12 | 09/26/24 13:13 |
| 23426-FL-01-E-4-20240926 | 2409419-10 | Soil | 09/26/24 10:16 | 09/26/24 13:13 |
| 23426-FL-01-S-1-20240926 | 2409419-11 | Soil | 09/26/24 10:07 | 09/26/24 13:13 |
| 23426-FL-01-S-2-20240926 | 2409419-12 | Soil | 09/26/24 10:10 | 09/26/24 13:13 |
| 23426-FL-01-S-4-20240926 | 2409419-13 | Soil | 09/26/24 10:15 | 09/26/24 13:13 |
| 23426-FL-01-W-1-20240926 | 2409419-14 | Soil | 09/26/24 09:55 | 09/26/24 13:13 |
| 23426-FL-01-W-2-20240926 | 2409419-15 | Soil | 09/26/24 10:00 | 09/26/24 13:13 |
| 23426-FL-01-W-4-20240926 | 2409419-16 | Soil | 09/26/24 10:05 | 09/26/24 13:13 |

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



4653 Table Mountain Drive
Golden, CO 80403
303-277-9310

| | |
|---------|-------------|
| Lab ID | Page 1 of 1 |
| 2409419 | |

| | | | | | |
|--------------------------------------|--|------------------------------------|--|---------------------------------------|--|
| Client: ERM | | Send Data To: | | Send Invoice To: | |
| Address: 555 17th St 1700 | | Project Manager: Justin Onweiler | | Company: Chevron - RBU | |
| City/State/Zip: Denver, CO 80202 | | E-Mail: justin.onweiler@erm.com | | Project Name/Location: Chevron/Nix #1 | |
| Phone: | | Project Name: Chevron RBU - Nix #1 | | AFE#: UWRWEA2372ABN | |
| Sampler Name: SJ, NB, NS, CP, MA, NB | | Project Number: 0736294 | | PO/Billing Codes: | |
| | | | | Contact: Dan Peterson | |

| ID | Sample Description | Date Sampled | Time Sampled | # of containers | Preservative | | | | Matrix | | | Analysis Requested | | | | | | Special Instructions | | |
|----|--------------------------|--------------|--------------|-----------------|--------------|------|------|-------|--------|------|----------------|--------------------|-------------|--|--|--|--|----------------------|--|--|
| | | | | | HCl | HNO3 | None | Other | Water | Soil | Air-Canister # | Other | pH by 9045D | | | | | | | |
| 1 | 23426-BG-01-2-20240926 | 9/26/24 | 1020 | 1 | | | | | | x | | | x | | | | | | | |
| 2 | 23426-BG-02-2-20240926 | | 1030 | 1 | | | | | | x | | | x | | | | | | | |
| 3 | 23426-BG-03-2-20240926 | | 1030 | 1 | | | | | | x | | | x | | | | | | | |
| 4 | 23426-BG-04-2-20240926 | | 1030 | 1 | | | | | | x | | | x | | | | | | | |
| 5 | 23426-FL-01-N-1-20240926 | | 0954 | 1 | | | | | | x | | | x | | | | | | | |
| 6 | 23426-FL-01-N-2-20240926 | | 0957 | 1 | | | | | | x | | | x | | | | | | | |
| 7 | 23426-FL-01-N-4-20240926 | | 1002 | 1 | | | | | | x | | | x | | | | | | | |
| 8 | 23426-FL-01-E-1-20240926 | | 1010 | 1 | | | | | | x | | | x | | | | | | | |
| 9 | 23426-FL-01-E-2-20240926 | | 1012 | 1 | | | | | | x | | | x | | | | | | | |
| 10 | 23426-FL-01-E-4-20240926 | | 1016 | 1 | | | | | | x | | | x | | | | | | | |
| 11 | 23426-FL-01-S-1-20240926 | | 1007 | 1 | | | | | | x | | | x | | | | | | | |
| 12 | 23426-FL-01-S-2-20240926 | | 1010 | 1 | | | | | | x | | | x | | | | | | | |
| 13 | 23426-FL-01-S-4-20240926 | | 1015 | 1 | | | | | | x | | | x | | | | | | | |
| 14 | 23426-FL-01-W-1-20240926 | | 0955 | 1 | | | | | | x | | | x | | | | | | | |
| 15 | 23426-FL-01-W-2-20240926 | | 1000 | 1 | | | | | | x | | | x | | | | | | | |
| 16 | 23426-FL-01-W-4-20240926 | | 1005 | 1 | | | | | | x | | | x | | | | | | | |

| | | | | | | |
|-------------------------------------|--------------------------|------------------------------|--------------------------|-------------------|-------------|-------------|
| Relinquished by: <i>Michelle Au</i> | Date/Time: 9/26/24 13:13 | Received by: <i>J. W. L.</i> | Date/Time: 9/26/24 13:13 | TAT Business Days | Field DO | Notes: |
| Relinquished by: | Date/Time: | Received by: | Date/Time: | Same Day | Field EC | |
| Relinquished by: | Date/Time: | Received by: | Date/Time: | 1 Day | Field ORP | |
| Relinquished by: | Date/Time: | Received by: | Date/Time: | 2 Days | Field pH | |
| Relinquished by: | Date/Time: | Received by: | Date/Time: | 3 Days | Field Temp. | |
| Temperature Upon Receipt: 4.1 | Corrected Temperature | IR gun #: 2 | HNO3 lot #: | Standard | X | Field Turb. |

S₂

Sample Receipt Checklist

S2 Work Order# 2409419

Client: ERM Client Project ID: Chevron RBV-Mix #1

Shipped Via: H.D./P.U./FedEx/UPS/USPS/Other Airbill #:

Matrix (Check all that apply) Air Soil/Solid Water Other

Temp (°C) 4.1 Thermometer # 2

| | Yes | No | N/A | Comments (if any) |
|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------|
| If samples require cooling, is the temperature < 6°C? ⁽¹⁾ NOTE: If samples are delivered the same day of sampling, this requirement is met if there is evidence that cooling has begun. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| If custody seals are present, are they intact? ⁽¹⁾ | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| Are samples due within 48 hours present? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | |
| Are water samples with short hold times present? Note the short hold analysis in the comments column - pH, Nitrate/Nitrite, Ferrous Iron (Fe ²⁺), Hexavalent Chromium (Cr ⁶⁺ , Cr VI), COD/BOD, Total Coliform, E. Coli, Total Residual Chlorine (TRC), Dissolved Oxygen | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| Is a chain-of-custody (COC) form present and filled out Completely? ⁽¹⁾ | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Is the COC properly relinquished by the client w/ date and time recorded? ⁽¹⁾ | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Were all samples received intact? ⁽¹⁾ | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Was adequate sample volume provided? ⁽¹⁾ | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Does the COC agree with the number and type of sample bottles received? ⁽¹⁾ | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Do the sample IDs on the bottle labels match the COC? ⁽¹⁾ | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| For volatiles in water – is there headspace present? If yes, contact client and note in narrative. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| Are samples preserved that require preservation (excluding cooling)? ⁽¹⁾ Note the type of preservative in the comments column – HCl, H ₂ SO ₄ , NaOH, HNO ₃ , etc. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| If samples are acid preserved for metals, is the pH ≤ 2? ⁽¹⁾ Record the pH in Comments. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |
| If dissolved metals are requested, were samples field filtered? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | |

Additional Comments (if any):

⁽¹⁾ If NO, then contact the client before proceeding with analysis and note in case narrative.

Control Form #: SRC-001

[Signature]
Custodian Printed Name

9/26/24 13:13
Date/Time



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-BG-01-2-20240926

2409419-01 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:20**

| Analyte | Result | Reporting Limit | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------------|----------|----------|---------|----------|----------|-----------|-------|
| pH | 8.8 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-BG-02-2-20240926
2409419-02 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:30**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 8.4 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-BG-03-2-20240926
2409419-03 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:30**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.6 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-BG-04-2-20240926
2409419-04 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:30**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.6 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-N-1-20240926
2409419-05 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 09:54**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.8 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-N-2-20240926
2409419-06 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 09:57**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.8 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-N-4-20240926
2409419-07 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:02**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.8 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-E-1-20240926
2409419-08 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:10**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.8 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-E-2-20240926
2409419-09 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:12**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.8 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-E-4-20240926
2409419-10 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:16**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 8.2 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-S-1-20240926
2409419-11 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:07**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.9 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-S-2-20240926
2409419-12 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:10**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 8.0 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-S-4-20240926
2409419-13 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:15**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.5 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-W-1-20240926
2409419-14 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 09:55**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.5 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-W-2-20240926
2409419-15 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:00**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.6 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1
Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

23426-FL-01-W-4-20240926
2409419-16 (Soil)


Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/26/24 10:05**

| Analyte | Result | Reporting | | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|-----------|------------|-----------|----------|----------|---------|----------|----------|-----------|-------|
| | | Limit | Units | | | | | | |
| pH | 7.6 | | pH Units | 1 | BH11074 | 09/30/24 | 10/01/24 | EPA 9045D | |

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1

Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction - Quality Control

Summit Scientific

| Analyte | Result | Reporting | | Spike Level | Source Result | %REC | | RPD | | Notes |
|---------|--------|-----------|-------|-------------|---------------|------|--------|-----|-------|-------|
| | | Limit | Units | | | %REC | Limits | RPD | Limit | |

Batch BHI1074 - General Preparation

LCS (BHI1074-BS1)

Prepared: 09/30/24 Analyzed: 10/01/24

| | | | | | |
|----|------|----------|------|-----|--------|
| pH | 9.22 | pH Units | 9.18 | 100 | 95-105 |
|----|------|----------|------|-----|--------|


Duplicate (BHI1074-DUP1)

Source: 2409419-01

Prepared: 09/30/24 Analyzed: 10/01/24

| | | | | | |
|----|------|----------|------|-------|----|
| pH | 8.82 | pH Units | 8.83 | 0.113 | 20 |
|----|------|----------|------|-------|----|

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



ERM
555 17th St
Denver CO, 80202

Project: Chevron RBU - Nix #1
Project Number: UWRWE-A2372-ABN 0736294
Project Manager: Justin Onwiler

Reported:
10/02/24 12:21

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference