

FORM  
5A

Rev  
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:  
404037917

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. ECMC Operator Number: <u>69175</u>	4. Contact Name: <u>Randy Thweatt</u>
2. Name of Operator: <u>PDC ENERGY INC</u>	Phone: <u>(303) 829-2393</u>
3. Address: <u>1099 18TH STREET SUITE 1500</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>DenverRegulatory@chevron.com</u>

5. API Number <u>05-123-51781-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>George</u>	Well Number: <u>17N</u>
8. Location: QtrQtr: <u>SWNE</u> Section: <u>21</u> Township: <u>4N</u> Range: <u>64W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

## Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 10/19/2024 End Date: 10/27/2024 Date this Formation was Completed: 12/03/2024

Perforations Top: 7732 Bottom: 17349 No. Holes: 876 Hole size: 0.38 Open Hole:

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

Niobrara completed with 260 bbls 28% HCL, 199,413 bbls slurry, 9,888,676 lb 40/140 Sand.

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 199673 Max pressure during treatment (psi): 8476

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.98

Total acid used in treatment (bbl): 260 Number of staged intervals: 37

Recycled or Reused Fluids used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): 0

Fresh water used in treatment (bbl): 199413 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 9888676

**Fracture stimulations must be reported on FracFocus.org**

### Test Information:

12/13/2024 Hours: 24 Bbl oil: 429 Mcf Gas: 1201 Bbl H2O: 472  
Date: 12/13/2024 Calculated 24 hour rate: Bbl oil: 429 Mcf Gas: 1201 Bbl H2O: 472 GOR: 2800  
Test Method: Flowing Casing PSI: 2565 Tubing PSI: 1728 Choke Size: 20/64  
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1220 API Gravity Oil: 42  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7554 Tbg setting date: 11/21/2024 Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

Comment:

Actual TPZ is Sec 21, T4N R64W: 1649' FSL, 720' FEL

This well did not flowback, the well went straight to the production facility.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Kim Bauer

Title: Regulatory Analyst II Date: \_\_\_\_\_ Email: DenverRegulatory@chevron.com

### ATTACHMENT LIST

Att Doc Num	Name
404037928	WELLBORE DIAGRAM

Total Attach: 1 Files

**General Comments**

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)