


FORM  
4  
Rev  
03/22

State of Colorado  
Energy & Carbon Management Commission  
1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DEETOEES  
Document Number:  
404042760  
Date Received:

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: 47120Contact Name Greg Hamilton

Name of Operator: KERR MCGEE OIL & GAS ONSHORE LPPhone: (970) 515-1698

Address: P O BOX 173779Fax: ( )

City: DENVERState: COZip: 80217-3779Email: Gregory\_hamilton@oxy.com

FORM 4 SUBMITTED FOR:

Facility Type: LOCATION

API Number : 05- 123 00 ID Number: 424426

Name: GOBBLER TANK BATTERYNumber: 1C-23HZ

Location QtrQtr: NWSESection: 23Township: 2NRange: 66WMeridian: 6

County: WELDField Name: WATTENBERG

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
424426	GOBBLER TANK BATTERY 1C-23HZ

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

☐ Change of Location for Well \*☐ As-Built GPS Location Report☐ As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATAData must be provided for Change of Surface Location and As Built Reports.

LatitudeLongitude

GPS Quality Value:Type of GPS Quality Value:Measurement Date:

Well Ground Elevation:feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is:(Vertical, Directional, Horizontal)

Change of Surface Footage From:

Change of Surface Footage To:

Current Surface Location FromQtrQtrNWSESec23Twp2NRange66WMeridian6

New Surface Location ToQtrQtrSecTwpRangeMeridian

FNL/FSL

FEL/FWL

1727FSL1051FEL

Date Run: 12/31/2024 Doc [#404042760]

Page 1 of 7

Change of **Top of Productive Zone** Footage **From:**

Change of **Top of Productive Zone** Footage **To:**

\*\*

Current **Top of Productive Zone** Location

Sec

Twp

Range

New **Top of Productive Zone** Location

Sec

Twp

Range

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

\*\*

Current **Bottomhole** Location

Sec

Twp

Range

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

## SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building:  Feet

Building Unit:  Feet

Public Road:  Feet

Above Ground Utility:  Feet

Railroad:  Feet

Property Line:  Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit?

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary:  Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation:  Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease:  Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation:  Feet

## Exception Location

- ☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

## LOCATION CHANGE COMMENTS

OTHER

☐ **RULE 502 VARIANCE**

Order Number: \_\_\_\_\_

Description: \_\_\_\_\_

☐ **REMOVE FROM SURFACE BOND**      Signed surface use agreement is a required attachment

☐ **CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGD**

From:    Name    GOBBLER TANK BATTERY                      Number    1C-23HZ                      Effective Date: \_\_\_\_\_

To:        Name    \_\_\_\_\_                      Number    \_\_\_\_\_

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – ECMC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 911)

☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 907)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

☐ **REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))**

☐ **DIGITAL WELL LOG UPLOAD**

☒ **DOCUMENTS SUBMITTED**      Purpose of Submission: Installation of Permanent 15hp Instrument Air Skid

☐ **COMPLIANCE with CONDITION OF APPROVAL (COA) on**    Form NO: \_\_\_\_\_    Document Number: \_\_\_\_\_

RECLAMATION

**INTERIM RECLAMATION**

☐ Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.  
Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

**FINAL RECLAMATION**

☐ Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

## ENGINEERING AND ENVIRONMENTAL WORK

### ☐ REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

### ☐ REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

## TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☐ NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date \_\_\_\_\_

☐ SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Bradenhead Plan  | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input type="checkbox"/> Change Drilling Plan   | <input type="checkbox"/> Repair Well                   | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change  |  |  |
| <input type="checkbox"/> Underground Injection Control  |  |  |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |  |  |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |  |  |
| <input type="checkbox"/> Other  |  |  |

- ☐ Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

- ☐ Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

## GAS CAPTURE

VENTING AND FLARING:

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: \_\_\_\_\_ mcf ☐ estimated ☐ measured

Total duration of emission event: \_\_\_\_\_ hours ☐ consecutive ☐ cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

#### GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached. ☐

#### H2S REPORTING

☐ Intentional release of H2S gas due to Upset Condition or malfunction.

☐ Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

**Gas Analysis Report must be attached.**

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)

Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

#### OIL & GAS LOCATION UPDATES

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells	Oil Tanks	Condensate Tanks	1	Water Tanks	Buried Produced Water Vaults	2
Drilling Pits	Production Pits	Special Purpose Pits		Multi-Well Pits	Modular Large Volume Tank	
Pump Jacks	Separators	10	Injection Pumps	Heater-Treaters	Gas Compressors	
Gas or Diesel Motors	Electric Motors	Electric Generators		Fuel Tanks	LACT Unit	1
Dehydrator Units	Vapor Recovery Unit	2	VOC Combustor	Flare	Enclosed Combustion Devices	4
Meter/Sales Building	2	Pigging Station		Vapor Recovery Towers	1	

OTHER PERMANENT EQUIPMENT UPDATES

Permanent Equipment Type	Number
Fuel Gas Scrubber/Knockout Pot	3
Blowcase	1
Heat Exchanger	1
Electric Box/Transformer	1
15hp Air Compressor	1

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDG UPDATES

PROPOSED CHANGES TO AN APPROVED OGDG

☐ This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

☐ Add Oil and Gas Location(s)

☐ Amend Oil and Gas Location(s)

☐ Remove Oil and Gas Location(s)

☐ Oil and Gas Location attachment or plan updates

☐ Other

☐ Add Drilling and Spacing Unit(s)

☐ Amend Drilling and Spacing Unit(s)

☐ Remove Drilling and Spacing Unit(s)

☐ Amend the lands subject to the OGDG

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

<u>Best Management Practices</u>		
<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>

Operator Comments:

KMOG is requesting approval to install a permanent 15hp instrument air skid at the Gobbler Tank Battery 1C-23HZ (location 424426). This installation will reduce emissions and the environmental impact of the facility by providing instrument air, instead of natural gas, to operate pneumatically controlled valves.

The instrument air skid installed at this location will provide instrument air to operate the facility equipment for the following wells: Gobbler 1C-23HZ, and 1N-23HZ wells (location 424427), Gobbler 2C-23HZ, 2N-23HZ and 27N-23HZ wells (location 431844) and Gobbler 3C-23HZ, 3N-23HZ, 28N-23HZ, and 29N-23HZ wells (location 430007).

Additionally, KMOG is requesting approval to install small, permanent micro instrument air skids, housed in a cabinet measuring approximately 3'x5' on the Gobbler 1C-23HZ well pad (location 424427), the Gobbler 2C-23HZ well pad (location 431844) and Gobbler 3N-23HZ well pad (location 430007). These air skids will provide instrument air, replacing natural gas, to operate the pneumatically controlled wellhead equipment for the following wells: Gobbler 1C-23HZ, and 1N-23HZ (location 424427), Gobbler 2C-23HZ, 2N-23HZ and 27N-23HZ (location 431844) and Gobbler 3C-23HZ, 3N-23HZ, 28N-23HZ, and 29N-23HZ (location 430007).

This equipment is not expected to result in additional traffic, light, or noise impacts to surrounding stakeholders.

Please see attached plot plan for details.

KMOG plans to install the new equipment on February 1, 2025.

Related Instrument Air Skid Sundries:  
Gobbler 1C-23HZ – Sundry 404042870  
Gobbler 2C-23HZ – Sundry 404042886  
Gobbler 3N-23HZ – Sundry 404042900

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Greg Hamilton  
Title: Sr Regulatory Consultant Email: Gregory\_hamilton@oxy.com Date: \_\_\_\_\_

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

### **CONDITIONS OF APPROVAL, IF ANY LIST**

<b><u>COA Type</u></b>	<b><u>Description</u></b>
0 COA	

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
		Stamp Upon Approval

Total: 0 comment(s)

### **ATTACHMENT LIST**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
404042781	LAYOUT DRAWINGS
404042782	AERIAL PHOTOGRAPH

Total Attach: 2 Files