

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Submit By Other Operator

Document Number:

404017000

Date Received:

12/05/2024

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>10633</u>	Contact Name <u>Jacob Evans</u>
Name of Operator: <u>CRESTONE PEAK RESOURCES OPERATING LLC</u>	Phone: <u>(303) 8293811</u>
Address: <u>555 17TH STREET SUITE 3700</u>	Fax: <u>()</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>jevans@civiresources.com</u>

FORM 4 SUBMITTED FOR:

Facility Type: LOCATION

API Number : 05- 001 00 ID Number: 487289

Name: Invicta Pad Number: 3-65 28

Location QtrQtr: NWNE Section: 28 Township: 3S Range: 65W Meridian: 6

County: ADAMS Field Name: _____

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
487289	Invicta Pad 3-65 28

OGDP(s)

OGDP ID	OGDP Name
486510	Invicta 3-65 28

GROUNDWATER SAMPLING

Uses of Groundwater Sampling Section

Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or to request exceptions to the requirements in previous Rules 318A.f and 609.

Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements described in Rules 615.c.(3) and 907.b.(9).A or requirements in previous Rules 318A.f and 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Groundwater Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

Request an Exception to Groundwater Sampling Requirements per previous Rule 318A.f: There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or previous Rule 609.c.

0 Number of Water Sources located within one-half mile of an oil or gas well or multi-well site (Rule 615.c) or within one (1) mile of a Centralized E&P Waste Management Facility (Rule 907.b.(9)).

4 Number of Water Source Exceptions requested per Rule 615.c or Rule 907.b.(9).

0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**

Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 615.d.(3) and 907.b.(9) or as described in previous Rules 318A.f.(2).A and 609.d.(3).

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Operator Comments:

Pending form 9's Form 09S - 403861296 Form 09I - 403844217

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Jacob Evans
 Title: Environmental Advisor Email: jevans@civiresources.com Date: 12/5/2024

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: KOEPSSELL, ARTHUR Date: 1/5/2025

CONDITIONS OF APPROVAL, IF ANY LIST

<u>COA Type</u>	<u>Description</u>
0 COA	

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
404017000	SUNDRY NOTICE APPROVED-GW
404017001	OTHER
404047880	FORM 4 SUBMITTED

Total Attach: 3 Files