

	Chassis	Lower Module	Upper Module	BARO Module
Serial Number	466043	473071	472005	
Model	NV	10KPSI	RTD100	
Message Store				
Userspan		1.00000	1.00000	
Offset				
Datatype				
Units		PSI G	°F	
Tare				
Average				
User Factor				
User Offset				
User Resolution				
Firmware Version	R080016	R090009	R100006	
Calibration Due		21-Mar-25	21-Mar-25	
Run Index	15			
Run Start Time			7-Jan-25/12:04:08	
Run Duration			1 hour 30 minutes	
Run Tag			CntyInebypass	
Logging Interval	15.0			

Data Points				
Point #	Time	Left - PSI G	Right - °F	
1	00:00:00.0	7	-459.67	
2	00:00:15.0	0	-459.67	
3	00:00:30.0	0	-459.67	
4	00:00:45.0	48	-459.67	
5	00:01:00.0	169	-459.67	
6	00:01:15.0	201	-459.67	
7	00:01:30.0	202	-459.67	
8	00:01:45.0	202	-459.67	
9	00:02:00.0	203	-459.67	
10	00:02:15.0	204	-459.67	
11	00:02:30.0	212	-459.67	
12	00:02:45.0	213	-459.67	
13	00:03:00.0	218	-459.67	
14	00:03:15.0	221	-459.67	
15	00:03:30.0	222	-459.67	
16	00:03:45.0	214	-459.67	
17	00:04:00.0	221	-459.67	
18	00:04:15.0	225	-459.67	
19	00:04:30.0	235	-459.67	
20	00:04:45.0	238	-459.67	
21	00:05:00.0	242	-459.67	
22	00:05:15.0	245	-459.67	
23	00:05:30.0	249	-459.67	
24	00:05:45.0	251	-459.67	

25	00:06:00.0	235	-459.67
26	00:06:15.0	256	-459.67
27	00:06:30.0	258	-459.67
28	00:06:45.0	242	-459.67
29	00:07:00.0	242	-459.67
30	00:07:15.0	241	-459.67
31	00:07:30.0	241	-459.67
32	00:07:45.0	241	-459.67
33	00:08:00.0	241	-459.67
34	00:08:15.0	241	-459.67
35	00:08:30.0	240	-459.67
36	00:08:45.0	240	-459.67
37	00:09:00.0	240	-459.67
38	00:09:15.0	240	-459.67
39	00:09:30.0	240	-459.67
40	00:09:45.0	240	-459.67
41	00:10:00.0	240	-459.67
42	00:10:15.0	240	-459.67
43	00:10:30.0	240	-459.67
44	00:10:45.0	240	-459.67
45	00:11:00.0	240	-459.67
46	00:11:15.0	240	-459.67
47	00:11:30.0	240	-459.67
48	00:11:45.0	240	-459.67
49	00:12:00.0	240	-459.67
50	00:12:15.0	240	-459.67
51	00:12:30.0	244	-459.67
52	00:12:45.0	260	-459.67
53	00:13:00.0	264	-459.67
54	00:13:15.0	268	-459.67
55	00:13:30.0	271	-459.67
56	00:13:45.0	275	-459.67
57	00:14:00.0	278	-459.67
58	00:14:15.0	282	-459.67
59	00:14:30.0	285	-459.67
60	00:14:45.0	290	-459.67
61	00:15:00.0	293	-459.67
62	00:15:15.0	297	-459.67
63	00:15:30.0	301	-459.67
64	00:15:45.0	305	-459.67
65	00:16:00.0	309	-459.67
66	00:16:15.0	313	-459.67
67	00:16:30.0	318	-459.67
68	00:16:45.0	323	-459.67
69	00:17:00.0	327	-459.67
70	00:17:15.0	333	-459.67
71	00:17:30.0	338	-459.67
72	00:17:45.0	344	-459.67
73	00:18:00.0	349	-459.67
74	00:18:15.0	355	-459.67
75	00:18:30.0	361	-459.67
76	00:18:45.0	369	-459.67

77	00:19:00.0	374	-459.67
78	00:19:15.0	381	-459.67
79	00:19:30.0	388	-459.67
80	00:19:45.0	396	-459.67
81	00:20:00.0	403	-459.67
82	00:20:15.0	411	-459.67
83	00:20:30.0	420	-459.67
84	00:20:45.0	428	-459.67
85	00:21:00.0	437	-459.67
86	00:21:15.0	447	-459.67
87	00:21:30.0	457	-459.67
88	00:21:45.0	467	-459.67
89	00:22:00.0	478	-459.67
90	00:22:15.0	489	-459.67
91	00:22:30.0	484	-459.67
92	00:22:45.0	494	-459.67
93	00:23:00.0	512	-459.67
94	00:23:15.0	493	-459.67
95	00:23:30.0	491	-459.67
96	00:23:45.0	491	-459.67
97	00:24:00.0	490	-459.67
98	00:24:15.0	490	-459.67
99	00:24:30.0	489	-459.67
100	00:24:45.0	489	-459.67
101	00:25:00.0	489	-459.67
102	00:25:15.0	489	-459.67
103	00:25:30.0	488	-459.67
104	00:25:45.0	488	-459.67
105	00:26:00.0	488	-459.67
106	00:26:15.0	488	-459.67
107	00:26:30.0	488	-459.67
108	00:26:45.0	487	-459.67
109	00:27:00.0	487	-459.67
110	00:27:15.0	487	-459.67
111	00:27:30.0	487	-459.67
112	00:27:45.0	487	-459.67
113	00:28:00.0	486	-459.67
114	00:28:15.0	486	-459.67
115	00:28:30.0	486	-459.67
116	00:28:45.0	486	-459.67
117	00:29:00.0	486	-459.67
118	00:29:15.0	486	-459.67
119	00:29:30.0	486	-459.67
120	00:29:45.0	486	-459.67
121	00:30:00.0	485	-459.67
122	00:30:15.0	485	-459.67
123	00:30:30.0	485	-459.67
124	00:30:45.0	485	-459.67
125	00:31:00.0	485	-459.67
126	00:31:15.0	485	-459.67
127	00:31:30.0	485	-459.67
128	00:31:45.0	484	-459.67

129	00:32:00.0	493	-459.67
130	00:32:15.0	530	-459.67
131	00:32:30.0	550	-459.67
132	00:32:45.0	573	-459.67
133	00:33:00.0	596	-459.67
134	00:33:15.0	620	-459.67
135	00:33:30.0	646	-459.67
136	00:33:45.0	674	-459.67
137	00:34:00.0	704	-459.67
138	00:34:15.0	739	-459.67
139	00:34:30.0	709	-459.67
140	00:34:45.0	708	-459.67
141	00:35:00.0	738	-459.67
142	00:35:15.0	732	-459.67
143	00:35:30.0	740	-459.67
144	00:35:45.0	740	-459.67
145	00:36:00.0	743	-459.67
146	00:36:15.0	741	-459.67
147	00:36:30.0	743	-459.67
148	00:36:45.0	769	-459.67
149	00:37:00.0	746	-459.67
150	00:37:15.0	745	-459.67
151	00:37:30.0	744	-459.67
152	00:37:45.0	743	-459.67
153	00:38:00.0	743	-459.67
154	00:38:15.0	743	-459.67
155	00:38:30.0	742	-459.67
156	00:38:45.0	742	-459.67
157	00:39:00.0	742	-459.67
158	00:39:15.0	741	-459.67
159	00:39:30.0	741	-459.67
160	00:39:45.0	741	-459.67
161	00:40:00.0	741	-459.67
162	00:40:15.0	741	-459.67
163	00:40:30.0	740	-459.67
164	00:40:45.0	740	-459.67
165	00:41:00.0	740	-459.67
166	00:41:15.0	740	-459.67
167	00:41:30.0	740	-459.67
168	00:41:45.0	739	-459.67
169	00:42:00.0	739	-459.67
170	00:42:15.0	739	-459.67
171	00:42:30.0	739	-459.67
172	00:42:45.0	739	-459.67
173	00:43:00.0	739	-459.67
174	00:43:15.0	739	-459.67
175	00:43:30.0	739	-459.67
176	00:43:45.0	739	-459.67
177	00:44:00.0	738	-459.67
178	00:44:15.0	738	-459.67
179	00:44:30.0	738	-459.67
180	00:44:45.0	738	-459.67

181	00:45:00.0	738	-459.67
182	00:45:15.0	738	-459.67
183	00:45:30.0	738	-459.67
184	00:45:45.0	738	-459.67
185	00:46:00.0	738	-459.67
186	00:46:15.0	738	-459.67
187	00:46:30.0	738	-459.67
188	00:46:45.0	738	-459.67
189	00:47:00.0	738	-459.67
190	00:47:15.0	737	-459.67
191	00:47:30.0	737	-459.67
192	00:47:45.0	737	-459.67
193	00:48:00.0	737	-459.67
194	00:48:15.0	737	-459.67
195	00:48:30.0	737	-459.67
196	00:48:45.0	737	-459.67
197	00:49:00.0	737	-459.67
198	00:49:15.0	737	-459.67
199	00:49:30.0	737	-459.67
200	00:49:45.0	737	-459.67
201	00:50:00.0	737	-459.67
202	00:50:15.0	737	-459.67
203	00:50:30.0	737	-459.67
204	00:50:45.0	737	-459.67
205	00:51:00.0	736	-459.67
206	00:51:15.0	736	-459.67
207	00:51:30.0	736	-459.67
208	00:51:45.0	736	-459.67
209	00:52:00.0	736	-459.67
210	00:52:15.0	736	-459.67
211	00:52:30.0	736	-459.67
212	00:52:45.0	736	-459.67
213	00:53:00.0	736	-459.67
214	00:53:15.0	736	-459.67
215	00:53:30.0	736	-459.67
216	00:53:45.0	735	-459.67
217	00:54:00.0	735	-459.67
218	00:54:15.0	735	-459.67
219	00:54:30.0	735	-459.67
220	00:54:45.0	735	-459.67
221	00:55:00.0	735	-459.67
222	00:55:15.0	735	-459.67
223	00:55:30.0	735	-459.67
224	00:55:45.0	735	-459.67
225	00:56:00.0	735	-459.67
226	00:56:15.0	734	-459.67
227	00:56:30.0	734	-459.67
228	00:56:45.0	734	-459.67
229	00:57:00.0	734	-459.67
230	00:57:15.0	734	-459.67
231	00:57:30.0	734	-459.67
232	00:57:45.0	734	-459.67

233	00:58:00.0	734	-459.67
234	00:58:15.0	734	-459.67
235	00:58:30.0	734	-459.67
236	00:58:45.0	734	-459.67
237	00:59:00.0	734	-459.67
238	00:59:15.0	734	-459.67
239	00:59:30.0	734	-459.67
240	00:59:45.0	734	-459.67
241	01:00:00.0	733	-459.67
242	01:00:15.0	733	-459.67
243	01:00:30.0	733	-459.67
244	01:00:45.0	733	-459.67
245	01:01:00.0	733	-459.67
246	01:01:15.0	733	-459.67
247	01:01:30.0	733	-459.67
248	01:01:45.0	733	-459.67
249	01:02:00.0	733	-459.67
250	01:02:15.0	733	-459.67
251	01:02:30.0	733	-459.67
252	01:02:45.0	733	-459.67
253	01:03:00.0	733	-459.67
254	01:03:15.0	733	-459.67
255	01:03:30.0	733	-459.67
256	01:03:45.0	733	-459.67
257	01:04:00.0	733	-459.67
258	01:04:15.0	733	-459.67
259	01:04:30.0	733	-459.67
260	01:04:45.0	733	-459.67
261	01:05:00.0	733	-459.67
262	01:05:15.0	733	-459.67
263	01:05:30.0	733	-459.67
264	01:05:45.0	733	-459.67
265	01:06:00.0	733	-459.67
266	01:06:15.0	733	-459.67
267	01:06:30.0	733	-459.67
268	01:06:45.0	733	-459.67
269	01:07:00.0	733	-459.67
270	01:07:15.0	733	-459.67
271	01:07:30.0	733	-459.67
272	01:07:45.0	733	-459.67
273	01:08:00.0	733	-459.67
274	01:08:15.0	733	-459.67
275	01:08:30.0	733	-459.67
276	01:08:45.0	733	-459.67
277	01:09:00.0	733	-459.67
278	01:09:15.0	733	-459.67
279	01:09:30.0	733	-459.67
280	01:09:45.0	733	-459.67
281	01:10:00.0	733	-459.67
282	01:10:15.0	733	-459.67
283	01:10:30.0	733	-459.67
284	01:10:45.0	733	-459.67

285	01:11:00.0	733	-459.67
286	01:11:15.0	733	-459.67
287	01:11:30.0	733	-459.67
288	01:11:45.0	733	-459.67
289	01:12:00.0	732	-459.67
290	01:12:15.0	732	-459.67
291	01:12:30.0	732	-459.67
292	01:12:45.0	733	-459.67
293	01:13:00.0	732	-459.67
294	01:13:15.0	732	-459.67
295	01:13:30.0	732	-459.67
296	01:13:45.0	732	-459.67
297	01:14:00.0	732	-459.67
298	01:14:15.0	732	-459.67
299	01:14:30.0	732	-459.67
300	01:14:45.0	732	-459.67
301	01:15:00.0	732	-459.67
302	01:15:15.0	732	-459.67
303	01:15:30.0	732	-459.67
304	01:15:45.0	732	-459.67
305	01:16:00.0	732	-459.67
306	01:16:15.0	732	-459.67
307	01:16:30.0	732	-459.67
308	01:16:45.0	732	-459.67
309	01:17:00.0	732	-459.67
310	01:17:15.0	732	-459.67
311	01:17:30.0	732	-459.67
312	01:17:45.0	732	-459.67
313	01:18:00.0	732	-459.67
314	01:18:15.0	732	-459.67
315	01:18:30.0	732	-459.67
316	01:18:45.0	732	-459.67
317	01:19:00.0	732	-459.67
318	01:19:15.0	732	-459.67
319	01:19:30.0	732	-459.67
320	01:19:45.0	732	-459.67
321	01:20:00.0	732	-459.67
322	01:20:15.0	732	-459.67
323	01:20:30.0	732	-459.67
324	01:20:45.0	732	-459.67
325	01:21:00.0	732	-459.67
326	01:21:15.0	732	-459.67
327	01:21:30.0	732	-459.67
328	01:21:45.0	732	-459.67
329	01:22:00.0	732	-459.67
330	01:22:15.0	732	-459.67
331	01:22:30.0	732	-459.67
332	01:22:45.0	732	-459.67
333	01:23:00.0	732	-459.67
334	01:23:15.0	731	-459.67
335	01:23:30.0	731	-459.67
336	01:23:45.0	731	-459.67

337	01:24:00.0	731	-459.67
338	01:24:15.0	731	-459.67
339	01:24:30.0	731	-459.67
340	01:24:45.0	731	-459.67
341	01:25:00.0	731	-459.67
342	01:25:15.0	731	-459.67
343	01:25:30.0	731	-459.67
344	01:25:45.0	731	-459.67
345	01:26:00.0	731	-459.67
346	01:26:15.0	731	-459.67
347	01:26:30.0	731	-459.67
348	01:26:45.0	731	-459.67
349	01:27:00.0	731	-459.67
350	01:27:15.0	731	-459.67
351	01:27:30.0	731	-459.67
352	01:27:45.0	731	-459.67
353	01:28:00.0	731	-459.67
354	01:28:15.0	731	-459.67
355	01:28:30.0	731	-459.67
356	01:28:45.0	731	-459.67
357	01:29:00.0	731	-459.67
358	01:29:15.0	731	-459.67
359	01:29:30.0	731	-459.67
360	01:29:45.0	61	-459.67
361	01:30:00.0	7	-459.67

Left Scale	Right Scale
473071	472005
Lower PSI G	Upper °F