

US Treatment Report



Customer: CIVITAS RESOURCES
Rep: Josh Klieson
Supervisor: JAMES RAGLE
Job Type: US Primary
 Casing-Surface

Rig: Patterson 572
Well: Bijou 3-65-20-19-24 2AH
UWI: Bijou 3-65-20-19-24 2AH
Surface: Bijou 3-65-20-19-24 2AH

Job #: JOB00192424
Job Date: 9/4/2024
Time Requested: 14:00
Time Arrived: 12:00
Time Released: 19:00

1420.9 sk MAG S 13.3 + 0.10% MCDF-P

Yield: 1.44 ft³/sk = 364.41bbls Mix Water: 7.01 gal/sk = 9960.51gal

BHCT (F)	105	BHST (F)	144	Casing Size (in)	9.625
Casing Grade	J-55	Casing Weight (lb/ft)	36	Casing Size (in)	9.625
Casing Grade	J-55	Casing Weight (lb/ft)	36	Float Depth (ft)	3401
Funnel Vis (sec/qt)	TBD	Max Pressure (psi)	1500	Mud Density (lb/gal)	8.5
Mud Type	WATER	Plug Size (in)	9 5/8	Plug Type	Rig
TMD (ft)	3450	TVD (ft)	3204		Supplied

CASING SET @ 3440'.

Treatment Info: Sacks Used: 1421 Sacks Not Used: 0

Preflush: 40bbls Fresh Water & 10bbls MAG Mark & 10bbls Fresh Water

				Circulation Time:	0.5
			Slurry Temp:	86	Bulk Sample: Yes
			Water Temp:	78	Water Sample: Yes
			Bulk Temp:	71	Slurry Sample: Yes
			Air Temp:	70	Air Pressure
Slurry Returns:	5	Plug Bumped:	Yes	Pump Out Lines:	Yes
Cement Class:		OWG	Humidity:	30	Float Held: Yes
					Precipitation:

Displace: 262.9 BBLS FRESH WATER

Further Blend Details:

Prehydrated: NO

Additional Details (General Notes): TD 3450.

CASING SET @ 3440'. FLOAT COLLAR @ 3401'.

Time	Pressure psi	Annular Pressure psi	Volume Per Stage bbls	Total Stage Volume bbls	Rate bbls/mi n	Treatment Detail
12:00	0.00					Arrive on Location - ARRIVED ON LOCATION. CUSTOMER REQUESTER CREW @ 14:00.
13:00	0.00					TEST WATER: TEMP 78/ CHLORIDES 110/ PH 8.0
15:30	0.00					Safety Meeting - PRE JOB SAFETY MEETING
16:03	3,010.00		5.0		4.0	Start Pressure Test - LOAD LINE AND PRESSURE TEST
16:05	230.00		40		5.0	Pump Preflush - PUMP FRESH WATER

16:12	200.00		10		5.0	Pump Preflush - PUMP DYE
16:14	210.00		10		5.0	Pump Preflush - PUMP FRESH WATER
16:16	590.00		364.4		7.3	Pump Slurry - BATCH/ WEIGHT/ PUMP 1420.9 SKS OF MAG S 13.3 PPG.
17:12	0.00					Stop Pumping - FINISHED PUMPING CEMENT
17:13	0.00					Drop Plug - DROP TOP PLUG
17:14	1,100.00		240		7.5	Displace - FRESH WATER DISPLACEMENT. FIRST 20 BBLS WASHING UP ON TOP OF THE PLUG.
17:51	1,090.00		22.9		4.5	Slow Rate Pumping - SLOW RATE
17:54	1,510.00			262.9		Bump Plug - BUMP PLUG. 5 BBLS OF CEMENT TO SURFACE.
17:56	0.00					Check Floats - FLOATS HELD. 2 BBL BACK
18:00	0.00					Rig Out
18:10	0.00					Wash Up Truck



Customer: CIVITAS

Date: SEPT 4 2024

Ticket: 192424

Location: BIJOU 3-65-20-19-24 2AH

Well Name: BIJOU 3-65-20-19-24 2AH

Job Type: SURFACE

Magnum Unit #: 1507

