



PRIMARY DB KEY: **05-045-13978** NAME/DESCRIP : **110170060 GG7 CHEVRON 33D-7D**
 LEASE #: **200806** BRAIDEN HEAD
 FIELD/AREA:
 PROJECT NO. : **202412023** ANALYSIS NO. : **02**
 COMPANY NAME : **QB ENERGY OPERATING, LLC** ANALYSIS DATE: DECEMBER 24, 2024 00:00
 OFFICE / BRANCH: PARACHUTE, CO SAMPLE DATE : DECEMBER 3, 2024 7:30
 CUSTOMER REF: TO:
 PRODUCER : QB ENERGY OPERATING, LLC EFFECTIVE DATE:

*****FIELD DATA*****

SAMPLE CYCLE: SAMPLE TYPE: SPOT
 SAMPLE PRES. : 34 psig PROBE : NO
 FLOW PRES. : psig CYLINDER NO. : ECA-808
 LAB PRES: psig SAMPLED BY : ALEX GALLEGOS
 SAMPLE TEMP. : 25 °f SAMPLING COMPANY: QB ENERGY
 AMBIENT TEMP.: °f H2S BY STAIN TUBE: - ppm mol
 H2O BY STAIN TUBE: - #/mmcf CO2 BY STAIN TUBE: - Mol %
 FIELD COMMENTS:
 LAB COMMENTS:

COMPONENTS	NORM. MOLE%	GPM @ 14.65	d13C ‰ VPDB	dD ‰ VSMOW
HELIUM	0.02	-	-	-
HYDROGEN	0.00	-	-	-
OXYGEN/ARGON	0.02	-	-	-
NITROGEN	0.49	-	-	-
CO2	0.01	-	0.0	-
METHANE	94.17	-	-37.4	-157
ETHANE	3.40	0.9062	-28.4	-
PROPANE	1.06	0.2908	-27.7	-
ISOBUTANE	0.22	0.0719	-26.1	-
N-BUTANE	0.26	0.0819	-28.6	-
ISOPENTANE	0.11	0.0360	-25.7	-
N-PENTANE	0.07	0.0250	-27.4	-
HEXANES+	0.19	0.0909	-	-
TOTAL	100.00	1.5027		

BTU @ 60 DEG F

14.65
 GROSS DRY REAL = 1070.1 /scf
 GROSS SATURATED REAL = 1051.4 /scf

RELATIVE DENSITY (AIR=1 @14.696 PSIA 60F) 0.5985
 GRAVITY (LB/SCF) 0.04569
 COMPRESSIBILITY FACTOR : 0.99770

NOTE: REFERENCE GPA 2261(ASTM D1945 & ASME-PTC), 2145, & 2172 CURRENT PUBLICATIONS

Reference: Per GPA 2172-14 sec 9 **The C6+ is derived from the following ratios of C6, C7 & C8+ respectively: 60% 30% 10%**

The NG Composition File #: **202412023-02-A-297**
 The Isotopic Data File #: **DIG-038446**

Note: Stable isotope results based on multi-point laboratory calibration

Precision δ¹³C < 0.5 ‰ Precision δD < 5.0 ‰

Values in red represent low peak heights. Interpret with caution.

The data presented herein has been acquired by means of current analytical techniques and represents the judicious conclusion EMPACT Analytical Systems, Inc. Results of the analysis can be affected by the sampling conditions, therefore, are only warranted through proper lab protocol. EMPACT assumes no responsibility for interpretation or any consequences from application of the reported information and is the sole liability of the user. The reproduction in any media of this reported information may not be made, in portion or as a whole, without the written permission of EMPACT Analytical Systems, Inc.