

OIL AND GAS CONSERVATION COMMISSION OF THE STATE OF COLORADO

RECEIVED OCT 19 1970

File in duplicate for Patented and Federal lands. File in triplicate for State lands.

COLO. OIL & GAS CONS. COMM.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL [X] GAS WELL [] OTHER []
2. NAME OF OPERATOR Cardinal Petroleum Company
3. ADDRESS OF OPERATOR P. O. Box 1077, Billings, Montana 59103
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1,980' from S/L, 990' from W/L, being the E2NW4SW4
14. PERMIT NO. 66 234
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4,367' DF
5. LEASE DESIGNATION AND SERIAL NO. COLORADO-021258-A
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
9. WELL NO. 1
10. FIELD AND POOL, OR WILDCAT STAGECOACH FIELD
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Section 34-2N-56W
12. COUNTY OR PARISH 13. STATE

SCANNED

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data
NOTICE OF INTENTION TO: TEST WATER SHUT-OFF [], FRACTURE TREAT [], SHOOT OR ACIDIZE [], REPAIR WELL [], (Other) []
PULL OR ALTER CASING [], MULTIPLE COMPLETE [X], ABANDON [], CHANGE PLANS []
SUBSEQUENT REPORT OF: WATER SHUT-OFF [], FRACTURE TREATMENT [], SHOOTING OR ACIDIZING [], (Other) []
REPAIRING WELL [], ALTERING CASING [], ABANDONMENT []
(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

- (1) Will set bridge plug at approximately 4,900'. Will fill casing with water.
(2) Will cut off casing just above Niobrara at approximately 4,200'.
(3) Will place 20 sacks cement plug over cut off casing stub.
(4) Will pull 4,200' of casing.
(5) Will place 10 sacks cement plug across base of surface pipe and 5 sacks cement plug at top of surface pipe.
(6) Will cut off surface pipe below plow depth, clean up location and set abandonment marker.

Table with 2 columns and 5 rows. Headers: DVR, FIP, CIM, 44, 30. Checkmarks in the second column.

18. I hereby certify that the foregoing is true and correct
SIGNED [Signature] TITLE Reservoir Engineer DATE October 16, 1970

(This space for Federal or State office use)
APPROVED BY [Signature] TITLE DIRECTOR OF OIL & GAS CONSERVATION DATE OCT 23 1970
CONDITIONS OF APPROVAL, IF ANY:



✓