


Dataset: flanigan 01c-06h rbl 7 inch .db: field/well/run1/pass6  
 Total length: 20.93 ft  
 Total weight: 85.00 lb  
 O.D.: 2.75 in

Database File flanigan 01c-06h rbl 7 inch .db  
 Dataset Pathname pass6  
 Presentation Format ips\_rbtcolorcivitas  
 Dataset Creation Mon Nov 11 09:54:00 2024  
 Charted by Depth in Foot scaled 1:240

LSPD	650	TT (usec)	150	0	AMP (mV)	100	0	AMPS1	150	200	VDL (usec)	1200	1	Cement Map	8
(ft/min)	-9	CCL	1	0	Amplified Amplitude	0	0	AMPS2	150						
0	250	0	GR (GAPI)	150	0	(mV)	20	0	AMPS3	150					
		150	GR (GAPI)	400				0	AMPS4	150					
								0	AMPS5	150					
								0	AMPS6	150					
								0	AMPS7	150					
								0	AMPS8	150					




200


250

300


350





400  
450  
500  
550  
600



650  
700  
750  
800








1300


1350

1400

1450



1500  
1550  
1600  
1650  
1700




1750

1800

1850

1900






1950

2000

2050

2100

2150




2200

2250

2300

2350




2400

2450

2500

2550




2600

2650

2700

2750

2800







2850

2900

2950

3000






3050

3100

3150

3200

3250




3300

3350

3400

3450




3500

3550

3600

3650




3700

3750

3800

3850

3900




3950


4000

4050

4100



4150  
4200  
4250  
4300  
4350




4400

4450

4500

4550




4600


4650

4700


4750



4800  
4850  
4900  
4950  
5000



5050  
5100  
5150  
5200




5250

5300

5350

5400

5450




5500

5550

5600

5650





5700

5750

5800

5850





### Calibration Report

Database File: flanigan 01c-06h rbl 7 inch .db  
 Dataset Pathname: pass6  
 Dataset Creation: Mon Nov 11 09:54:00 2024

Gamma Ray Calibration Report

Serial Number:	27GRL10-XXXX	
Tool Model:	27GRL10	
Performed:	(Not Performed)	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	1.0000	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	Greeley Ext Temp 7	
Tool Model:	27SBT10	
Calibration Casing Diameter:	7.000	in
Calibration Depth:	143.522	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	1.124	0.800	62.165	54.618	0.800
CAL	-0.001	1.431				
5'	-0.005	1.199	0.800	62.165	50.965	1.049
SUM						
S1	-0.000	1.009	0.000	62.165	61.582	0.030
S2	0.000	1.094	0.000	62.165	56.849	-0.001
S3	-0.000	1.235	0.000	62.165	50.330	0.002
S4	0.000	1.275	0.000	62.165	48.757	-0.000
S5	0.000	1.247	0.000	62.165	49.871	-0.001
S6	0.000	1.180	0.000	62.165	52.681	-0.001
S7	0.000	1.086	0.000	62.165	57.245	-0.001
S8	0.000	0.974	0.000	62.165	63.798	-0.000

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.001	1.431	1.000	0.000

Air Zero Calibration, performed Mon Jul 1 11:33:40 2024:

	Raw (v)		Calibrated (v)		Results	
	Zero		Zero		Offset	
3'	0.000		0.000			0.000
5'	0.000		0.000			0.000
SUM						
S1	0.000		0.000			0.000
S2	0.000		0.000			0.000
S3	0.000		0.000			0.000
S4	0.000		0.000			0.000
S5	0.000		0.000			0.000
S6	0.000		0.000			0.000
S7	0.000		0.000			0.000
S8	0.000		0.000			0.000



Company	CIVITAS	
Well	FLANIGAN 01C-06H	
Field	WATTENBERG	
County	WELD	
State	COLORADO	Country U.S.A.