

FORM  
4  
Rev  
03/22

State of Colorado  
Energy & Carbon Management Commission  
1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DEETOEES  
Document Number:  
404023223  
Date Received:  
12/11/2024

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: 47120

Contact Name Greg Hamilton

Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

Phone: (970) 515-1698

Address: P O BOX 173779

Fax: ( )

City: DENVER State: CO Zip: 80217-3779

Email: Gregory\_hamilton@oxy.com

FORM 4 SUBMITTED FOR:

Facility Type: WELL

API Number : 05- 123 52565 00 ID Number: 486664

Name: RADEMACHER SOUTH Number: 30-12HZ

Location QtrQtr: SESW Section: 30 Township: 3N Range: 67W Meridian: 6

County: WELD Field Name: WATTENBERG

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
486288	RADEMACHER 14-30HZ

OGDP(s)

OGDP ID	OGDP Name
485787	SPROUT

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

☐ Change of Location for Well \* ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude Longitude

GPS Quality Value: Type of GPS Quality Value: Measurement Date:

Well Ground Elevation: feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: (Vertical, Directional, Horizontal)

Change of Surface Footage From:

Change of Surface Footage To:

Current Surface Location From QtrQtr SESW Sec 30 Twp 3N Range 67W Meridian 6

New Surface Location To QtrQtr Sec Twp Range Meridian

FNL/FSL

FEL/FWL

508 FSL 2069 FWL

Date Run: 1/29/2025 Doc [#404023223]

Page 1 of 8

Change of **Top of Productive Zone** Footage **From:**

1102 FNL

500 FEL

Change of **Top of Productive Zone** Footage **To:**

\*\*

Current **Top of Productive Zone** Location

Sec 31

Twp 3N

Range 67W

New **Top of Productive Zone** Location

Sec

Twp

Range

Change of **Base of Productive Zone** Footage **From:**

FNL

FEL

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

245 FSL

387 FEL

Change of **Bottomhole** Footage **To:**

\*\*

Current **Bottomhole** Location

Sec 6

Twp 2N

Range 67W

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

## SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building: \_\_\_\_\_ Feet  
Building Unit: \_\_\_\_\_ Feet  
Public Road: \_\_\_\_\_ Feet  
Above Ground Utility: \_\_\_\_\_ Feet  
Railroad: \_\_\_\_\_ Feet  
Property Line: \_\_\_\_\_ Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? \_\_\_\_\_

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

## LOCATION CHANGE COMMENTS

## CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
NIOBRARA	NBRR	407-3582	1760	3N-67W-31: ALL; 2N-6			X	

## OTHER

☐ **RULE 502 VARIANCE**

Order Number: \_\_\_\_\_

Description: \_\_\_\_\_

☐ **REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment☐ **CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGD**

From: Name RADEMACHER SOUTH Number 30-12HZ Effective Date: \_\_\_\_\_

To: Name \_\_\_\_\_ Number \_\_\_\_\_

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.☐ PIT: Abandon Earthen Pit Permit (Form 15) – ECMC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 911)☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 907)

OIL &amp; GAS LOCATION ID Number: \_\_\_\_\_

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**☐ **REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))**☐ **DIGITAL WELL LOG UPLOAD**☐ **DOCUMENTS SUBMITTED** Purpose of Submission: \_\_\_\_\_☐ **COMPLIANCE with CONDITION OF APPROVAL (COA) on** Form NO: \_\_\_\_\_ Document Number: \_\_\_\_\_

## RECLAMATION

## INTERIM RECLAMATION

☐ Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.  
Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.**Field inspection will be conducted to document Rule 1003.e. compliance**

## FINAL RECLAMATION

☐ Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐

Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

☐ **REPORT OF TEMPORARY ABANDONMENT**

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

☐ **REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS**

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☐ **NOTICE OF INTENT/REQUEST FOR APPROVAL**      Approximate Start Date \_\_\_\_\_

☐ **SUBSEQUENT REPORT**      Date of Activity \_\_\_\_\_

- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Bradenhead Plan  | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input type="checkbox"/> Change Drilling Plan   | <input type="checkbox"/> Repair Well                   | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change  |  |  |
| <input type="checkbox"/> Underground Injection Control  |  |  |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |  |  |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |  |  |
| <input type="checkbox"/> Other  |  |  |

☐ Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

☒ Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

## COMMENTS:

Job Type: Cleanout

1. WH/Pad work
  - a. Remove equipment as needed to allow coil space to rig up
  - b. Install cages on nearby wells as needed based on spacing
  - c. Rig up flowback equipment as needed
2. Coiled tubing - 1 1/4" coil cleanout in 2 3/8" tubing, as needed
  - a. MIRU 1 1/4" coil unit with quad coil BOP stack
  - b. Cleanout potential sand/debris from tubing
  - c. Remove nearby well cages if installed
3. Slickline
  - a. Tag/pull production equipment as needed
  - b. Set tubing plugs as needed
4. Workover Rig
  - a. MIRU workover rig
  - b. NU BOPS
  - c. TOH with production tubing
  - d. Pick up work string & cleanout BHA
  - e. Cleanout lateral
  - f. Lay down work string, pick up production string
  - g. ND BOPS and NU WH equipment
  - h. Run rods
  - i. RDMO
5. WH/Pad work
  - a. Rebuild WH/flowline equipment as needed
  - b. Use CNG/swab to bring back online as needed

Coil operations, if needed, will be 24 hours or daylight hours – to be determined

Workover rig operations will be 24 hours or daylight hours – to be determined

Equipment Mobilization: In some cases, equipment such as tanks and an emissions control device (ECD) may be moved onto location up to a week prior to Move In Rig Up (MIRU) of the workover rig. This is conducted to allow for preliminary well work to be completed before a workover rig moves onto location, reducing the overall time that the workover rig is needed on location.

## GAS CAPTURE

### VENTING AND FLARING:

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: \_\_\_\_\_ mcf ☐ estimated ☐ measured

Total duration of emission event: \_\_\_\_\_ hours ☐ consecutive ☐ cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

## GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached. ☐

## CASING PROGRAM

(No Casing Provided)

Date Run: 1/29/2025 Doc [#404023223]

POTENTIAL FLOW AND CONFINING FORMATIONS

H2S REPORTING

- ☐ Intentional release of H2S gas due to Upset Condition or malfunction.
- ☐ Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____	Vapor Recovery Towers _____		

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDG UPDATES

PROPOSED CHANGES TO AN APPROVED OGDG

☐ This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- ☐ Add Oil and Gas Location(s)
- ☐ Add Drilling and Spacing Unit(s)
- ☐ Amend Oil and Gas Location(s)
- ☐ Amend Drilling and Spacing Unit(s)
- ☐ Remove Oil and Gas Location(s)
- ☐ Remove Drilling and Spacing Unit(s)
- ☐ Oil and Gas Location attachment or plan updates
- ☐ Amend the lands subject to the OGDG
- ☐ Other

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

Operator Best Management Practices

No	BMP/COA Type	Description
1	Planning	Site lighting will be shielded and directed downward and inward toward operations to avoid glare on public roads and nearby Building Units.
2	Community Outreach and Notification	Signs will be placed in conspicuous locations and will include Oxy contact information; the Oxy Stakeholder Relations team will respond to all community member inquiries. The signs will be placed so as not to create a potential traffic hazard.
3	Community Outreach and Notification	Courtesy notifications will be sent to all parcel owners with building units within 2,000 feet of the location letting them know about our subsequent well operations and providing contact information for Kerr McGee’s response line and online resources.
4	Wildlife	This location was reviewed using a desktop method to review publicly available wildlife data (including CPW & ECMC data) as well as internal wildlife datasets and aerial imagery. All field personnel are trained to identify wildlife risks and raise concerns noticed during operations with the Kerr McGee’s Health, Safety, and Environment (HSE) department.
5	Dust control	Water will be placed on dirt access roads to mitigate dust as needed.
6	Noise mitigation	Noise associated with pipe handling, traffic, and other operational activity will be minimized between 7:00 pm and 7:00 am. Based off the rig sound signature, rig orientation will be considered to reduce noise levels to nearby building units.

Total: 6 comment(s)

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Greg Hamilton

Title: Sr Regulatory Consultant Email: Gregory\_hamilton@oxy.com Date: 12/11/2024

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: McFarland, Nick

Date: 1/29/2025

### **CONDITIONS OF APPROVAL, IF ANY LIST**

#### **COA Type**

#### **Description**

	1) Provide electronic Form 42 Notice of MIRU 2 business days ahead of operations. 2) Operator shall implement measures to control venting, to protect health and safety, and to ensure that vapors and odors from well operations do not constitute a nuisance or hazard to public welfare.
1 COA	

### **General Comments**

#### **User Group**

#### **Comment**

#### **Comment Date**

OGLA	LAS review completed and task passed.	01/01/2025
OGLA	Returned to DRAFT at operator's request.	12/11/2024

Total: 2 comment(s)

### **ATTACHMENT LIST**

#### **Att Doc Num**

#### **Name**

404023223	SUNDRY NOTICE APPROVED-OBJ-SBSQ-OPS
404023227	WELLBORE DIAGRAM
404074700	FORM 4 SUBMITTED

Total Attach: 3 Files