



REPEAT SECTION



SHORT GUARD(NORMAL) SHOP CALIBRATION

PERFORMED 10/ 05/ 85 LAST SHOP CALIB 10/ 05/ 85
PROGRAM VERSION V1.80

	MEASURED	CALIBRATED	UNITS
SHOP CAL LOW	2	2	OHMM
SHOP CAL HIGH	200	200	OHMM
INTERNAL CAL LOW	1.9783	1.9783	OHMM
INTERNAL CAL HIGH	196.29	196.29	OHMM

SER # 28465 MOD. # 141 SRC. # 0 FLD CAL. # 0

DUAL INDUCTION SHOP CALIBRATION SUMMARY

PERFORMED 10/ 05/ 85 LAST SHOP CALIB 09/ 05/ 85
PROGRAM VERSION V1.80

ITEM	DEEP INDUCTION MEASURED	DEEP INDUCTION CALIBRATED	MEDIUM INDUCTION MEASURED	MEDIUM INDUCTION CALIBRATED
TOOL ZERO	-0.433	0	-0.229	0
INT. CALIB.	500.79	499.95	498.92	500.27
WHEEL	500.98	500.15	498.99	500.33
MANDREL ERROR		5.4895		2.9827

SER # 91905 MOD. # 280 SRC. # 0 FLD CAL. # 0

SHORT GUARD(NORMAL) BEFORE SURVEY CALIBRATION SUMMARY

PERFORMED 10/ 14/ 85 LAST SHOP CALIB 10/ 05/ 85
PROGRAM VERSION V1.84

	MEASURED	CALIBRATED	UNITS
LOW INT CAL	1.9724	1.9783	OHMM
HIGH INT CAL	196.71	196.29	OHMM

SER # 28465 MOD. # 141 SRC. # 0 FLD CAL. # 0

BEFORE LOG FIELD CALIBRATION SUMMARY

PERFORMED 10/ 14/ 85 LAST SHOP CALIB 10/ 05/ 85
PROGRAM VERSION V1.84

ITEM	DEEP INDUCTION FIELD	DEEP INDUCTION SHOP	MEDIUM INDUCTION FIELD	MEDIUM INDUCTION SHOP
TOOL ZERO	-0.433	0.	-0.344	0.
INT. CALIB.	582.74	499.95	500.66	500.27
MANDREL ERROR	5.4895		2.9827	

SER # 91905 MOD. # 280 SRC. # 0 FLD CAL. # 0

SHORT GUARD(NORMAL) AFTER SURVEY CALIBRATION

PERFORMED 10/ 14/ 85 LAST SHOP CALIB 10/ 05/ 85
PROGRAM VERSION V1.84

	BEFORE	AFTER	UNITS
LOW INT CAL	1.9724	2.0182	OHMM
HIGH INT CAL	196.71	193.01	OHMM

SER # 28465 MOD. # 141 SRC. # 0 FLD CAL. # 0

AFTER LOG FIELD CALIBRATION SUMMARY

PERFORMED 10/ 14/ 85 LAST SHOP CALIB 10/ 05/ 85
PROGRAM VERSION V1.84

ITEM	DEEP INDUCTION AFTER	DEEP INDUCTION BEFORE	MEDIUM INDUCTION AFTER	MEDIUM INDUCTION BEFORE
TOOL ZERO	-0.333	0.	-0.225	0.
INT. CALIB.	500.06	499.95	500.05	500.27
MANDREL ERROR	5.4895		2.9827	

SER # 91905 MOD. # 280 SRC. # 0 FLD CAL. # 0