

FORM
5Rev
12/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402771123

Date Received:

08/16/2021

DRILLING COMPLETION REPORT

Per Rule 308A, this form and all required attachments shall be submitted after completing the drilling operations to drill, sidetrack, or deepen a wellbore and after changing the casing and/or cement configuration of a wellbore. If any attempt has been made to test, complete, or produce the well, the operator shall also submit a Form 5A (Completed Interval Report) per Rule 308B. If the well has been plugged, the operator shall also submit a Form 6 (Well Abandonment Report) per Rule 311.

Completion Type ☒ Final completion ☐ Preliminary completion

ECMC Operator Number: 10669 Contact Name: Erin Lind
Name of Operator: NICKEL ROAD OPERATING LLC Phone: (314) 374-5572
Address: 3773 CHERRY CRK NORTH DR #670 Fax: _____
City: DENVER State: CO Zip: 80209 Email: erin.lind@nickelroadoperating.com

API Number 05-123-51476-01 County: WELD
Well Name: BLEHM ST Well Number: 7X-HNC-10-07-67
Location: QtrQtr: NENE Section: 9 Township: 7N Range: 67W Meridian: 6
FNL/FSL FEL/FWL
Footage at surface: Distance: 572 feet Direction: FNL Distance: 714 feet Direction: FEL
As Drilled Latitude: 40.594387 As Drilled Longitude: -104.891201
GPS Data: GPS Quality Value: 1.3 Type of GPS Quality Value: PDOP Date of Measurement: 07/02/2021
FNL/FSL FEL/FWL
** If directional footage at Top of Prod. Zone Dist: 1080 feet Direction: FSL Dist: 480 feet Direction: FWL
Sec: 9 Twp: 7N Rng: 67W
FNL/FSL FEL/FWL
** If directional footage at Bottom Hole Dist: 1110 feet Direction: FSL Dist: 381 feet Direction: FEL
Sec: 10 Twp: 7N Rng: 67W
Field Name: WATTENBERG Field Number: 90750
Federal, Indian or State Lease Number: _____

Spud Date: (when the 1st bit hit the dirt) 05/01/2021 Date TD: 05/28/2021 Date Casing Set or D&A: 05/28/2021
Rig Release Date: 06/29/2021 Per Rule 308A.b.

Well Classification:

☐ Dry ☒ Oil ☐ Gas/Coalbed ☐ Disposal ☐ Stratigraphic ☐ Enhanced Recovery ☐ Storage ☐ Observation

Total Depth MD 19480 TVD** 7072 Plug Back Total Depth MD 19436 TVD** 7072
Elevations GR 5088 KB 5115 Digital Copies of ALL Logs must be Attached ☒

List All Logs Run:

CBL, MWD/LWD, MUD, RES/GR IN API # 123-51479-00

FLUID VOLUMES USED IN DRILLING OPERATIONS

(Enter "0" if a type of a fluid was not used. Do not leave blank.)

Total Fluids (bbls): 1670 Fresh Water (bbls): 306Recycled or Reused Fluids That Offset the Use of Fresh Water (bbls): 0

CASING, LINER AND CEMENT

<u>Casing Type</u>	<u>Size of Hole</u>	<u>Size of Casing</u>	<u>Grade</u>	<u>Wt/Ft</u>	<u>Csg/Liner Top</u>	<u>Setting Depth</u>	<u>Sacks Cmt</u>	<u>Cmt Btm</u>	<u>Cmt Top</u>	<u>Status</u>
CONDUCTOR	24	16	H-40	43	0	80	100	80	0	VISU
SURF	13+1/2	9+5/8	J-55	36	0	1730	625	1730	0	VISU
1ST	8+1/2	5+1/2	HCP110	20	0	19461	3075	19461	0	CBL

Bradenhead Pressure Action Threshold 519 psig

This threshold is calculated per Rule 308A.b.(2)G. If this well is located in a bradenhead test area (see Rule 207.b) per an Order of the Commission, it may be subject to a different threshold.

Does the casing centralization comply with Rule 317.g? Yes

If "NO", provide details below.

STAGE/TOP OUT/REMEDIAL CEMENT

Cement work date: _____

Method used	String	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom

Details of work:

FORMATION LOG INTERVALS AND TEST ZONES

FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analysis must be submitted to ECMC)
	Top	Bottom	DST	Cored	
PARKMAN	4,300		NO	NO	
SUSSEX	5,505		NO	NO	
SHANNON	6,000		NO	NO	
SHARON SPRINGS	9,218		NO	NO	
NIOBRARA	9,277		NO	NO	

Operator Comments:

SURFACE HOLE COORDINATES PROVIDED ON THE WELL INFORMATION TAB ARE ACTUAL, AS-DRILLED COORDINATES.

THE PORTION OF THE WELLBORE DRILLED BEYOND THE 460' DSU SETBACK WILL NOT BE COMPLETED. TPZ FOOTAGES ARE ESTIMATED AS THE WELL HAS NOT YET BEEN COMPLETED. ACTUAL TPZ AND BPZ FOOTAGES WILL BE PROVIDED WITH THE FORM 5A SUBMITTAL.

ALTERNATIVE LOGGING PROGRAM- NO OPEN HOLE LOGS WERE RUN ON THIS WELL. RESISTIVITY WITH GAMMA RAY LOG WAS RUN ON THE BLEHM 5X-HC-10-07-67 (API # 123-51479-00).

PRODUCTION CEMENT RETURNS OF 70 BBLS TO SURFACE, CEMENT JOB REPORT ATTACHED.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Erin LindTitle: Senior Regulatory AnalystDate: 8/16/2021Email: erin.lind@nickelroadoperating.com

ATTACHMENT LIST

Att Doc Num	Document Name	attached ?			
<u>Attachment Checklist</u>					
402774134	CMT Summary *	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
402774138	CMT Summary *	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
	Core Analysis	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
402774132	Directional Survey **	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
	DST Analysis	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
	Logs	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
	Other	Yes	<input type="checkbox"/>	No	<input checked="" type="checkbox"/>
<u>Other Attachments</u>					
402771123	FORM 5 SUBMITTED	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
402774110	PDF-CEMENT BOND	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
402774112	LAS-MWD/LWD	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
402774114	PDF-MWD/LWD	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
402774116	PDF-MUD	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>
402774133	DIRECTIONAL DATA	Yes	<input checked="" type="checkbox"/>	No	<input type="checkbox"/>

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	1/22/2025 --emailed operator re: GL and KB not matching attached documents --actual TPZ entered from Form 5A, doc #402848996 2/8/2025-per operator updated GL an KB to match attached documents. Pass form.	01/22/2025

Total: 1 comment(s)