



P&A Wellbore For State

Well Name: GUNTHER B18-01

Original Hole [Land]		Well Header									
MD (ftK B)	Vertical schematic (actual)	Surface UWI 0512315693				Business Unit Rockies		Gov Auth Dist		Prod Tree Loc Land	
		Orig. KB to Gnd (ft) 12.00		Original Spud Date 4/22/1992		Abandon Date 1/30/2025		Well Sub-Status TA		High... N	
		Comment									
		Surface Location (Congressional)									
		Qtr 3 NE	Qtr 4 NE	Section 18	Twnshp 5	Twnsh... N	Range 64	Rng E/... W	Latitude (°) 40.40460731	Longitude (°) -104.585885857	
Wellbore Sections											
Section Des		Hole Size (in)		Top Depth (ftKB)		Btm Depth (ftKB)					
SURFACE		12 1/4		12.0		380.0					
PRODUCTION		7 7/8		380.0		7,035.0					
Casing Strings											
Csg Des		Run Date		OD (in)		Wt/Len (lb/ft)		Grade		Top Depth (MD) (ftKB)	
Surface		4/22/1992		8 5/8		23.00		N-80		12	
Production Casing		4/27/1992		2 7/8		6.50				12	
										370	
										7002	
Cement											
Des				Start Date		Top (ftKB)		Btm (ftKB)			
SURFACE CASING CEMENT				4/22/1992		12.0		370.0			
PRODUCTION CASING CEMENT				4/27/1992		6,254.0		7,002.0			
Cement Plug				1/10/2025		2,002.0		2,272.0			
Cement Plug				1/13/2025		12.0		570.0			
Zone Statuses											
Zone Name		Status Date		Status		Fluid Type		Job		Prod Method	
CODELL		3/3/2009		PR		Oil		TRI-FRAC, 12/31/2008 00:00			
CODELL		5/8/2017		AB		Oil					
Perforation Data											
Linked Zone		Explosive Type		Entered Shot Total		Top (ftKB)		Btm (ftKB)		Date	
						2,272.0		2,272.0		1/8/2025	
CODELL, Original Hole				60		6,867.0		6,882.0		3/14/2002	
CODELL, Original Hole				40		6,870.0		6,880.0		4/29/1992	
Stim/Frac Stage											
Zone		Start Date		Top (ftKB)		Btm (ftKB)					
CODELL, Original Hole		3/21/2002		6,867.0		6,882.0					
CODELL, Original Hole		1/20/2009		6,867.0		6,880.0					
CODELL, Original Hole		5/1/1992		6,870.0		6,880.0					
Other In Hole											
Run Date		Des		Make		OD (in)		Top (ftKB)		Btm (ftKB)	
5/8/2017		Cast Iron Bridge Plug w/ 2 SX Cement				2.44		6,795.0		6,810.0	
1/8/2025		Cast Iron Bridge Plug w/ 2 SX Cement				2.44		6,453.0		6,523.0	
Logs											
Date		Type				Depth Top (MD) (ftKB)		Btm (ftKB)			
4/26/1992		Compensated Density				6,840		7,060.0			
4/30/1992		Cement Bond				6,150		6,937.0			
3/14/2002		Cement Bond				6,090		6,500.0			
1/12/2016		GYRO				0		6,700.0			
Wellbore Plug Back Total Depths											
Date		Type		Com				PBTD (ftKB)			
4/30/1992		FILL		DEPTH LOGGER ON CBL				6,942			
1/22/2009		FILL						6,942			

Cement Plug, Plug,
1/13/2025 00:00; 12-570;
2025-01-13; 218 SXS /
44.6BBLs OF SLURRY

Surface Casing Cement,
Casing, 4/22/1992 00:00; 12
-370; 1992-04-22

Cement Plug, Plug,
1/10/2025 00:00; 2002-
2272; 2025-01-10; 120 SXS
2,272.0-2,272.0ftKB on
1/8/2025 00:00 (Jet Cut);
2272-2272; 2025-01-08
2.44 in, Cast Iron Bridge
Plug w/ 2 SX Cement,
1/8/2025 00:00; 6453-6523;
2025-01-08

Production Casing Cement,
Casing, 4/27/1992 00:00;
6254-7002; 1992-04-27;
4/30/1992 CBL SHOWS 14'
CMT, REST FREE PIPE;
3/14/2002 CBL SHOWS
GOOD CEMENT 6250'-
7000'

2.44 in, Cast Iron Bridge
Plug w/ 2 SX Cement,
5/8/2017 09:30; 6795-6810;
2017-05-08 09:30
6,867.0-6,882.0ftKB on
3/14/2002 00:00
(Perforated); 6867-6882;
2002-03-14
6,870.0-6,880.0ftKB on
4/29/1992 00:00
(Perforated); 6870-6880;
1992-04-29